

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
23 September 2004 (23.09.2004)


PCT

(10) International Publication Number
WO 2004/080162 A2

- (51) International Patent Classification⁷: **A01K** **Leandro**; 1311 Victoria Road, Watkinsville, GA 30677 (US).
- (21) International Application Number: PCT/US2004/006378 (74) Agent: HAYZER, David, J.; Womble Carlyle Sandridge & Rice, PLLC, P.O. Box 7037, Atlanta, GA 30357-0037 (US).
- (22) International Filing Date: 1 March 2004 (01.03.2004)
- (25) Filing Language: English (81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (26) Publication Language: English (84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK,
- (30) Priority Data:
60/453,126 7 March 2003 (07.03.2003) US
60/490,452 28 July 2003 (28.07.2003) US
60/536,677 15 January 2004 (15.01.2004) US
- (71) Applicant (for all designated States except US): AVI-GENICS, INC. [US/US]; 111 Riverbend Road, Georgia Biobusiness Center, Athens, GA 30605 (US).
- (72) Inventors: HARVEY, Alex; 188 Sunset Drive, Athens, GA 30606 (US). LEAVITT, Markley, C.; 1140 Latham Drive, Watkinsville, GA 30677 (US). CHRISTMANN,

[Continued on next page]

(54) Title: INTEGRASE MEDIATED AVIAN TRANSGENESIS



(57) Abstract: The invention provides methods for integrating a heterologous polynucleotide into the genome of an avian cell. The methods deliver to an avian cell a polynucleotide and a source of integrase activity that mediates recombination between the polynucleotides and the genomic DNA of the avian cell. The invention provides modified avian or artificial chromosomes as vectors to shuttle transgenes or gene clusters into an avian genome. Another aspect of the invention are avian cells genetically modified with a transgene vector. One cell line for the delivery and integration of a transgene comprises a heterologous attP site and, optionally, a region for expressing the integrase. Methods are also included for the production of a heterologous polypeptide by transgenic avian tissue involve integrating a heterologous polynucleotide into the avian genome. Subsequently, a mature transgenic avian is derived by transferring the transgenic blastodermal cells to an embryo and allowing that embryo to develop fully.



TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

Published:

- *without international search report and to be republished upon receipt of that report*

Title of the Invention

INTEGRASE MEDIATED AVIAN TRANSGENESIS

5 The present application claims priority from U.S. provisional patent application Serial Nos. 60/453,126, filed March 7, 2003, 60/490,452, filed July 28, 2003, and 60/536,677 filed January 15, 2004 and which are hereby incorporated by reference in their entireties.

Field of the Invention

10 The present invention relates to the field of biotechnology, and more specifically to the field of avian genome modification. Disclosed herein are compositions, vectors, and methods of use thereof, for the generation of genetically transformed avian cells and transgenic birds.

15

Background

 Transgenic technology to convert animals into "bioreactors" for the production of specific proteins or other substances of pharmaceutical interest (Gordon *et al.*, 1987, *Biotechnology* 5: 1183-1187; Wilmut *et al.*, 1990, *Theriogenology* 33: 113-123) offers significant advantages over more conventional methods of protein production by gene expression. Recombinant nucleic acid molecules, for instance, have been engineered and incorporated into transgenic animals so that an expressed heterologous protein may be joined to a protein or peptide that allows secretion of the transgenic expression product into milk or urine, from which the protein may then be recovered.

25 These procedures, however, may require lactating animals, with the attendant costs of maintaining individual animals or herds of large species, such as cows, sheep, or goats.

 Historically, transgenic animals have been produced almost exclusively by microinjection of the fertilized egg. The pronuclei of fertilized eggs are microinjected

30 *in vitro* with foreign, i.e., xenogeneic or allogeneic, heterologous DNA or hybrid

DNA molecules. The microinjected fertilized eggs are then transferred to the genital tract of a pseudopregnant female (e.g., Krimpenfort *et al.*, U.S. Pat. No. 5,175,384).

One system that holds potential is the avian reproductive system. The production of an avian egg begins with formation of a large yolk in the ovary of the hen. The unfertilized oocyte or ovum is positioned on top of the yolk sac. After ovulation, the ovum passes into the infundibulum of the oviduct where it is fertilized if sperm are present, and then moves into the magnum of the oviduct, which is lined with tubular gland cells. These cells secrete the egg-white proteins, including ovalbumin, lysozyme, ovomucoid, conalbumin and ovomucin, into the lumen of the magnum where they are deposited onto the avian embryo and yolk. The hen oviduct offers outstanding potential as a protein bioreactor because of the high levels of protein production, the promise of proper folding and post-translation modification of the target protein, the ease of product recovery, and the shorter developmental period of chickens compared to other potential animal species.

One method for creating permanent genomic modification of an eukaryotic cell is to integrate an introduced DNA into an existing chromosome. Only retroviruses have so far provided efficient integration. However, retroviral integration is directed to a number, albeit limited, of insertion sites within the recipient genome so that positional variation in heterologous gene expression can be evident. Unpredictability as to which insertion site is targeted introduces an undesirable lack of control over the procedure. An additional limitation of the use of retroviruses is that the size of the nucleic acid molecule encoding the virus and heterologous sequences is restricted to about 8 kb. Although wild-type adeno-associated virus (AAV) often integrates at a specific region in the human genome, vectors derived from AAV do not integrate site-specifically due to the deletion of the toxic *rep* gene. Other well-known methods for genomic modification of animal cells include transfection of DNA using calcium phosphate co-precipitation, electroporation, lipofection, microinjection, protoplast fusion and particle bombardment, all of which methods typically produce random integration and at low frequency. Homologous recombination produces site-specific integration, but the frequency of such integration usually is very low.

An alternative method that has been considered for driving the integration of heterologous nucleic acid fragments into a chromosome is the use of a site-specific recombinase (integrase) that can catalyze the insertion or excision of nucleic acid fragments. These enzymes recognize relatively short unique nucleic acid sequences
5 that serve for both recognition and recombination. Examples include Cre (Sternberg & Hamilton, 1981, *J. Mol. Biol.* 150: 467-486, 1981), Flp (Broach *et al.*, 1982, *Cell* 29: 227-234, 1982) and R (Matsuzaki *et al.*, 1990, *J. Bact.* 172: 610-618, 1990).

A novel class of phage integrases that includes the integrase from the phage phiC31 can mediate highly efficient integration of transgenes in mammalian cells both
10 *in vitro* and *in vivo* (Thyagarajan *et al.*, *Mol. Cell Biol.* 21: 3926-3934 (2001)). Constructs and methods of using recombinase to integrate heterologous DNA into a plant, insect or mammalian genome are described by Calos in U.S. Patent Serial No. 6,632,672.

The phiC31 integrase is a member of a subclass of integrases, termed serine
15 recombinases, that include R4 and TP901-1. Unlike the phage lambda integrases, which belong to a tyrosine class of recombinases, the serine integrases do not require cofactors such as integration host factor. The phiC31 integrase normally mediates integration of the phiC31 bacteriophage into the genome of *Streptomyces* via recombination between the attP recognition sequence of the phage genome and the
20 attB recognition sequence within the bacterial genome. When a plasmid is equipped with a single attB site, phiC31 integrase will detect and mediate crossover between the attB site and a pseudo-attP site within the mammalian genome. Such pseudo-attP integration sites have now been identified in the mouse and human genomes. If the heterologous DNA is in a circular or supercoiled form, the entire plasmid becomes
25 integrated with *attL* and *attR* arms flanking the nucleic acid insert. PhiC31 integrase is not able to mediate the integration into genomic DNA of sequences bearing attP sites.

PhiC31 integrase-mediated integration results in the destruction of the recognition or recombination sites themselves so that the integration reaction is
30 irreversible. This will bypass the primary concern inherent with other recombinases, i.e., the reversibility of the integration reaction and excision of the inserted DNA.

It has been estimated that there are 50 to 100 pseudo-attP sites in mammalian genomes (mouse and human) and some sites are apparently preferred for integration over others. The chicken genome, however, is only about one-third the size of mammalian genomes, and it was unknown whether there would be a sufficient
5 number of pseudo attP sites in the chicken genome to allow efficient integrase-mediated integration.

We have found that the phiC31 integrase is active in avian cells, increasing the rate of integration over that of a non-integrase-mediated integration. Furthermore, we have determined that the phiC31 integrase works well at both 37° Celsius and 41°
10 Celsius, showing that it will function in the environment of a developing avian embryo.

A need still exists, however, for methods by which avian chromosomes can be permanently modified in an efficient and site-specific manner and the genetically transformed cells used to generate transgenic birds.

15

Summary of the Invention

Integration of a transgene into a defined chromosomal site is useful to improve the predictability of expression of the transgene, which is particularly advantageous when creating transgenic avians. Transgenesis by methods that randomly insert a
20 transgene into an avian genome is often inefficient since the transgene may not be expressed at the desired levels or in desired tissues.

A novel class of phage integrases, and in particular the integrase from phage phiC31, can mediate the efficient integration of transgenes into target cells both *in vitro* and *in vivo*. When a plasmid is equipped with a single attB site, phiC31
25 integrase detects attP homologous sequences, termed pseudo-attP sites, in a target genome and mediates crossover between the attB site and a pseudo attP site.

The present invention provides novel methods and recombinant polynucleotide molecules for transfecting and integrating a heterologous nucleic acid molecule into the genome of an avian cell. The methods of the invention deliver to an avian cell
30 population a first nucleic acid molecule that comprises a region encoding a bacterial

recombination site. A source of integrase activity also delivered to the avian cell can be an integrase-encoding nucleic acid sequence and its associated promoter included in the first nucleic acid molecule or as a region of a second nucleic acid molecule that may be co-delivered with the polynucleotide molecule. Alternatively, integrase
5 protein itself can be delivered directly to the target cell.

The recombinant nucleic acid molecules of the present invention may further comprise a heterologous nucleotide sequence operably linked to a promoter so that the heterologous nucleotide sequence, when integrated into the genome DNA of a recipient avian cell, can be expressed to yield a desired polypeptide. The nucleic acid
10 molecule may also include a second transcription initiation site, such as an internal ribosome entry site (IRES), operably linked to a second heterologous polypeptide-encoding region desired to be expressed with the first polypeptide in the same cell.

The heterologous nucleic acid molecule of the present invention may include a cassette for the expression in a recipient avian cell of a desired heterologous
15 polypeptide. Optionally, the nucleic acid molecules may further comprise a marker such as, but not limited to, a puromycin resistance gene, a luciferase gene, EGFP-encoding gene, and the like.

Once delivered to a recipient avian cell, the phiC31 integrase mediates recombination between the att site within the nucleic acid molecule and a
20 bacteriophage attachment site within the genomic DNA of the avian cell. Both att sites are disrupted and the nucleic acid molecule, with partial att sequences at each end, is stably integrated into the genome attP site. The phiC31 integrase, by disrupting the att sites of the incoming nucleic acid and of the recipient site within the avian cell genome, precludes any subsequent reverse recombination event that would
25 excise the integrated nucleic acid and reduce the overall efficiency of stable incorporation of the heterologous nucleic acid.

Following delivery of the nucleic acid molecule and a source of integrase activity into an avian cell population and integrase-mediated recombination, the cells may be returned to an embryo. Late stage blastodermal cells may be returned to a
30 hard shell egg, which is resealed for incubation until hatching. Stage I cells may be directly microinjected with the polynucleotide and source of integrase activity, or

isolated, transfected and returned to a stage I embryo which is reimplanted into a hen for further development. Alternatively, the transfected cells may be maintained in *in vitro* culture.

5 The present invention further provides modified isolated avian or artificial chromosomes useful as vectors to shuttle transgenes or gene clusters into the avian genome. By delivery to the modified chromosome to an isolated recipient cell, the target cell, and progeny thereof, become trisomic. The additional or trisomic chromosome will not affect the subsequent development of the recipient cell and/or an embryo, nor interfere with the reproductive capacity of an adult bird developed from
10 such cells or embryos. The chromosome will also be stable within chicken cells. The invention provides methods to isolate a population of chromosomes for delivery into chicken embryos or early cells.

The method comprises inserting a lac-operator sequence into an isolated chromosome and, optionally, inserting a desired transgene sequence within the same
15 chromosome. The lac operator region is typically a concatamer of a plurality of lac operators for the binding of multiple lac repressor molecules. A recombinant DNA molecule is constructed that includes an identified region of the target chromosome, a recombination site such as attB or attP, and the lac-operator concatamer. The recombinant molecule is delivered to an avian cell, and homologous recombination
20 will integrate the heterologous polynucleotide and the lac-operator concatamer into the targeted chromosome. A tag-polypeptide, such as the GFP-lac-repressor fusion protein, binds to the lac-operator sequence for identification and isolation of the genetically modified chromosome. The tagged mitotic chromosome can be isolated using, for instance, flow cytometry.

25 Another aspect of the present invention is an avian cell genetically modified with a transgene vector by the methods of the invention. For example, in one embodiment, the transformed cell can be a chicken early stage blastodermal cell or a genetically transformed cell line, including a sustainable cell line. The transfected cell may comprise a transgene stably integrated into the nuclear genome of the recipient
30 cell, thereby replicating with the cell so that each progeny cell receives a copy of the transfected nucleic acid. A particularly useful cell line for the delivery and integration

of a transgene comprises a heterologous attP site that can increase the efficiency of integration of a polynucleotide by phiC31 integrase and, optionally, a region for expressing the integrase.

Another aspect of the present invention is methods of expressing a heterologous polypeptide in an avian cell by stably transfecting a cell by using site-specific integrase-mediation and a recombinant nucleic acid molecule, as described above, and culturing the transfected cell under conditions suitable for expression of the heterologous polypeptide under the control of the avian transcriptional regulatory region.

Yet another aspect of the present invention concerns transgenic birds, such as chickens, comprising a recombinant nucleic acid molecule and which preferably (though optionally) express a heterologous gene in one or more cells in the animal. Embodiments of the methods for the production of a heterologous polypeptide by the avian tissue involve providing a suitable vector and introducing the vector into embryonic blastodermal cells together with an integrase, preferably phiC31 integrase, so that the vector can integrate into the avian genome. A subsequent step involves deriving a mature transgenic avian from the transgenic blastodermal cells by transferring the transgenic blastodermal cells to an embryo and allowing that embryo to develop fully, so that the cells become incorporated into the bird as the embryo is allowed to develop. An alternative is to transfer a transfected nucleus to an enucleated recipient cell which may then develop into a zygote and ultimately an adult bird. The resulting chick is then grown to maturity.

In various embodiments of the transgenic bird of the present invention, the expression of the transgene may be restricted to specific subsets of cells, tissues or developmental stages utilizing, for example, *trans*-acting factors acting on the transcriptional regulatory region operably linked to the polypeptide-encoding region of interest of the present invention and which control gene expression in the desired pattern. Tissue-specific regulatory sequences and conditional regulatory sequences can be used to control expression of the transgene in certain spatial patterns. Moreover, temporal patterns of expression can be provided by, for example,

conditional recombination systems or prokaryotic transcriptional regulatory sequences.

The invention can be used to express, in large yields and at low cost, a wide range of desired proteins including those used as human and animal pharmaceuticals, diagnostics, and livestock feed additives. Proteins such as growth hormones, cytokines, structural proteins and enzymes including human growth hormone, interferon, lysozyme, and β -casein are examples of proteins which are desirably expressed in the oviduct and deposited in eggs according to the invention.

Additional objects and aspects of the present invention will become more apparent upon review of the detailed description set forth below when taken in conjunction with the accompanying figures, which are briefly described as follows.

Brief Description of the Figures

Fig. 1 illustrates phage integrase-mediated integration. A plasmid vector bearing the transgene includes the attB recognition sequence for the phage integrase. The vector along with integrase-coding mRNA, a vector expressing the integrase, or the integrase protein itself, are delivered into cells or embryos. The integrase recognizes DNA sequences in the avian genome similar to attP sites, termed pseudo-attP, and mediates recombination between the attB and pseudo-attP sites, resulting in the permanent integration of the transgene into the avian genome.

Fig. 2 illustrates the persistent expression of luciferase from a nucleic acid molecule after phiC31 integrase-mediated integration into chicken cells.

Fig. 3 illustrates the results of a puromycin resistance assay to measure phiC31 integrase-mediated integration into chicken cells.

Fig. 4 illustrates phiC31 integrase-mediated integration into quail cells. Puromycin resistance vectors bearing attB sites were cotransfected with phiC31 integrase, or a control vector, into QT6 cells, a quail fibrosarcoma cell line. One day after transfection, puromycin was added. Puromycin resistant colonies were counted 12 days post-transfection.

Figs. 5A and 5B illustrate that phiC31 integrase can facilitate multiple integrations per avian cell. A puromycin resistance vector bearing an attB site was

cotransfected with an enhanced green fluorescent protein (EGFP) expression vector bearing an attB site, and a phiC31 integrase expression vector. After puromycin selection, many puromycin resistant colonies expressed EGFP in all of their cells. Figs. 5A and 5B are the same field of view with EGFP illuminated with ultraviolet
5 light (Fig. 5A) and puromycin resistant colonies photographed in visible light (Fig. 5B). In Fig. 5B, there are 4 puromycin resistant colonies, two of which are juxtaposed at the top. One of these colonies expressed EGFP.

Fig. 6 shows maps of the small vectors used for integrase assays.

Fig. 7 shows integrase promotes efficient integration of large transgenes in
10 avian cells.

Fig. 8 shows maps of large vectors used for integrase assays.

Fig. 9 illustrates the nucleotide sequence of the integrase-expressing plasmid pCMV-31int (SEQ ID NO: 1).

Fig. 10 illustrates the nucleotide sequence of the plasmid pCMV-luc-attB
15 (SEQ ID NO: 2).

Fig. 11 illustrates the nucleotide sequence of the plasmid pCMV-luc-attP (SEQ ID NO: 3).

Fig. 12 illustrates the nucleotide sequence of the plasmid pCMV-pur-attB (SEQ ID NO: 4).

Fig. 13 illustrates the nucleotide sequence of the plasmid pCMV-pur-attP
20 (SEQ ID NO: 5).

Fig. 14 illustrates the nucleotide sequence of the plasmid pCMV-EGFP-attB (SEQ ID NO: 6).

Fig. 15 illustrates the nucleotide sequence of the plasmid p12.0-lys-
25 LSPIPMM-CMV-pur-attB (SEQ ID NO: 7).

Fig. 16 illustrates the nucleotide sequence of the plasmid pOMIFN-Ins-CMV-pur-attB (SEQ ID NO: 8).

Fig. 17 illustrates the nucleotide sequence of the integrase-expressing plasmid pRSV-Int (SEQ ID NO: 9).

Fig. 18 illustrates the nucleotide sequence of the plasmid pCR-XL-TOPO-CMV-pur-attB (SEQ ID NO: 10).
30

Fig. 19 illustrates the nucleotide sequence of the attP containing polynucleotide SEQ ID NO: 11.

Fig. 20 illustrates in schematic form the integration of a heterologous att recombination site into an isolated chromosome. The attB sequence is linked to
5 selectable maker such as a puromycin expression cassette and is flanked by sequences found in the target site of the chromosome to be modified. The DNA is transfected into cells containing the chromosome and stable transfectants are selected by drug resistance. Site specific integration may be confirmed by several techniques including PCR.

10 Fig. 21 illustrates the persistent expression of luciferase from a nucleic acid molecule after phiC31 integrase-mediated integration into chicken cells bearing a wild-type attP sequence.

Detailed Description of the Preferred Embodiments

15 This description uses gene nomenclature accepted by the Cucurbit Genetics Cooperative as it appears in the *Cucurbit Genetics Cooperative Report* 18:85 (1995), which are incorporated herein by reference in its entirety. Using this gene nomenclature, genes are symbolized by italicized Roman letters. If a mutant gene is recessive to the normal type, then the symbol and name of the mutant gene appear in
20 italicized lower case letters.

The disclosures of publications, patents, and published patent specifications referenced in this application are hereby incorporated by reference into the present disclosure to more fully describe the state of the art to which this invention pertains.

Definitions

25 For convenience, definitions of certain terms employed in the specification, examples, and appended claims are collected here.

As used in this specification and the appended claims, the singular forms "a," "an" and "the" include plural references unless the content clearly dictates otherwise. Thus, for example, reference to "an antigen" includes a mixture of two or more such
30 agents.

The term "avian" as used herein refers to any species, subspecies or race of organism of the taxonomic class *ava*, such as, but not limited to chicken, turkey, duck, goose, quail, pheasants, parrots, finches, hawks, crows and ratites including ostrich, emu and cassowary. The term includes the various known strains of *Gallus gallus*, or
5 chickens, (for example, White Leghorn, Brown Leghorn, Barred-Rock, Sussex, New Hampshire, Rhode Island, Australorp, Minorca, Amrox, California Gray), as well as strains of turkeys, pheasants, quails, duck, ostriches and other poultry commonly bred in commercial quantities. It also includes an individual avian organism in all stages of development, including embryonic and fetal stages. The term "avian" also may
10 denote "pertaining to a bird", such as "an avian (bird) cell."

The term "nucleic acid" as used herein refers to any natural or synthetic linear and sequential array of nucleotides and nucleosides, for example cDNA, genomic DNA, mRNA, tRNA, oligonucleotides, oligonucleosides and derivatives thereof. For ease of discussion, such nucleic acids may be collectively referred to herein as
15 "constructs," "plasmids," or "vectors." The term "nucleic acid" further includes modified or derivatized nucleotides and nucleosides such as, but not limited to, halogenated nucleotides such as, but not only, 5-bromouracil, and derivatised nucleotides such as biotin-labeled nucleotides.

The terms "polynucleotide," "oligonucleotide," and "nucleic acid sequence"
20 are used interchangeably herein and include, but are not limited to, coding sequences (polynucleotide(s) or nucleic acid sequence(s) which are transcribed and translated into polypeptide *in vitro* or *in vivo* when placed under the control of appropriate regulatory or control sequences); control sequences (e.g., translational start and stop codons, promoter sequences, ribosome binding sites, polyadenylation signals,
25 transcription factor binding sites, transcription termination sequences, upstream and downstream regulatory domains, enhancers, silencers, and the like); and regulatory sequences (DNA sequences to which a transcription factor(s) binds and alters the activity of a gene's promoter either positively (induction) or negatively (repression)). No limitation as to length or to synthetic origin are suggested by the terms described
30 above.

As used herein the terms "peptide," "polypeptide" and "protein" refer to a

polymer of amino acids in a serial array, linked through peptide bonds. A "peptide" typically is a polymer of at least two to about 30 amino acids linked in a serial array by peptide bonds. The term "polypeptide" includes proteins, protein fragments, protein analogues, oligopeptides and the like. The term "polypeptides" contemplates
5 polypeptides as defined above that are encoded by nucleic acids, produced through recombinant technology (isolated from an appropriate source such as a bird), or synthesized. The term "polypeptides" further contemplates polypeptides as defined above that include chemically modified amino acids or amino acids covalently or noncovalently linked to labeling moieties.

10 The terms "percent sequence identity" or "percent sequence similarity" as used herein refer to the degree of sequence identity between two nucleic acid sequences or two amino acid sequences as determined using the algorithm of Karlin & Attschul, *Proc. Natl. Acad. Sci.* 87: 2264-2268 (1990), modified as in Karlin & Attschul, *Proc. Natl. Acad. Sci.* 90: 5873-5877 (1993). Such an algorithm is incorporated into the
15 NBLAST and XBLAST programs of Attschul *et al.*, 1990, *T. Mol. Biol.* Q15: 403-410. BLAST nucleotide searches are performed with the NBLAST program, score = 100, word length = 12, to obtain nucleotide sequences homologous to a nucleic acid molecule of the invention. BLAST protein searches are performed with the XBLAST program, score = 50, word length = 3, to obtain amino acid sequences homologous to
20 a reference polypeptide. To obtain gapped alignments for comparison purposes, Gapped BLAST is utilized as described in Attschul *et al.*, *Nucl. Acids Res.* 25: 3389-3402 (1997). When utilizing BLAST and Gapped BLAST programs, the default parameters of the respective programs (e.g. XBLAST and NBLAST) are used. Other algorithms, programs and default settings may also be suitable such as, but not only,
25 the GCG-Sequence Analysis Package of the U.K. Human Genome Mapping Project Resource Centre that includes programs for nucleotide or amino acid sequence comparisons. Examples of preferred algorithms are FASTA and BESTFIT.

The terms "recombinant nucleic acid" and "recombinant DNA" as used herein refer to combinations of at least two nucleic acid sequences that are not naturally
30 found in a eukaryotic or prokaryotic cell. The nucleic acid sequences may include, but are not limited to, nucleic acid vectors, gene expression regulatory elements, origins

of replication, suitable gene sequences that when expressed confer antibiotic resistance, protein-encoding sequences and the like. The term "recombinant polypeptide" is meant to include a polypeptide produced by recombinant DNA techniques. A recombinant polypeptide may be distinct from a naturally occurring
5 polypeptide either in its location, purity or structure. Generally, a recombinant polypeptide will be present in a cell in an amount different from that normally observed in nature.

The term "gene" or "genes" as used herein refers to nucleic acid sequences that encode genetic information for the synthesis of a whole RNA, a whole protein, or any
10 portion of such whole RNA or whole protein. Genes that are not naturally part of a particular organism's genome are referred to as "foreign genes," "heterologous genes" or "exogenous genes" and genes that are naturally a part of a particular organism's genome are referred to as "endogenous genes". The term "gene product" refers to an RNA or protein that is encoded by the gene. "Endogenous gene products" are RNAs
15 or proteins encoded by endogenous genes. "Heterologous gene products" are RNAs or proteins encoded by "foreign, heterologous or exogenous genes" and are, therefore, not naturally expressed in the cell.

The term "expressed" or "expression" as used herein refers to the transcription from a gene to give an RNA nucleic acid molecule at least complementary in part to a
20 region of one of the two nucleic acid strands of the gene. The term "expressed" or "expression" as used herein may also refer to the translation from an RNA molecule to give a protein, a polypeptide or a portion thereof.

The term "operably linked" refers to an arrangement of elements wherein the components so described are configured so as to perform their usual function. Control
25 sequences operably linked to a coding sequence are capable of effecting the expression of the coding sequence. The control sequences need not be contiguous with the coding sequence, so long as they function to direct the expression thereof. For example, intervening untranslated yet transcribed sequences can be present between a promoter sequence and the coding sequence and the promoter sequence can still be
30 considered "operably linked" to the coding sequence.

The term “transcription regulatory sequences” as used herein refers to nucleotide sequences that are associated with a gene nucleic acid sequence and which regulate the transcriptional expression of the gene. Exemplary transcription regulatory sequences include enhancer elements, hormone response elements, steroid response elements, negative regulatory elements, and the like.

The term “promoter” as used herein refers to the DNA sequence that determines the site of transcription initiation by an RNA polymerase. A “promoter-proximal element” is a regulatory sequence generally within about 200 base pairs of the transcription start site.

The term “internal ribosome entry sites (IRES)” as used herein refers to a region of a nucleic acid, most typically an RNA molecule, wherein eukaryotic initiation of protein synthesis occurs far downstream of the 5' end of the RNA molecule. A 43S pre-initiation complex comprising the eIF2 protein bound to GTP and Met-tRNA^{Met}, the 40S ribosomal subunit, and factors eIF3 and 31f1A may bind to an “IRES” before locating an AUG start codon. An “IRES” may be used to initiate translation of a second coding region downstream of a first coding region, wherein each coding region is expressed individually, but under the initial control of a single upstream promoter. An “IRES” may be located in a eukaryotic cellular mRNA.

The term “coding region” as used herein refers to a continuous linear arrangement of nucleotides which may be translated into a polypeptide. A full length coding region is translated into a full length protein; that is, a complete protein as would be translated in its natural state absent any post-translational modifications. A full length coding region may also include any leader protein sequence or any other region of the protein that may be excised naturally from the translated protein.

The terms “vector” or “nucleic acid vector” as used herein refer to a natural or synthetic single or double stranded plasmid or viral nucleic acid molecule (RNA or DNA) that can be transfected or transformed into cells and replicate independently of, or within, the host cell genome. The term “expression vector” as used herein refers to a nucleic acid vector that comprises a transcription regulatory region operably linked to a site wherein is, or can be, inserted, a nucleotide sequence to be transcribed and,

optionally, to be expressed, for instance, but not limited to, a sequence coding at least one polypeptide.

The term "transfection" as used herein refers to the process of inserting a nucleic acid into a host cell. Many techniques are well known to those skilled in the art to facilitate transfection of a nucleic acid into an eukaryotic cell. These methods include, for instance, treating the cells with high concentrations of salt such as a calcium or magnesium salt, an electric field, detergent, or liposome mediated transfection, to render the host cell competent for the uptake of the nucleic acid molecules, and by such methods as micro-injection into a pro-nucleus, sperm-mediated and restriction-mediated integration.

The terms "recombinant cell" and "genetically transformed cell" refer to a cell comprising a combination of nucleic acid segments not found in a single cell with each other in nature. A new combination of nucleic acid segments can be introduced into an organism using a wide array of nucleic acid manipulation techniques available to those skilled in the art. The recombinant cell may harbor a vector that is extragenomic, i.e. that does not covalently insert into the cellular genome, including a non-nuclear (e.g. mitochondrial) genome(s). A recombinant cell may further harbor a vector or a portion thereof that is intragenomic, i.e. covalently incorporated within the genome of the recombinant cell.

As used herein, a "transgenic avian" is any avian, as defined above, including the chicken and quail, in which one or more of the cells of the avian contain heterologous nucleic acid introduced by manipulation, such as by transgenic techniques. The nucleic acid may be introduced into a cell, directly or indirectly, by introduction into a precursor of the cell by way of deliberate genetic manipulation, such as by microinjection or by infection with a recombinant virus. Genetic manipulation also includes classical cross-breeding, or *in vitro* fertilization. A recombinant DNA molecule may be integrated within a chromosome, or it may be extrachromosomally replicating DNA.

The terms "chimeric animal" or "mosaic animal" are used herein to refer to animals in which the recombinant gene is found, or in which the recombinant is expressed, in some but not all cells of the animal. The term "tissue-specific chimeric

animal” indicates that the recombinant gene is present and/or expressed in some tissues but not others.

As used herein, the term “transgene” means a nucleic acid sequence that is partly or entirely heterologous, i.e., foreign, to the transgenic animal or cell into which it is introduced, or, is homologous to an endogenous gene of the transgenic animal or cell into which it is introduced, but which is designed to be inserted, or is inserted, into the animal’s genome in such a way as to alter the genome of the cell into which it is inserted (*e.g.*, it is inserted at a location which differs from that of the natural gene or its insertion results in a knockout).

The term “cytokine” as used herein refers to any secreted polypeptide that affects a function of cells and modulates an interaction between cells in the immune, inflammatory or hematopoietic response. A cytokine includes, but is not limited to, monokines and lymphokines. Examples of cytokines include, but are not limited to, interferon α 2b, Interleukin-1 (IL-1), Interleukin-6 (IL-6), Interleukin-8 (IL-8), Tumor Necrosis Factor- α (TNF- α .) and Tumor Necrosis Factor β (TNF- β .).

The term “antibody” as used herein refers to polyclonal and monoclonal antibodies and fragments thereof, and immunologic binding equivalents thereof. Antibodies may include, but are not limited to polyclonal antibodies, monoclonal antibodies (mAbs), humanized or chimeric antibodies, single chain antibodies, Fab fragments, F(ab')₂ fragments, fragments produced by a Fab expression library, anti-idiotypic (anti-Id) antibodies, and epitope-binding fragments of any of the above.

The term “immunoglobulin polypeptide” as used herein refers to a constituent polypeptide of an antibody or a polypeptide derived therefrom. An “immunological polypeptide” may be, but is not limited to, an immunological heavy or light chain and may include a variable region, a diversity region, joining region and a constant region or any combination, variant or truncated form thereof. The term “immunological polypeptides” further includes single-chain antibodies comprised of, but not limited to, an immunoglobulin heavy chain variable region, an immunoglobulin light chain variable region and optionally a peptide linker.

The terms “integrase” and “integrase activity” as used herein refer to a nucleic acid recombinase of the serine recombinase family of proteins.

The term "source of integrase activity" as used herein refers to a polypeptide or multimeric protein having serine recombinase (integrase) activity in an avian cell. The term may further refer to a polynucleotide encoding the serine recombinase, such as an mRNA, an expression vector, a gene or isolated gene that may be expressed as
5 the recombinase-specific polypeptide or protein.

The term "recombination site" as used herein refers to a polynucleotide stretch comprising a recombination site normally recognized and used by an integrase. For example, λ phage is a temperate bacteriophage that infects *E. coli*. The phage has one attachment site for recombination (attP) and the *E. coli* bacterial genome has an
10 attachment site for recombination (attB). Both of these sites are recombination sites for λ integrase. Recombination sites recognized by a particular integrase can be derived from a homologous system and associated with heterologous sequences, for example, the attP site can be placed in other systems to act as a substrate for the integrase.

15 The term "pseudo-recombination site" as used herein refers to a site at which an integrase can facilitate recombination even though the site may not have a sequence identical to the sequence of its wild-type recombination site. For example, a phiC31 integrase and vector carrying a phiC31 wild-type recombination site can be placed into an avian cell. The wild-type recombination sequence aligns itself with a sequence
20 in the avian cell genome and the integrase facilitates a recombination event. When the sequence from the genomic site in the avian cell, where the integration of the vector took place, is examined, the sequence at the genomic site typically has some identity to, but may not be identical with, the wild-type bacterial genome recombination site. The recombination site in the avian cell genome is considered to be a pseudo-
25 recombination site (e.g., a pseudo-attP site) at least because the avian cell is heterologous to the normal phiC31 phage/bacterial cell system. The size of the pseudo-recombination site can be determined through the use of a variety of methods including, but not limited to, (i) sequence alignment comparisons, (ii) secondary structural comparisons, (iii) deletion or point mutation analysis to find the functional
30 limits of the pseudo-recombination site, and (iv) combinations of the foregoing.

A nucleic acid fragment of interest may be a trait-producing sequence, by which it is meant a sequence conferring a non-native trait upon the cell in which the protein encoded by the trait-producing sequence is expressed. The term "non-native" when used in the context of a trait-producing sequence means that the trait produced is
5 different than one would find in an unmodified organism which can mean that the organism produces high amounts of a natural substance in comparison to an unmodified organism, or produces a non-natural substance. For example, the genome of a bird could be modified to produce proteins not normally produced in birds such as, for instance, human or mouse antibodies, human cytokines, etc. Other useful traits
10 include disease resistance, meat flavor, animal size, and the like.

A nucleic acid fragment of interest may additionally be a "marker nucleic acid" or expressed as a "marker polypeptide". Marker genes encode proteins that can be easily detected in transformed cells and are, therefore, useful in the study of those cells. Examples of suitable marker genes include β -galactosidase, green or yellow
15 fluorescent proteins, enhanced green fluorescent protein, chloramphenicol acetyl transferase, luciferase, and the like. Such regions may also include those 5' noncoding sequences involved with initiation of transcription and translation, such as the enhancer, TATA box, capping sequence, CAAT sequence, and the like

The term "transformed" as used herein refers to a heritable alteration in a cell
20 resulting from the uptake of a heterologous DNA.

The term "trisomic" as used herein refers to a cell or animal, such as an avian cell or bird that has a $2n+1$ chromosomal complement, where n is the haploid number of chromosomes, for the animal species concerned.

Techniques useful for isolating and characterizing the nucleic acids and
25 proteins of the present invention are well known to those of skill in the art and standard molecular biology and biochemical manuals may be consulted to select suitable protocols without undue experimentation. See, for example, Sambrook *et al.*, 1989, "Molecular Cloning: A Laboratory Manual", 2nd ed., Cold Spring Harbor, the content of which is herein incorporated by reference in its entirety.

30

Abbreviations

Abbreviations used in the present specification include the following: aa, amino acid(s); bp, base pair(s); kb, kilobase; att, bacterial recombination attachment site; IU, infectious units.

5 In the standard method of integrase mediated-transgenesis, a serine recombinase integrase mediates recombination between an attB site on a transgene vector and a pseudo attP site on a chromosome. In the method of the invention for integrase-mediated transgenesis, a heterologous wild-type attP site can be integrated into an avian nuclear genome to create a transgenic cell line or bird. A serine
10 recombinase (integrase) and an attB-bearing transgene vector are then introduced into cells harboring the heterologous attP site, or into embryos derived from birds which bear the attP recombination site. The locations of attP and attB may be reversed such that the attB site is inserted into an avian chromosome and the attP sequence resides in an incoming transgene vector. In either case, the att site of the introduced vector
15 would then preferentially recombine with the integrated heterologous att site in the genome of the recipient cell.

 The methods of the invention are based, in part, on the discovery that there exist in avian genomes a number of specific nucleic acid sequences, termed pseudo-recombination sites, the sequences of which may be distinct from wild-type
20 recombination sites but which can be recognized by a site-specific integrase and used to promote the efficient insertion of heterologous genes or polynucleotides into the targeted avian nuclear genome. The inventors have identified pseudo-recombination sites in avian cells capable of recombining with a recombination site, such as an attB site within a recombinant nucleic acid molecule introduced into the target avian cell.
25 The invention is also based on the prior integration of a heterologous att recombination site, typically isolated from a bacteriophage or a modification thereof, into the genome of the target avian cell.

 Integration into a predicted chromosomal site is useful to improve the predictability of expression, which is particularly advantageous when creating
30 transgenic avians. Transgenesis by methods that result in insertion of the transgene

into random positions of the avian genome is unpredictable since the transgene may not express at the expected levels or in the predicted tissues.

The invention as disclosed herein, therefore, provides methods for site-specifically genetically transforming an avian nuclear genome. In general, an avian
5 cell having a first recombination site in the nuclear genome is transformed with a site-specific polynucleotide construct comprising a second recombination sequence and one or more polynucleotides of interest. Into the same cell, integrase activity is introduced that specifically recognizes the first and second recombination sites under conditions such that the polynucleotide sequence of interest is inserted into the nuclear
10 genome via an integrase-mediated recombination event between the first and second recombination sites.

The integrase activity, or a source thereof, can be introduced into the avian cell prior to, or concurrent with, the introduction of the site-specific construct. The integrase can be delivered to a cell as a polypeptide, or by expressing the integrase
15 from a source polynucleotide such as an mRNA or from an expression vector that encodes the integrase, either of which can be delivered to the target avian cell before, during or after delivery of the polynucleotide of interest. Any integrase that has activity in an avian cell may be useful in the present invention, including HK022 (Kolot *et al.*, *Biotechnol. Bioeng.*, 84: 56-60 (2003)). Preferably, the integrase is a
20 serine recombinase as described, for example, by Smith & Thorpe, in *Mol. Microbiol.*, 44: 299-307 (2002). More preferably, the integrase is a bacteriophage integrase such as, but not limited to, TP901-1 (Stoll *et al.*, *J. Bact.*, 184: 3657-3663 (2002); Olivares *et al.*, *Gene*, 278:167-176 (2001). Most preferably, the integrase is from the phage phiC31.

25 The nucleotide sequence of the junctions between an integrated transgene into the attP (or attB site) would be known. Thus, a PCR assay can be designed by one of skill in the art to detect when the integration event has occurred. The PCR assay for integration into a heterologous wild-type attB or attP site can also be readily incorporated into a quantitative PCR assay using TAQMAN™ or related technology so
30 that the efficiency of integration can be measured.

The minimal attB and attP sites able to catalyze recombination mediated by

the phiC31 integrase are 34 and 39 bp, respectively. In cell lines that harbor a heterologous integrated attP site, however, integrase has a preference for the inserted attP over any pseudo-attP sites of similar length, because pseudo-attP sites have very low sequence identity (between 10 to 50% identity) compared to the more efficient wild-type attP sequence. It is within the scope of the methods of the invention, however, for the recombination site within the target avian genome to be a pseudo-att site such as a pseudo-attP site or an attP introduced into an avian genome.

The sites used for recognition and recombination of phage and bacterial DNAs (the native host system) are generally non-identical, although they typically have a common core region of nucleic acids. The bacterial sequence is generally called the attB sequence (bacterial attachment) and the phage sequence is called the attP sequence (phage attachment). Because they are different sequences, recombination will result in a stretch of nucleic acids (called attL or attR for left and right) that is neither an attB sequence or an attP sequence, and likely is functionally unrecognizable as a recombination site to the relevant enzyme, thus removing the possibility that the enzyme will catalyze a second recombination reaction that would reverse the first.

The integrase may recognize a recombination site where sequence of the 5' region of the recombination site can differ from the sequence of the 3' region of the recombination sequence. For example, for the phage phiC31 attP (the phage attachment site), the core region is 5'-TTG-3' the flanking sequences on either side are represented here as attP5' and attP3', the structure of the attP recombination site is, accordingly, attP5'-TTG-attP3'. Correspondingly, for the native bacterial genomic target site (attB) the core region is 5'-TTG-3', and the flanking sequences on either side are represented here as attB5' and attB3', the structure of the attB recombination site is, accordingly, attB5'-TTG-attB3'. After a single-site, phiC31 integrase-mediated recombination event takes place between the phiC31 phage and the bacterial genome, the result is the following recombination product: attB5'-TTG-attP3'{phiC31 vector sequences}attP5'-TTG-attB3'. In the method of invention, the attB site will be within a recombinant nucleic acid molecule that may be delivered to a target avian cell. The corresponding attP (or pseudo-attP) site will be within the avian cell nuclear genome. Consequently, after phiC31 integrase mediated recombination, the recombination

product, the nuclear genome with the integrated heterologous polynucleotide will have the sequence attP5'-TTG-attB3'{heterologous polynucleotide}-attB5'-TTG-attP3'. Typically, after recombination the post-recombination recombination sites are no longer able to act as substrate for the phiC31 integrase. This results in stable
5 integration with little or no integrase mediated excision.

While the preferred recombination site to be included in the recombinant nucleic acid molecules and modified chromosomes of the present invention is the attP site, it is contemplated that any attP-like site may be used if compatible with the attB site. For instance, any pseudo-attP site of the chicken genome may be identified
10 according to the methods of Example 7 below and used as a heterologous att recombination site. Such attP-like sites may have a sequence that is at least 25% identical to SEQ ID NO: 11 as shown in Fig. 19, such as described in Groth *et al.*, *Proc. Natl. Acad. Sci. U.S.A.* 97: 5995-6000 (2000) incorporated herein by reference in its entirety. Preferably the selected site will have at least the same degree of
15 efficiency of recombination as the attP site (SEQ ID NO: 11) itself.

In the methods of the present invention, the recipient avian cell population may be an isolated avian cell line such as, for example, DF-1 chicken fibroblasts, chicken DT40 cells or a cell population derived from an early stage embryo such as a chicken stage I or stage X embryo. A particularly useful avian cell population is
20 blastodermal cells isolated from an early stage I embryo or a stage X avian embryo. The methods of the present invention, therefore, include steps for the isolation of blastodermal cells that are then suspended in a cell culture medium or buffer for maintaining the cells in a viable state, and which allows the cell suspension to contact the nucleic acids of the present invention. It is also within the scope of the invention
25 for the nucleic acid construct and the source of integrase activity to be delivered directly to an avian embryo such as a blastodermal layer, or to a tissue layer of an adult bird such as the lining of an oviduct.

When the recipient avian cell population is isolated from an early stage avian embryo, the embryos must first be isolated. For stage I avian embryos from, for
30 example, a chicken, a fertilized ovum is surgically removed from a bird before the deposition of the outer hard shell has occurred. The nucleic acids for integrating a

heterologous nucleic acid into a recipient avian cell genome may then be delivered to isolated embryos by lipofection, microinjection (as described in Example 6 below) or electroporation and the like. After delivery of the nucleic acid, the transfected embryo and its yolk may be deposited into the infundibulum of a recipient hen for the deposition of egg white proteins and a hard shell, and laying of the egg. Stage X avian embryos are obtained from freshly laid fertilized eggs and the blastodermal cells isolated as a suspension of cells in a medium, as described in Example 4 below. Isolated stage X blastodermal cell populations, once transfected, may be injected into recipient stage X embryos and the hard shell eggs resealed according to the methods described in U.S. Patent No. 6,397,777.

In the methods of the invention, once a heterologous nucleic acid is delivered to the recipient avian cell, the integrase activity is expressed. The expressed integrase (or injected integrase polypeptide) then mediates recombination between the att site of the heterologous nucleic acid molecule, and the att (or pseudo att) site within the genomic DNA of the recipient avian cell.

It is within the scope of the present invention for the integrase-encoding sequence and a promoter operably linked thereto to be included in the delivered nucleic acid molecule and that expression of the integrase activity occurs before integration of the heterologous nucleic acid into the avian cell genome. Preferably, the integrase-encoding nucleic acid sequence and associated promoter are in an expression vector that may be co-delivered to the recipient avian cell with the heterologous nucleic acid molecule to be integrated into the recipient genome.

One suitable integrase expressing expression vector for use in the present invention is pCMV-C31int (SEQ ID NO: 1) as shown in Fig. 9, and described in Groth *et al.*, *Proc. Natl. Acad. Sci. U.S.A.* 97: 5995-6000 (2000), incorporated herein by reference in its entirety. In pCMV-C31int, expression of the integrase-encoding sequence is driven by the CMV promoter. However, any promoter may be used that will give expression of the integrase in a recipient avian cell, including operably linked avian-specific gene expression control regions of the avian ovalbumin, lysozyme, ovomucin, ovomucoid gene loci, viral gene promoters, inducible promoters, the RSV promoter and the like.

The recombinant nucleic acid molecules of the present invention for delivery of a heterologous polynucleotide to the genome of a recipient avian cell may comprise a nucleotide sequence encoding the attB attachment site of *Streptomyces ambofaciens* as described in Thorpe & Smith, *Proc. Natl. Acad. Sci. U.S.A.* 95: 5505-5510 (1998).

5 The nucleic acid molecule of the present invention further comprises an expression cassette for the expression in a recipient avian cell of a heterologous nucleic acid encoding a desired heterologous polypeptide. Optionally, the nucleic acid molecules may further comprise a marker such as, but not limited to, a puromycin resistance gene, a luciferase gene, EGFP, and the like.

10 It is contemplated that the expression cassette for introducing a desired heterologous polypeptide comprises a promoter operably linked to a nucleic acid encoding the desired polypeptide and, optionally, a polyadenylation signal sequence. Exemplary nucleic acids suitable for use in the present invention are more fully described in the examples below.

15 In the methods of the present invention, following delivery of the nucleic acid molecule and a source of integrase activity into an avian cell population, the cells are maintained under culture conditions suitable for the expression of the integrase and/or for the integrase to mediate recombination between the recombination site of the nucleic acid and recombination site in the genome of the recipient avian cell. When
20 the recipient avian cell is cultured *in vitro*, such cells may be incubated at 37° Celsius if the cells are chicken early stage blastodermal cells. They may then be injected into an embryo within a hard shell, which is resealed for incubation until hatching. Alternatively, the transfected cells may be maintained in *in vitro* culture.

25 Site-Specific Nucleic Acid Constructs and Methods of Delivery to an Avian Cell

The present invention provides methods for the site-specific insertion of a heterologous nucleic acid molecule into the nuclear genome of an avian cell by delivering to a target avian cell that has a recombination site in its nuclear genome, a source of integrase activity, a site-specific construct that has another recombination
30 site and a polynucleotide of interest, and allowing the integrase activity to facilitate a recombination event between the two recombination sites, thereby integrating the

polynucleotide of interest into the avian nuclear genome.

(a) *Expression vector nucleic acid molecules:* A variety of recombinant nucleic acid expression vectors are suitable for use in the practice of the present invention. The site-specific constructs described herein can be constructed utilizing methodologies well known in the art of molecular biology (see, for example, *Ausubel* or *Maniatis*) in view of the teachings of the specification. As described above, the constructs are assembled by inserting into a suitable vector backbone a recombination site such as an attP or an attB site, a polynucleotide of interest operably linked to a gene expression control region of interest and, optionally a sequence encoding a positive selection marker. Polynucleotides of interest can include, but are not limited to, expression cassettes encoding a polypeptide to be expressed in the transformed avian cell or in a transgenic bird derived therefrom. The site-specific constructs are typically circular and may also contain selectable markers, an origin of replication, and other elements.

Any of the vectors of the present invention may also optionally include a sequence encoding a signal peptide that directs secretion of the polypeptide expressed by the vector from the transgenic cells, for instance, from tubular gland cells of the oviduct. This aspect of the invention effectively broadens the spectrum of exogenous proteins that may be deposited in the whites of avian eggs using the methods of the invention. Where an exogenous polypeptide would not otherwise be secreted, the vector bearing the coding sequence can be modified to comprise, for instance, about 60 bp encoding a signal peptide. The DNA sequence encoding the signal peptide is inserted in the vector such that the signal peptide is located at the N-terminus of the polypeptide encoded by the vector.

The expression vectors of the present invention can comprise an avian transcriptional regulatory region for directing expression of either fusion or non-fusion proteins. With fusion vectors, a number of amino acids are usually added to the desired expressed target gene sequence such as, but not limited to, a polypeptide sequence for thioredoxin. A proteolytic cleavage site may further be introduced at a site between the target recombinant protein and the fusion sequence. Additionally, a region of amino acids such as a polymeric histidine region may be introduced to allow binding of the fusion protein to metallic ions such as nickel bonded to a solid support,

for purification of the fusion protein. Once the fusion protein has been purified, the cleavage site allows the target recombinant protein to be separated from the fusion sequence. Enzymes suitable for use in cleaving the proteolytic cleavage site include, but are not limited to, Factor Xa and thrombin. Fusion expression vectors that may be
5 useful in the present invention include pGex (Amrad Corp., Melbourne, Australia), pRIT5 (Pharmacia, Piscataway, NJ) and pMAL (New England Biolabs, Beverly, MA), that fuse glutathione S-transferase, protein A, or maltose E binding protein, respectively, to a desired target recombinant protein.

Epitope tags are short peptide sequences that are recognized by epitope
10 specific antibodies. A fusion protein comprising a recombinant protein and an epitope tag can be simply and easily purified using an antibody bound to a chromatography resin, for example. The presence of the epitope tag furthermore allows the recombinant protein to be detected in subsequent assays, such as Western blots, without having to produce an antibody specific for the recombinant protein itself.
15 Examples of commonly used epitope tags include V5, glutathione-S-transferase (GST), hemagglutinin (HA), the peptide Phe-His-His-Thr-Thr, chitin binding domain, and the like.

Preferred gene expression control regions for use in avian cells include, but are not limited to, avian specific promoters such as the chicken lysozyme, ovalbumin, or
20 ovomucoid promoters, and the like. Particularly useful are tissue-specific promoters such as avian oviduct promoters that allow for expression and delivery of a heterologous polypeptide to an egg white.

Viral promoters serve the same function as bacterial or eukaryotic promoters and either provide a specific RNA polymerase in trans (bacteriophage T7) or recruit
25 cellular factors and RNA polymerase (SV40, RSV, CMV). Viral promoters may be preferred as they are generally particularly strong promoters. A preferred promoter for use in avian cells is the RSV promoter.

Selection markers are valuable elements in expression vectors as they provide a means to select for growth of only those cells that contain a vector. Common
30 selectable marker genes include those for resistance to antibiotics such as ampicillin, puromycin, tetracycline, kanamycin, bleomycin, streptomycin, hygromycin, neomycin,

ZEOCIN™, and the like.

Another element useful in an expression vector is an origin of replication. Replication origins are unique DNA segments that contain multiple short repeated sequences that are recognized by multimeric origin-binding proteins and that play a
5 key role in assembling DNA replication enzymes at the origin site. Suitable origins of replication for use in expression vectors employed herein include *E. coli* oriC, colE1 plasmid origin, and the like.

A further useful element in an expression vector is a multiple cloning site or polylinker. Synthetic DNA encoding a series of restriction endonuclease recognition
10 sites is inserted into a vector, for example, downstream of the promoter element. These sites are engineered for convenient cloning of DNA into the vector at a specific position.

Elements such as the foregoing can be combined to produce expression vectors suitable for use in the methods of the invention. Those of skill in the art will be able
15 to select and combine the elements suitable for use in their particular system in view of the teachings of the present specification.

(b) Genetically modified avian and artificial chromosomes: The present invention further provides modified chromosomes, either isolated avian or artificial chromosomes, are useful vectors to shuttle transgenes or gene clusters into the avian
20 genome. By delivering the modified or artificial chromosome to an isolated recipient cell, the target cell, and progeny thereof, become trisomic. Preferably, an additional or trisomic chromosome will not affect the subsequent development of the recipient cell and/or an embryo, nor interfere with the reproductive capacity of an adult bird developed from such cells or embryos. The chromosome also should be stable within
25 chicken cells. An effective method is also required to isolate a population of chromosomes for delivery into chicken embryos or early cells.

A number of artificial chromosomes are useful in the methods of the invention, including, for instance, a human chromosome modified to work as an artificial chromosome in a heterologous species as described, for example, for mice
30 (Tomizuka *et al.*, *Proc. Natl. Acad. Sci. U.S.A.* 97: 722-727 (2000); for cattle (Kuroiwa *et al.*, *Nat. Biotechnol.* 20: 889-894 (2002); a mammalian artificial

chromosome used in mice (Co *et al.*, *Chromosome Res.* 8: 183-191 (2000), or in viable triploid chickens (Thorne *et al.*, *Cytogenet. Cell Genet.* 57: 206-210 (1991) and Thorne, *et al.*, *J. Hered.* 88: 495-498 (1997). Chickens that are trisomic for microchromosome 16 have been described (Miller *et al.*, *Proc. Natl. Acad. Sci. U.S.A.* 93: 3958-3962 (1996); Muscarella *et al.*, *J. Cell Biol.* 101: 1749-1756 (1985). In these cases, triploidy and trisomy occurred naturally, and illustrate that an extra copy of one or more of the chicken chromosomes is compatible with normal development and reproductive capacity.

A useful chromosome isolation protocol can comprise the steps of inserting a lac-operator sequence (Robinett *et al.* *J. Cell Biol.* 135: 1685-1700 (1996) into an isolated chromosome and, optionally, inserting a desired transgene sequence within the same chromosome. Preferably, the lac operator region is a concatamer of a plurality of lac operators for the binding of multiple lac repressor molecules. Insertion can be accomplished, for instance, by identifying a region of known nucleotide sequence associated with a particular avian chromosome. A recombinant DNA molecule may be constructed that comprises the identified region, a recombination site such as attB or attP and a lac-operator concatamer. The recombinant molecule is delivered to an isolated avian cell, preferably, but not limited to, chicken DT40 cells that have elevated homologous recombination activity compared to other avian cell lines, whereupon homologous recombination will integrate the heterologous recombination site and the lac-operator concatamer into the targeted chromosome as shown in the schema illustrated in Fig. 20. A tag-polypeptide comprising a label domain and a lac repressor domain is also delivered to the cell, preferably by expression from a suitable expression vector. The nucleotide sequence coding for a GFP-lac-repressor fusion protein (Robinett *et al.*, *J. Cell Biol.* 135: 1685-1700 (1996)) may be inserted into the same chromosome as the lac-operator insert. The lac repressor sequence, however, can also be within a different chromosome. An inducible promoter may also be used to allow the expression of the GFP-lac-repressor only after chromosome is to be isolated.

Induced expression of the GFP-lac-repressor fusion protein will result in specific binding of the tag fusion polypeptide to the lac-operator sequence for

identification and isolation of the genetically modified chromosome. The tagged mitotic chromosome can be isolated using, for instance, flow cytometry as described in de Jong *et al.* *Cytometry* 35: 129-133 (1999) and Griffin *et al.* *Cytogenet. Cell Genet.* 87: 278-281 (1999).

5 A tagged chromosome can also be isolated using microcell technology requiring treatment of cells with the mitotic inhibitor colcemid to induce the formation of micronuclei containing intact isolated chromosomes within the cell. Final separation of the micronuclei is then accomplished by centrifugation in cytochalasin as described by Killary & Fournier in *Methods Enzymol.* 254: 133-152
10 (1995). Further purification of microcells containing only the desired tagged chromosome could be done by flow cytometry. It is contemplated, however, that alternative methods to isolate the mitotic chromosomes or microcells, including mechanical isolation or the use of laser scissors and tweezers, and the like.

15 *Delivery of a Site-Specific Nucleic Acid to a Recipient Avian Cell or Embryo.*

(a) Delivery of polynucleotide constructs.

 Most non-viral methods of gene transfer rely on normal mechanisms used by eukaryotic cells for the uptake and intracellular transport of macromolecules. In preferred embodiments, non-viral gene delivery systems of the present invention rely
20 on endocytic pathways for the uptake of the subject transcriptional regulatory region and operably linked polypeptide-encoding nucleic acid by the targeted cell. Exemplary gene delivery systems of this type include liposomal derived systems, poly-lysine conjugates, and artificial viral envelopes. Modified chromosomes as described above may be delivered to isolated avian embryonic cells for subsequent
25 introduction to an embryo.

 In a representative embodiment, a nucleic acid molecule can be entrapped in liposomes bearing positive charges on their surface (*e.g.*, lipofectins) and (optionally) which are tagged with antibodies against cell surface antigens of the target tissue (Mizuno *et al.*, 1992, *NO Shinkei Geka* 20: 547-551; PCT publication WO91/06309;
30 Japanese patent application 1047381; and European patent publication EP-A-43075, all of which are incorporated herein by reference in their entireties).

In similar fashion, the gene delivery system can comprise an antibody or cell surface ligand that is cross-linked with a gene binding agent such as polylysine (see, for example, PCT publications WO93/04701, WO92/22635, WO92/20316, WO92/19749, and WO92/06180, all of which are incorporated herein by reference in
5 their entireties). It will also be appreciated that effective delivery of the subject nucleic acid constructs via receptor-mediated endocytosis can be improved using agents which enhance escape of genes from the endosomal structures. For instance, whole adenovirus or fusogenic peptides of the influenza HA gene product can be used as part of the delivery system to induce efficient disruption of DNA-containing
10 endosomes (Mulligan *et al.*, 1993, *Science* 260:926; Wagner *et al.*, 1992, *Proc. Natl. Acad. Sci.* 89:7934-7938; and Christiano *et al.*, 1993, *Proc. Natl. Acad. Sci.* 90:2122-2126, all of which are incorporated herein by reference in their entireties). It is further contemplated that a recombinant nucleic acid molecule of the present invention may be delivered to a target host cell by other non-viral methods including by gene gun,
15 microinjection, sperm-mediated transfer, or the like.

In yet another embodiment of the invention, an expression vector that comprises a heterologous attB recombination site and a region encoding a polypeptide deposited into an egg white are delivered to oviduct cells by in vivo electroporation. In this method, the luminal surface of an avian oviduct is surgically exposed. A
20 buffered solution of the expression vector and a source of integrase activity such as a second expression vector expressing integrase (for example pCMV-int) is deposited on the luminal surface. Electroporation electrodes are then positioned on either side of the oviduct wall, the luminal electrode contacting the expression vector solution. After electroporation, the surgical incisions are closed. The electroporation will
25 deliver the expression vectors to some, if not all, treated recipient oviduct cells to create a tissue-specific chimeric animal. Expression of the integrase allows for the integration of the heterologous polynucleotide into the nuclear genomes of recipient oviduct cells. While this method may be used with any bird, a preferred recipient is a chicken due to the size of the oviduct. More preferred is a transgenic bird that has a
30 transgenic attP recombinant site in the nuclear genomes of recipient oviduct cells, thus increasing the efficiency of integration of the expression vector.

The attB/P integrase system is preferred in the *in vivo* electroporation method to allow the formation of stable genetically transformed oviduct cells that otherwise progressively lose the heterologous expression vector.

The stably modified oviduct cells will express the heterologous polynucleotide and deposit the resulting polypeptide into the egg white of a laid egg. For this purpose, the expression vector will further comprise an oviduct-specific promoter such as ovalbumin or ovomucoid operably linked to the desired heterologous polynucleotide.

(b) Delivery of chromosomes to avian cells.

Another aspect of the invention is the generation of a trisomic avian cell comprising a genetically modified extra chromosome. The extra chromosome may be an artificial chromosome or an isolated avian chromosome that has been genetically modified. Introduction of the extra chromosome to an avian cell will generate a trisomic cell with $2n+1$ chromosomes, where n is the haploid number of chromosomes of a normal avian cell.

Delivery of an isolated chromosome into an isolated avian cell or embryo can be accomplished in several ways. Isolated mitotic chromosomes or a micronucleus containing an interphase chromosome can be injected into early stage I embryos by cytoplasmic injection. The injected zygote would then be surgically transferred to a recipient hen for the production and laying of a hard shell egg. This hard shell egg would then be incubated until hatching of a chick.

Isolated microcells can be fused to primordial germ cells (PGCs) isolated from the blood stream of late stage 15 embryos as described by Killary & Fournier in *Methods Enzymol.* 254: 133-152 (1995). The PGC/microcell hybrids can then be transplanted into the blood stream of a recipient embryo to produce germline chimeric chickens. (See Naito *et al.*, *Mol. Reprod. Dev.* 39: 153-161 (1994)). The manipulated eggs would then incubated until hatching of the bird.

Blastodermal cells isolated from stage X embryos can be transfected with isolated mitotic chromosomes. Following *in vitro* transfection, the cells are transplanted back into stage X embryos as described, for example, in Etches *et al.*, *Poult. Sci.*, 72: 882-829 (1993), and the manipulated eggs are incubated to hatching.

Stage X blastodermal cells can also be fused with isolated microcells and then transplanted back into to stage X embryos or fused to somatic cells to be used as nuclear donors for nuclear transfer as described by Kuroiwa *et al.*, *Nat. Biotechnol.* 20: 889-894 (2002).

5 Chromosomal vectors, as described above, may be delivered to a recipient avian cell by, for example, microinjection, liposomal delivery or microcell fusion.

Delivering a Source of Integrase Activity to an Avian Cell

10 In the methods of the invention, a site-specific integrase is introduced into an avian cell whose genome is to be modified. Methods of introducing functional proteins into cells are well known in the art. Introduction of purified integrase protein can ensure a transient presence of the protein and its activity. Thus, the lack of permanence associated with most expression vectors is not expected to be detrimental.

The integrase used in the practice of the present invention can be introduced
15 into a target cell before, concurrently with, or after the introduction of a site-specific vector. The integrase can be directly introduced into a cell as a protein, for example, by using liposomes, coated particles, or microinjection, or into the blastodermal layer of an early stage avian embryo by microinjection. A source of the integrase can also be delivered to an avian cell by introducing to the cell an mRNA encoding the
20 integrase and which can be expressed in the recipient cell as an integrase polypeptide. Alternately, a DNA molecule encoding the integrase can be introduced into the cell using a suitable expression vector.

The present invention provides novel nucleic acid vectors and methods of use that allow the phiC31 integrase to efficiently integrate a heterologous nucleic acid into
25 an avian genome. A novel finding is that the phiC31 integrase is remarkably efficient in avian cells and increases the rate of integration of heterologous nucleic acid at least 30-fold over that of random integration. Furthermore, the phiC31 integrase works equally well at 37°C and 41°C, indicating that it will function in the environment of the developing avian embryo, as shown in Example 1.

30 The site-specific vector components described above are useful in the construction of expression cassettes containing sequences encoding an integrase. One

integrase-expressing vector useful in the methods of the invention is pCMV-C31int (SEQ ID NO: 1 as shown in Fig. 9) where the phiC31 integrase is encoded by a region under the expression control of the strong CMV promoter. Another preferred promoter generally useful in avian cells is the RSV promoter as used in SEQ ID NO: 9 shown in Fig. 17. Expression of the integrase is typically desired to be transient. Accordingly, vectors providing transient expression of the integrase are preferred. However, expression of the integrase can be regulated in other ways, for example, by placing the expression of the integrase under the control of a regulatable promoter (i.e., a promoter whose expression can be selectively induced or repressed).

10

Transgenic Avian Cells.

Another aspect of the present invention is an avian cell genetically modified with a transgene vector according to the present invention and described above. For example, in one embodiment, the transformed cell can be a chicken early stage blastodermal cell or a genetically transformed cell line, including a sustainable cell line. The transfected cell according to the present invention may comprise a transgene stably integrated into the nuclear genome of the recipient cell, thereby replicating with the cell so that each progeny cell receives a copy of the transfected nucleic acid. A particularly useful cell line for the delivery and integration of a transgene comprises a heterologous attP site that can increase the efficiency of integration of a polynucleotide by phiC31 integrase and, optionally, a region for expressing the integrase.

A retroviral vector can be used to deliver the att site into the avian genome since an attP or attB site is less than 300 bp. For example, the attP site can be inserted into the NLB retroviral vector, which is based on the avian leukosis virus genome. A lentiviral vector is a particularly suitable vector because lentiviral vectors can transduce non-dividing cells, so that a higher percentage of cells will have an integrated attP site.

The lacZ region of NLB is replaced by the attP sequence. A producer cell line would be created by transformation of, for example, the Isolde cell line capable of producing a packaged recombinant NLB-attP virus pseudo-typed with the envA

30

envelope protein. Supernatant from the Isolde NLB-attP line is concentrated by centrifugation to produce high titer preparations of the retroviral vector that can then be used to deliver the attP site to the genome of an avian cell, as described in Example 9 below.

5 An attP-containing line of transgenic birds are a source of attP transgenic embryos and embryonic cells. Fertile zygotes and oocytes bearing a heterologous attP site in either the maternal, paternal, or both, genomes can be used for transgenic insertion of a desired heterologous polynucleotide. A transgene vector bearing an attB site, for example, would be injected into the cytoplasm along with either an integrase
10 expression plasmid, mRNA encoding the integrase or the purified integrase protein. The oocyte or zygote is then cultured to hatch by *ex ovo* methods or reintroduced into a recipient hen such that the hen lays a hard shell egg the next day containing the injected egg.

 In another example, fertile stage VII-XII embryos hemizygous or homozygous
15 for the heterologous attP sequence, are used as a source of blastodermal cells. The cells are harvested and then transfected with a transgene vector bearing an attB site along with a source of integrase. The transfected cells are then injected into the subgerminal cavity of windowed fertile eggs. The chicks that hatch will bear the transgene integrated into the attP site in a percentage of their somatic and germ cells.
20 To obtain fully transgenic birds, chicks are raised to sexual maturity and those that are positive for the transgene in their semen are bred to non-transgenic mates.

 In various embodiments, the genetically engineered cells of the invention may contain an integrase specifically recognizing recombination sites and which is introduced into genetically engineered cells containing a nucleic acid construct of the
25 invention under conditions such that the nucleic acid sequence(s) of interest will be inserted into the nuclear genome. Methods for introducing such an integrase into a cell are described above.

 In some embodiments, the site-specific integrase is introduced into the cell as a polypeptide. In alternative embodiments, the site-specific integrase is introduced into
30 the transgenic cell as a polynucleotide encoding the integrase, such as an expression

cassette optionally carried on a transient expression vector, and comprising a polynucleotide encoding the recombinase.

In one embodiment, the invention is directed to methods of using a vector for site-specific integration of a heterologous nucleotide sequence into the genome of an avian cell, the vector comprising a circular backbone vector, a polynucleotide of interest operably linked to a promoter, and a first recombination site, wherein the genome of the cell comprises a second recombination site and recombination between the first and second recombination sites is facilitated by phiC31 integrase. In certain embodiments, the integrase facilitates recombination between a bacterial genomic recombination site (attB) and a phage genomic recombination site (attP).

In another embodiment, the invention is directed to an avian cell having a transformed genome comprising an integrated heterologous polynucleotide of interest whose integration, mediated by phiC31 integrase, was into a recombination site native to the avian cell genome and the integration created a recombination-product site comprising the polynucleotide sequence. In yet another embodiment, integration of the polynucleotide was into a recombination site not native to the avian cell genome, but instead into a heterologous recombination site engineered into the avian cell genome.

In further embodiments, the invention is directed to transgenic birds comprising a modified cell and progeny thereof as described above, as well as methods of producing the same.

Cells genetically modified to carry a heterologous attB or attP site by the methods of the present invention can be maintained under conditions that, for example, keep them alive but do not promote growth, promote growth of the cells, and/or cause the cells to differentiate or dedifferentiate. Cell culture conditions may be permissive for the action of the integrase in the cells, although regulation of the activity of the integrase may also be modulated by culture conditions (e.g., raising or lowering the temperature at which the cells are cultured).

One aspect of the invention is a method for generating a genetically modified avian cell, and progeny thereof, using a tagged chromosome, the method comprising the steps of providing an isolated modified chromosome comprising a lac operator

region and a first recombination site, delivering the modified chromosome to a avian cell, thereby generating a trisomic avian cell, delivering to the avian cell a source of a tagged polypeptide comprising a fluorescent domain and a lac repressor domain, delivering a source of integrase activity to the avian cell, delivering a polynucleotide
5 comprising a second recombination site and a region encoding a polypeptide to the avian cell, maintaining the avian cell under conditions suitable for the integrase to mediate recombination between the first and second recombination sites, thereby integrating the polynucleotide into the modified chromosome and generating a genetically modified avian cell, expressing the tag polypeptide by the avian cell,
10 allowing the tag polypeptide to bind to the modified chromosome so as to label the modified chromosome, and isolating the modified chromosome by selecting modified chromosomes having a tag polypeptide bound thereto.

In one embodiment of the invention, the second avian cell is selected from the group consisting of a stage VII-XII blastodermal cell, a stage I embryo, a stage X
15 embryo; an isolated primordial germ cell, an isolated non-embryonic cell, and an oviduct cell.

In various embodiments, the isolated modified chromosome is an avian chromosome or an artificial chromosome.

In other embodiments of the invention, the step of providing an isolated
20 modified chromosome comprising a lac operator region and a first recombination site comprises the steps of generating a trisomic avian cell by delivering to an isolated avian cell an isolated chromosome and a polynucleotide comprising a lac operator and a second recombination site, maintaining the trisomic cell under conditions whereby the heterologous polynucleotide is integrated into the chromosome by homologous
25 recombination, delivering to the avian cell a source of a tag polypeptide to label the chromosome, and isolating the labeled chromosome.

In one embodiment of the invention, the lac operator region is a concatamer of lac operators. In other embodiments of the invention, the tag polypeptide is expressed from an expression vector.

30 In one embodiment of the invention, the tag polypeptide is microinjected into the cell. In various embodiments of the invention, the method of delivery of a

chromosome to an avian cell is selected from the group consisting of liposome delivery, microinjection, microcell, electroporation and gene gun delivery, or a combination thereof.

5 In embodiments of the invention, the fluorescent domain of the tag polypeptide is GFP.

In another embodiment of the invention, the method further comprises the step of delivering the second avian cell to an avian embryo. The embryo may be maintained under conditions suitable for hatching as a chick.

10 In one embodiment of the invention, the second avian cell is maintained under conditions suitable for the proliferation of the cell, and progeny thereof.

In various embodiments of the invention, the source of integrase activity is delivered to a first avian cell as a polypeptide or expressed from a polynucleotide, said polynucleotide being selected from an mRNA and an expression vector.

15 In one embodiment of the invention, the tag polypeptide activity is delivered to the avian cell as a polypeptide or expressed from a polynucleotide operably linked to a promoter. In another embodiment of the invention, the promoter is an inducible promoter. In yet another embodiment of the invention, the integrase is phiC31 integrase and in various embodiments of the invention, the first and second recombination sites are selected from an attB and an attP site, but wherein the first and
20 second sites are not identical.

Expression of Heterologous Proteins by Site-Specific Genetic Transformation of Avian Cells.

25 Another aspect of the present invention is a method of expressing a heterologous polypeptide in an avian cell by stably transfecting a cell by using site-specific integrase-mediation and a recombinant nucleic acid molecule, as described above, and culturing the transfected cell under conditions suitable for expression of the heterologous polypeptide under the control of the avian transcriptional regulatory region.

30 The protein of the present invention may be produced in purified form by any known conventional techniques. For example, chicken cells, an egg or an egg white

may be homogenized and centrifuged. The supernatant may then be subjected to sequential ammonium sulfate precipitation and heat treatment. The fraction containing the protein of the present invention is subjected to gel filtration in an appropriately sized dextran or polyacrylamide column to separate the proteins. If
5 necessary, the protein fraction may be further purified by HPLC or other methods well known in the art of protein purification.

The methods of the invention are useful for expressing nucleic acid sequences that are optimized for expression in avian cells and which encode desired polypeptides or derivatives and fragments thereof. Derivatives include, for instance, polypeptides
10 with conservative amino acid replacements, that is, those within a family of amino acids that are related in their side chains (commonly known as acidic, basic, nonpolar, and uncharged polar amino acids). Phenylalanine, tryptophan, and tyrosine are sometimes classified jointly as aromatic amino acids and other groupings are known in the art (see, for example, "Biochemistry", 2nd ed, L. Stryer, ed., W.H. Freeman &
15 Co.,1981). Peptides in which more than one replacement has taken place can readily be tested for activity in the same manner as derivatives with a single replacement, using conventional polypeptide activity assays (e.g. for enzymatic or ligand binding activities).

Regarding codon optimization, if the recombinant nucleic acid molecules are
20 transfected into a recipient chicken cell, the sequence of the nucleic acid insert to be expressed can be optimized for chicken codon usage. This may be determined from the codon usage of at least one, and preferably more than one, protein expressed in a chicken cell according to well known principles. For example, in the chicken the codon usage could be determined from the nucleic acid sequences encoding the
25 proteins such as lysozyme, ovalbumin, ovomucin and ovotransferrin of chicken. Optimization of the sequence for codon usage can elevate the level of translation in avian eggs.

The present invention provides methods for the production of a protein by an avian cell comprising the steps of maintaining an avian cell, transfecting with a first
30 expression vector and, optionally, a second expression vector, under conditions suitable for proliferation and/or gene expression and such that an integrase will

mediate site specific recombination at att sites. The expression vectors may each have a transcription unit comprising a nucleotide sequence encoding a heterologous polypeptide, wherein one polypeptide is an integrase, a transcription promoter, and a transcriptional terminator. The cells may then be maintained under conditions for the
5 expression and production of the desired heterologous polypeptide(s).

The present invention further relates to methods for gene expression by avian cells from nucleic acid vectors, and transgenes derived therefrom, that include more than one polypeptide-encoding region wherein, for example, a first polypeptide-encoding region can be operatively linked to an avian promoter and a second
10 polypeptide-encoding region is operatively linked to an Internal Ribosome Entry Sequence (IRES). It is contemplated that the first polypeptide-encoding region, the IRES and the second polypeptide-encoding region of a recombinant DNA of the present invention may be arranged linearly, with the IRES operably positioned immediately 5' of the second polypeptide-encoding region. This nucleic acid
15 construct, when inserted into the genome of an avian cell or a bird and expressed therein, will generate individual polypeptides that may be post-translationally modified and combined in the white of a hard shell bird egg. Alternatively, the expressed polypeptides may be isolated from an avian egg and combined *in vitro*.

The invention, therefore, includes methods for producing multimeric proteins
20 including immunoglobulins, such as antibodies, and antigen binding fragments thereof. Thus, in one embodiment of the present invention, the multimeric protein is an immunoglobulin, wherein the first and second heterologous polypeptides are immunoglobulin heavy and light chains respectively. Illustrative examples of this and other aspects of the present invention for the production of heterologous multimeric
25 polypeptides in avian cells are fully disclosed in U.S. Patent Application No. 09/877,374, filed June 8, 2001, by *Rapp*, published as US-2002-0108132-A1 on August 8, 2002, and U.S. Patent Application No. 10/251,364, filed September 18, 2002, by *Rapp*, both of which are incorporated herein by reference in their entirety.

Accordingly, the invention further provides immunoglobulin and other
30 multimeric proteins that have been produced by transgenic avians of the invention.

In various embodiments, an immunoglobulin polypeptide encoded by the transcriptional unit of at least one expression vector may be an immunoglobulin heavy chain polypeptide comprising a variable region or a variant thereof, and may further comprise a D region, a J region, a C region, or a combination thereof. An immunoglobulin polypeptide encoded by an expression vector may also be an immunoglobulin light chain polypeptide comprising a variable region or a variant thereof, and may further comprise a J region and a C region. The present invention also contemplates multiple immunoglobulin regions that are derived from the same animal species, or a mixture of species including, but not only, human, mouse, rat, rabbit and chicken. In preferred embodiments, the antibodies are human or humanized.

In other embodiments, the immunoglobulin polypeptide encoded by at least one expression vector comprises an immunoglobulin heavy chain variable region, an immunoglobulin light chain variable region, and a linker peptide thereby forming a single-chain antibody capable of selectively binding an antigen.

Examples of therapeutic antibodies that can be used in methods of the invention include but are not limited to HERCEPTINTM (Trastuzumab) (Genentech, CA) which is a humanized anti-HER2 monoclonal antibody for the treatment of patients with metastatic breast cancer; REOPROTM (abciximab) (Centocor) which is an anti-glycoprotein IIb/IIIa receptor on the platelets for the prevention of clot formation; ZENAPAXTM (daclizumab) (Roche Pharmaceuticals, Switzerland) which is an immunosuppressive, humanized anti-CD25 monoclonal antibody for the prevention of acute renal allograft rejection; PANOREXTM which is a murine anti-I7-IA cell surface antigen IgG2a antibody (Glaxo Wellcome/Centocor); BEC2 which is a murine anti-idiotypic (GD3 epitope) IgG antibody (ImClone System); IMC-C225 which is a chimeric anti-EGFR IgG antibody (ImClone System); VITAXINTM which is a humanized anti- α V β 3 integrin antibody (Applied Molecular Evolution/MedImmune); Campath 1H/LDP-03 which is a humanized anti CD52 IgG1 antibody (Leukosite); Smart M195 which is a humanized anti-CD33 IgG antibody (Protein Design Lab/Kanebo); RITUXANTM which is a chimeric anti-CD20 IgG1 antibody (IDEC Pharm/Genentech, Roche/Zettyaku); LYMPHOCIDETM which is a

humanized anti-CD22 IgG antibody (Immunomedics); ICM3 is a humanized anti-ICAM3 antibody (ICOS Pharm); IDEC-114 is a primate anti-CD80 antibody (IDEC Pharm/Mitsubishi); ZEVALIN™ is a radiolabelled murine anti-CD20 antibody (IDEC/Schering AG); IDEC-131 is a humanized anti-CD40L antibody (IDEC/Eisai);
 5 IDEC-151 is a primatized anti-CD4 antibody (IDEC); IDEC-152 is a primatized anti-CD23 antibody (IDEC/Seikagaku); SMART anti-CD3 is a humanized anti-CD3 IgG (Protein Design Lab); 5G1.1 is a humanized anti-complement factor 5 (CS) antibody (Alexion Pharm); D2E7 is a humanized anti-TNF- α antibody (CATIBASF); CDP870 is a humanized anti-TNF- α Fab fragment (Celltech); IDEC-151 is a primatized anti-
 10 CD4 IgG1 antibody (IDEC Pharm/SmithKline Beecham); MDX-CD4 is a human anti-CD4 IgG antibody (Medarex/Eisai/Genmab); CDP571 is a humanized anti-TNF- α IgG4 antibody (Celltech); LDP-02 is a humanized anti- α 4 β 7 antibody (LeukoSite/Genentech); OrthoClone OKT4A is a humanized anti-CD4 IgG antibody (Ortho Biotech); ANTOVA™ is a humanized anti-CD40L IgG antibody (Biogen);
 15 ANTEGREN™ is a humanized anti-VLA-4 IgG antibody (Elan); and CAT-152 is a human anti-TGF- β ₂ antibody (Cambridge Ab Tech).

Production of Heterologous Protein by Transgenic Avians

One aspect of the present invention, therefore, concerns transgenic birds, such
 20 as chickens, comprising a recombinant nucleic acid molecule and which preferably (though optionally) express a heterologous gene in one or more cells in the animal. Suitable methods for the generation of transgenic avians having heterologous DNA incorporated therein are described, for example, in WO 99/19472 to *Ivarie et al.*; WO 00/11151 to *Ivarie et al.*; and WO 00/56932 to *Harvey et al.*, all of which are
 25 incorporated herein by reference in their entirety.

Embodiments of the methods for the production of a heterologous polypeptide by the avian tissue such as the oviduct and the production of eggs which contain heterologous protein involve providing a suitable vector and introducing the vector into embryonic blastodermal cells together with an integrase, preferably phiC31
 30 integrase, so that the vector can integrate into the avian genome. A subsequent step involves deriving a mature transgenic avian from the transgenic blastodermal cells

produced in the previous steps. Deriving a mature transgenic avian from the blastodermal cells optionally involves transferring the transgenic blastodermal cells to an embryo and allowing that embryo to develop fully, so that the cells become incorporated into the bird as the embryo is allowed to develop. Another alternative is
5 to transfer a transfected nucleus to an enucleated recipient cell which may then develop into a zygote and ultimately an adult bird. The resulting chick is then grown to maturity.

In an alternative embodiment, the cells of a blastodermal embryo are transfected or transduced with the vector and integrase directly within the embryo. It
10 is contemplated, for example, that the recombinant nucleic acid molecules of the present invention may be introduced into a blastodermal embryo by direct microinjection of the DNA into a stage X or earlier embryo that has been removed from the oviduct. The egg is then returned to the bird for egg white deposition, shell development and laying. The resulting embryo is allowed to develop and hatch, and
15 the chick allowed to mature.

In one embodiment, a transgenic bird of the present invention is produced by introducing into embryonic cells such as, for instance, isolated avian blastodermal cells, a nucleic acid construct comprising an attB recombination site capable of recombining with a pseudo-attP recombination site found within the nuclear genome
20 of the organism from which the cell was derived, and a nucleic acid fragment of interest, in a manner such that the nucleic acid fragment of interest is stably integrated into the nuclear genome of germ line cells of a mature bird and is inherited in normal Mendelian fashion. It is also within the scope of the invention that the targeted cells for receiving the transgene have been engineered to have a heterologous attP
25 recombination site integrated into the nuclear genome of the cells, thereby increasing the efficiency of recognition and recombination with a heterologous attB site.

In either case, the transgenic bird produced from the transgenic blastodermal cells is known as a "founder". Some founders can be chimeric or mosaic birds if, for example, microinjection does not deliver nucleic acid molecules to all of the
30 blastodermal cells of an embryo. Some founders will carry the transgene in the tubular gland cells in the magnum of their oviducts and will express the heterologous

protein encoded by the transgene in their oviducts. If the heterologous protein contains the appropriate signal sequences, it will be secreted into the lumen of the oviduct and onto the yolk of an egg.

Some founders are germ-line founders. A germ-line founder is a founder that carries the transgene in genetic material of its germ-line tissue, and may also carry the transgene in oviduct magnum tubular gland cells that express the heterologous protein. Therefore, in accordance with the invention, the transgenic bird will have tubular gland cells expressing the heterologous protein and the offspring of the transgenic bird will also have oviduct magnum tubular gland cells that express the selected heterologous protein. (Alternatively, the offspring express a phenotype determined by expression of the exogenous gene in a specific tissue of the avian.)

The invention can be used to express, in large yields and at low cost, a wide range of desired proteins including those used as human and animal pharmaceuticals, diagnostics, and livestock feed additives. Proteins such as growth hormones, cytokines, structural proteins and enzymes including human growth hormone, interferon, lysozyme, and β -casein are examples of proteins which are desirably expressed in the oviduct and deposited in eggs according to the invention. Other possible proteins to be produced include, but are not limited to, albumin, α -1 antitrypsin, antithrombin III, collagen, factors VIII, IX, X (and the like), fibrinogen, hyaluronic acid, insulin, lactoferrin, protein C, erythropoietin (EPO), granulocyte colony-stimulating factor (G-CSF), granulocyte macrophage colony-stimulating factor (GM-CSF), tissue-type plasminogen activator (tPA), feed additive enzymes, somatotropin, and chymotrypsin. Immunoglobulins (shown, for example in Example 10 below) and genetically engineered antibodies, including immunotoxins which bind to surface antigens on human tumor cells and destroy them, can also be expressed for use as pharmaceuticals or diagnostics.

In various embodiments of the transgenic bird of the present invention, the expression of the transgene may be restricted to specific subsets of cells, tissues or developmental stages utilizing, for example, *trans*-acting factors acting on the transcriptional regulatory region operably linked to the polypeptide-encoding region of interest of the present invention and which control gene expression in the desired

pattern. Tissue-specific regulatory sequences and conditional regulatory sequences can be used to control expression of the transgene in certain spatial patterns. Moreover, temporal patterns of expression can be provided by, for example, conditional recombination systems or prokaryotic transcriptional regulatory
5 sequences.

The stably modified oviduct cells will express the heterologous polynucleotide and deposit the resulting polypeptide into the egg white of a laid egg. For this purpose, the expression vector will further comprise an oviduct-specific promoter such as ovalbumin or ovomucoid operably linked to the desired heterologous
10 polynucleotide.

Another aspect of the present invention provides a method for the production in an avian of an heterologous protein capable of forming an antibody suitable for selectively binding an antigen. This method comprises a step of producing a transgenic avian incorporating at least one transgene, the transgene encoding at least
15 one heterologous polypeptide selected from an immunoglobulin heavy chain variable region, an immunoglobulin heavy chain comprising a variable region and a constant region, an immunoglobulin light chain variable region, an immunoglobulin light chain comprising a variable region and a constant region, and a single-chain antibody comprising two peptide-linked immunoglobulin variable regions.

In one embodiment of this method, the isolated heterologous protein is an antibody capable of selectively binding to an antigen and which may be generated by combining at least one immunoglobulin heavy chain variable region and at least one immunoglobulin light chain variable region, preferably cross-linked by at least one disulfide bridge. The combination of the two variable regions generates a binding site
20 that binds an antigen using methods for antibody reconstitution that are well known in the art.

The present invention also encompasses immunoglobulin heavy and light chains, or variants or derivatives thereof, to be expressed in separate transgenic avians, and thereafter isolated from separate media including serum or eggs, each
25 isolate comprising one or more distinct species of immunoglobulin polypeptide. The method may further comprise the step of combining a plurality of isolated

heterologous immunoglobulin polypeptides, thereby producing an antibody capable of selectively binding to an antigen. In this embodiment, for instance, two or more individual transgenic avians may be generated wherein one transgenic produces serum or eggs having an immunoglobulin heavy chain variable region, or a polypeptide comprising such, expressed therein. A second transgenic animal, having a second transgene, produces serum or eggs having an immunoglobulin light chain variable region, or a polypeptide comprising such, expressed therein. The polypeptides from two or more transgenic animals may be isolated from their respective sera and eggs and combined in vitro to generate a binding site capable of binding an antigen.

10

The present invention is further illustrated by the following examples, which are provided by way of illustration and should not be construed as limiting. The contents of all references, published patents and patents cited throughout the present application are hereby incorporated by reference in their entireties.

15

It will be apparent to those skilled in the art that various modifications, combinations, additions, deletions and variations can be made in the present invention without departing from the scope or spirit of the invention. For instance, features illustrated or described as part of one embodiment can be used in another embodiment to yield a still further embodiment. It is intended that the present invention covers such modifications, combinations, additions, deletions and variations as come within the scope of the appended claims and their equivalents.

20

Example 1: Phage phiC31 integrase functions in avian cells.

(a) A luciferase vector bearing either an attB (SEQ ID NO: 2 shown in Fig. 10) or attP (SEQ ID NO: 3 shown in Fig. 11) site was co-transfected with an integrase expression vector CMV-C31int (SEQ ID NO: 1) into DF-1 cells, a chicken fibroblast cell line. The cells were passaged several times and the luciferase levels were assayed at each passage.

Cells were passaged every 3-4 days and one third of the cells were harvested and assayed for luciferase. The expression of luciferase was plotted as a percentage of

30

the expression measured 4 days after transfection. A luciferase expression vector bearing an attP site as a control was also included.

As can be seen in Fig. 2, in the absence of integrase, luciferase expression from a vector bearing attP or attB decreased to very low levels after several days. However, luciferase levels were persistent when the luciferase vector bearing attB was co-transfected with the integrase expression vector, indicating that the luciferase vector had stably integrated into the avian genome.

(b) A drug-resistance colony formation assay was used to quantitate integration efficiency. The puromycin resistance expression vector pCMV-pur was outfitted with an attB (SEQ ID NO: 4 shown in Fig. 12) or an attP (SEQ ID NO: 5 shown in Fig. 13) sites. Puromycin resistance vectors bearing attB sites were cotransfected with phiC31 integrase or a control vector into DF-1 cells. One day after transfection, puromycin was added. Puromycin resistant colonies were counted 12 days post-transfection.

In the absence of co-transfected integrase expression, few DF-1 cell colonies were observed after survival selection. When integrase was co-expressed, multiple DF-1 cell colonies were observed, as shown in Fig. 3. Similar to the luciferase expression experiment, the attB sequence (but not the attP sequence) was able to facilitate integration of the plasmid into the genome. Fig. 3 also shows that phiC31 integrase functions at both 37° Celsius and 41° Celsius. Integrase also functions in quail cells using the puromycin resistance assay, as shown in Fig. 4.

(c) The CMV-pur-attB vector (SEQ ID NO: 4) was also cotransfected with an enhanced green fluorescent protein (EGFP) expression vector bearing an attB site (SEQ ID NO: 6 shown in Fig. 14) into DF-1 cells and the phiC31 integrase expression vector CMV-C31int (SEQ ID NO: 1). After puromycin selection for 12 days, the colonies were viewed with UV light to determine the percentage of cells that expressed EGFP. Approximately 20% of puromycin resistant colonies expressed EGFP in all of the cells of the colony, as shown in Fig. 5, indicating that the integrase can mediate multiple integrations per cell.

(d) PhiC31 integrase promoted the integration of large transgenes into avian cells. A puromycin expression cassette comprising a CMV promoter, puromycin resistance gene, polyadenylation sequence and the attB sequence was inserted into a

vector containing a 12.0 kb lysozyme promoter and the human interferon $\alpha 2b$ gene (SEQ ID NO: 7 shown in Fig. 15) and into a vector containing a 10.0 kb ovomucoid promoter and the human interferon $\alpha 2b$ gene (SEQ ID NO: 8) as shown in Fig. 16.

DF-1 cells were transfected with donor plasmids of varying lengths bearing a puromycin resistance gene and an attB sequence in the absence or presence of an integrase expression plasmid. Puromycin was added to the culture media to kill those cells which did not contain a stably integrated copy of the puromycin resistance gene. Cells with an integrated gene formed colonies in the presence of puromycin in 7-12 days. The colonies were visualized by staining with methylene blue and the entire 60 mm culture dish was imaged.

PhiC31 integrase mediated the efficient integration of both vectors as shown in Fig. 7.

Example 2: Cell culture methods.

DF-1 cells were cultured in DMEM with high glucose, 10% fetal bovine serum, 2 mM L-glutamine, 100 units/ml penicillin and 100 μ g/ml streptomycin at 37° Celsius and 5% CO₂. A separate population of DF-1 cells was grown at 41° Celsius. These cells were adapted to the higher temperature for one week before they were used for experiments.

Quail QT6 cells were cultured in F10 medium (Gibco) with 5% newborn calf serum, 1% chicken serum heat inactivated (at 55° Celsius for 45 mins), 10 units/ ml penicillin and 10 μ g/ml streptomycin at 37° Celsius and 5% CO₂.

Example 3: Selection and Assay Methods

(a) *Puromycin selection assay*: About 0.8×10^6 DF-1 (chicken) or QT6 (quail) cells were plated in 60 mm dishes. The next day, the cells were transfected as follows:

10 to 50 ng of a donor plasmid and 1 to 10 μ g of an Integrase-expressing plasmid DNA were mixed with 150 μ l of OptiMEM. 15 μ l of DMRIE-C was mixed with 150 μ l of OptiMEM in a separate tube, and the mixtures combined and incubated for 15 mins. at room temperature.

While the liposome/DNA complexes were forming, the cells were washed with OptiMEM and 2.5 ml of OptiMEM was added. After 15 minutes, 300 µl of the DNA-lipid mixture was added dropwise to the 2.5 ml of OptiMEM covering the cell layers. The cells were incubated for 4-5 hours at either 37° Celsius or 41° Celsius, 5% CO₂. The transfection mix was replaced with 3 mls of culture media. The next day, puromycin was added to the media at a final concentration of 1 µg/ml, and the media replaced every 2 to 4 days. Puromycin resistant colonies were counted or imaged 10-12 days after the addition of puromycin.

(b) *Luciferase assay*: Chicken DF-1 or quail QT6 cells (0.8×10^6) were plated in 60 mm dishes. Cells were transfected as described above. The cells from a plate were transferred to a new 100 mm plate when the plate became confluent, typically on day 3-4, and re-passaged every 3-4 days.

At each time point, one-third of the cells from a plate were replated, and one-third were harvested for the luciferase assay. The cells were pelleted in an eppendorf tube and frozen at -70°C.

The cell pellet was lysed in 200 µl of lysis buffer (25 mM Tris-acetate, pH7.8, 2mM EDTA, 0.5% Triton X-100, 5% glycerol). Sample (5µl) was assayed using the Promega BrightGlo reagent system.

(c) *Visualization of EGFP*: EGFP expression was visualized with an inverted microscope with FITC illumination [Olympus IX70, 100 W mercury lamp, HQ-FITC Band Pass Emission filter cube, exciter 480/40 nm, emission 535/50 nm, 20X phase contrast objective (total magnification was $2.5 \times 10 \times 20$)].

(d) *Staining of cell colonies*: After colonies had formed, typically after 7-12 days of culture in puromycin medium, the cells were fixed in 2% formaldehyde, 0.2% glutaraldehyde for 15 mins, and stained in 0.2% methylene blue for 30 mins. followed by several washes with water. The plates were imaged using a standard CCD camera in visible light.

Example 4: Generation of genetically transferred avian cells.

Avian stage X blastodermal cells are used as the cellular vector for the transgenes. Stage X embryos are collected and the cells dispersed and mixed with

plasmid DNA. The transgenes are then introduced to blastodermal cells via electroporation. The cells are immediately injected back into recipient embryos.

The cells are not cultured for any time period to ensure that they remain capable of contributing to the germline of resulting chimeric embryos. However, because there is no culture step, cells that bear the transgene cannot be identified. Typically, only a small percentage of cells introduced to an embryo will bear a stably integrated transgene (0.01 to 1%). To increase the percentage of cells bearing a transgene, therefore, the transgene vector bears an attB site and is co-electroporated with a vector bearing the CMV promoter driving expression of the phiC31 transgene (CMV-C31int (SEQ ID NO: 1)). The integrase then drives integration of the transgene vector into the nuclear genome of the avian cell and increases the percentage of cells bearing a stable transgene.

(a) Preparation of avian stage X blastodermal cells:

- i) Collect fertilized eggs from Barred Rock or White leghorn chickens (*Gallus gallus*) or quail (*Japonica coturnix*) within 48 hrs. of laying;
- ii) Use 70% ethanol to clean the shells;
- iii) Crack the shells and open the eggs;
- iv) Remove egg whites by transferring yolks to opposite halves of shells, repeating to remove most of the egg whites;
- v) Put egg yolks with embryo discs facing up into a 10cm petri dish;
- vi) Use an absorbent tissue to gently remove egg white from the embryo discs;
- vii) Place a Whatman filter paper 1 ring over the embryos;
- viii) Use scissors to cut the membranes along the outside edge of the paper ring while gently lifting the ring/embryos with a pair of tweezers;
- ix) Insert the paper ring with the embryos at a 45 degrees angle into a petri dish containing PBS-G solution at room temperature;
- x) After ten embryo discs are collected, gently wash the yolks from the blastoderm discs using a Pasteur pipette under a stereo microscope;
- xi) Cut the discs by a hair ring cutter (a short piece of human hair is bent into a small loop and fastened to the narrow end of a Pasteur pipette with Parafilm);

- xii) Transfer the discs to a 15 ml sterile centrifuge tube on ice;
- xiii) Place 10 to 15 embryos per tube and allow to settle to the bottom (about 5 mins.);
- xiv) Aspirate the supernatant from the tube;
- 5 xv) Add 5 mls of ice-cold PBS without Ca^{++} and Mg^{++} , and gently pipette 4 to 5 times using a 5 mls pipette;
- xvi) Incubate in ice for 5-7 mins. to allow the blastoderms to settle, and aspirate the supernatant;
- 10 xvii) Add 3 mls of ice cold 0.05% trypsin/0.02% EDTA to each tube and gently pipette 3 to 5 times using a 5 ml pipette;
- xviii) Put the tube in ice for 5 mins. and then flick the tube by finger 40 times. Repeat;
- xix) Add 0.5 mls FBS and 3-5 mls BDC medium to each tube and gently pipette 5-7 times using a 5 ml pipette;
- 15 xx) Spin at 500 rpm (RCF 57 x g) at 4° Celsius for 5 mins;
- xxi) Remove the supernatant and add 2 mls ice cold BDC medium into each tube; and
- xxii) Resuspend the cells by gently pipetting 20-25 times; and
- xxiii) Determine the cell titer by hemacytometer and ensure that about 95% of all
- 20 BDCs are single cells, and not clumped.

(b) Transfection of linearized plasmids into blastodermal cells by small scale electroporation:

- i) Centrifuge the blastodermal cell suspension from step (xxiii) above at RCF 57 x g, 4° Celsius, for 5 mins;
- 25 ii) Resuspend cells to a density of $1-3 \times 10^6$ per ml with PBS without Ca^{2+} and Mg^{2+} ;
- iii) Add linearized DNA, 1-30 μg per $1-3 \times 10^5$ blastodermal cells in an eppendorf tube at room temperature. Add equimolar molar amounts of the non-linearized transgene plasmid bearing an attB site, and an integrase
- 30 expression plasmid;
- iv) Incubate at room temperature for 10 mins;

- v) Aliquot 100 μ l of the DNA-cell mixture to a 0.1 cm cuvette at room temperature;
- vi) Electroporate at 240 V and 25 μ FD (or 100 V and 125 μ FD for quail cells) using, for example, a Gene Pulser II™ (BIO-RAD).
- 5 vii) Incubate the cuvette at room temperature for 1-10 mins.
- viii) Before the electroporated cells are injected into a recipient embryo, they are transferred to a eppendorf tube at room temperature. The cuvette is washed with 350 μ l of media, which is transferred to the eppendorf, spun at room temperature and re-suspended in 0.01-0.3 ml medium;
- 10 ix) Inject 1-10 μ l of cell suspension into the subgerminal cavity of an non-irradiated or, preferably, an irradiated (e.g., with 300-900 rads) stage X egg. Shell and shell membrane are removed and, after injection, resealed according to U.S. Patent No. 6,397,777 incorporated herein by reference in its entirety; and
- 15 x) The egg is then incubated to hatching.

(c) Blastodermal Cell Culture Medium:

- i) 409.5 mls DMEM with high glucose, L-glutamine, sodium pyruvate, pyridoxine hydrochloride;
- ii) 5 mls Men non-essential amino acids solution, 10 mM;
- 20 iii) 5 mls Penicillin-streptomycin 5000 U/ml each;
- iv) 5 mls L-glutamine, 200 mM;
- v) 75 mls fetal bovine serum; and
- vi) 0.5 mls β -mercaptoethanol, 11.2mM.

25 **Example 5: Transfection of stage X embryos with attB plasmids**

(a) *DNA-PEI*: Twenty-five μ g of a phage phiC31 integrase expression plasmid (pCMV-int), and 25 μ g of a luciferase-expressing plasmid (p β -actin-GFP-attB) are combined in 200 μ l of 28 mM Hepes (pH 7.4). The DNA/Hepes is mixed with an equal volume of PEI which has been diluted 10-fold with water. The DNA/Hepes/PEI
 30 is incubated at room temperature for 15 mins. Three to seven μ l of the complex are injected into the subgerminal cavity of windowed stage X white leghorn eggs which

are then sealed and incubated as described in U.S. Patents No. 6,397,777. The complexes will also be incubated with blastodermal cells isolated from stage X embryos which are subsequently injected into the subgerminal cavity of windowed irradiated stage X white leghorn eggs. Injected eggs are sealed and incubated as described above.

(b) Adenovirus-PEI:

Two μg of a phage phiC31 integrase expression plasmid (pCMV-int), 2 μg of a GFP expressing plasmid (p β -actin-GFP-attB) and 2 μg of a luciferase expressing plasmid (pGLB) were incubated with 1.2 μl of JetPEITM in 50 μl of 20 mM Hepes buffer (pH7.4). After 10 mins at 25°C, 3×10^9 adenovirus particles (Ad5-Null, Qbiogene) were added and the incubation continued for an additional 10 mins. Embryos are transfected *in ovo* or *ex ovo* as described above.

Example 6: Stage I cytoplasmic injection

Production of transgenic chickens by cytoplasmic DNA injection using DNA injection directly into the germinal disk as described in Sang *et al.*, *Mol. Reprod. Dev.*, 1: 98-106 (1989); Love *et al.*, *Biotechnology*, 12: 60-63 (1994) incorporated herein by reference in their entireties.

In the method of the present invention, fertilized ova, and preferably stage I embryos, are isolated from euthanized hens 45 mins. to 4 hrs. after oviposition of the previous egg. Alternatively, eggs were isolated from hens whose oviducts have been fistulated according to the techniques of Gilbert & Wood-Gush, *J. Reprod. Fertil.*, 5: 451-453 (1963) and Pancer *et al.*, *Br. Poult. Sci.*, 30: 953-7 (1989) incorporated herein in their entireties.

An isolated ovum was placed in dish with the germinal disk upwards. Ringer's buffer medium was then added to prevent drying of the ovum. Any suitable microinjection assembly and methods for microinjecting and reimplanting avian eggs are useful in the method of cytoplasmic injection of the present invention. A particularly suitable apparatus and method for use in the present invention is described in U.S. Patent Application Serial No: 09/919,143 ("the '143 Application) and incorporated herein by reference in its entirety. The avian microinjection system

described in the '143 Application allowed the loading of a DNA solution into a micropipette, followed by prompt positioning of the germinal disk under the microscope and guided injection of the DNA solution into the germinal disk. Injected embryos could then be surgically transferred to a recipient hen as described, for example, in Olsen & Neher, *J. Exp. Zool.*, 109: 355-66 (1948) and Tanaka *et al.*, *J. Reprod. Fertil.*, 100: 447-449 (1994). The embryo was allowed to proceed through the natural *in vivo* cycle of albumin deposition and hard-shell formation. The transgenic embryo is then laid as a hard-shell egg which was incubated until hatching of the chick. Preferably, injected embryos were surgically transferred to recipient hens via the ovum transfer method of Christmann *et al.* in PCT/US01/26723, the contents of which are incorporated by reference in its entirety, and hard shell eggs were incubated and hatched.

Approximately 25 nl of DNA solution with either integrase mRNA or protein were injected into a germinal disc of stage I White Leghorn embryos obtained 90 minutes after oviposition of the preceding egg. Typically the concentration of integrase mRNA used was 100 ng/ μ l, and the concentration of integrase protein was 66 ng/ μ l.

To synthesize the integrase mRNA, a plasmid template encoding the integrase protein was linearized at the 3' end of the transcription unit. mRNA was synthesized, capped and a polyadenine tract added using the mMACHINE T7 Ultra Kit™ (Ambion, Austin, TX). The mRNA was purified by extraction with phenol and chloroform and precipitated with isopropanol. The integrase protein was expressed in *E. coli* and purified as described by Thorpe *et al.*, *Mol. Microbiol.*, 38: 232-241 (2000).

A plasmid encoding for the integrase protein is transfected into the target cells. However, since the early avian embryo transcriptionally silent until it reaches about 22,000 cells, injection of the integrase mRNA or protein was expected to result in better rates of transgenesis, as shown in the Table 1 below.

The chicks produced by this procedure were screened for the presence of the injected transgene using a high throughput PCR-based screening procedure as described in Harvey *et al.*, *Nature Biotech.*, 20: 396-399 (2002).

Table 1: Summary of cytoplasmic injection results using different integrase strategies

Experimental group	Ovum transfers	Hard shells produced (%)	Chicks hatched (%) *	Transgenic chicks (%) †
No Integrase	5164	3634 (70%)	500 (14%)	58 (11.6%)
Integrase mRNA	1109	833 (75%)	115 (13.8%)	19 (16.5%)
Integrase protein	374	264 (70.6%)	47(17.8%)	16 (34%)

* : Percentages based on the number of hard shells

† : Percentages based on the number of hatched birds

5

Example 7: Characterization of phiC31 integrase-mediated integration sites in the chicken genome.

To characterize phiC31-mediated integration into the chicken genome, a plasmid rescue method was used to isolate integrated plasmids from transfected and selected chicken fibroblasts. Plasmid pCR-XL-TOPO-CMV-pur-attB (SEQ ID NO: 10, shown in Fig. 18) does not have *Bam*H I or *Bgl* II restriction sites. Genomic DNA from cells transformed with pCR-XL-TOPO-CMV-pur-attB was cut with *Bam*H I or *Bgl* II (either or both of which would cut in the flanking genomic regions) and religated so that the genomic DNA surrounding the integrated plasmid would be captured into the circularized plasmid. The flanking DNA of a number of plasmids were then sequenced.

DF-1 cells (chicken fibroblasts), 4×10^5 were transfected with 50 ng of pCR-XL-TOPO-CMV-pur-attB and 1 μ g of pCMV-int. The following day, the culture medium was replaced with fresh media supplemented with 1 μ g/ml puromycin. After 10 days of selection, several hundred puromycin-resistant colonies were evident. These were harvested by trypsinization, pooled, replated on 10 cm plates and grown to confluence. DNA was then extracted.

Isolated DNA was digested with *Bam*H I and *Bgl* II for 2-3 hrs, extracted with phenol:chloroform:isoamyl alcohol chloroform:isoamyl alcohol and ethanol

precipitated. T4 DNA ligase was added and the reaction incubated for 1 hr at room temperature, extracted with phenol:chloroform:isoamyl alcohol and chloroform:isoamyl alcohol, and precipitated with ethanol. 5 µl of the DNA suspended in 10µl of water was electroporated into 25 µl of GenehogsTM (Invitrogen) in an 0.1 cm cuvette using a GenePulser II (Biorad) set at 1.6 kV, 100 ohms, 25 uF and plated on Luria Broth (LB) plates with 5 µg/ml phleomycin (or 25 µg/ml zeocin) and 20 µg/ml kanamycin. Approximately 100 individual colonies were cultured, the plasmids extracted by standard miniprep techniques and digested with *Xba* I to identify clones with unique restriction fragments.

Thirty two plasmids were sequenced with the primer attB-for (5'-TACCGTCGACGATGTAGGTCACGGTC-3') (SEQ ID NO: 12) which allows sequencing across the crossover site of attB and into the flanking genomic sequence. All of plasmids sequenced had novel sequences inserted into the crossover site of attB, indicating that the clones were derived from plasmid that had integrated into the chicken genome via phiC31 integrase-mediated recombination.

The sequences were compared with sequences at GenBank using Basic Local Alignment Search Tool (BLAST). Most of the clones harbored sequences homologous to *Gallus* genomic sequences in the TRACE database.

Example 8: Insertion of a wild-type attP site into the avian genome augments integrase-mediated integration and transgenesis.

The chicken B-cell line DT40 cells (Buerstedde *et al.*, *E.M.B.O. J.*, 9: 921-927 (1990)) are useful for studying DNA integration and recombination processes (Buerstedde & Takeda, *Cell*, 67:179-88 (1991)). DT40 cells were engineered to harbor a wild-type attP site isolated from the *Streptomyces* phage phiC31. Two independent cell lines were created by transfection of a linearized plasmid bearing an attP site linked to a CMV promoter driving the resistance gene to G418 (DT40-NLB-attP) or bearing an attP site linked to a CMV promoter driving the resistance gene for puromycin (DT40-pur-attP). The transfected cells were cultured in the presence of G418 or puromycin to enrich for cells bearing an attP sequence stably integrated into the genome.

A super-coiled luciferase vector bearing an attB (SEQ ID NO: 2 shown in Fig. 10) was co-transfected, together with an integrase expression vector CMV-C31int (SEQ ID NO: 1) or a control, non-integrase expressing vector (CMV-BL) into wild-type DT40 cells and the stably transformed lines DT40-NLB-attP and DT40-pur-attP.

5 Cells were passaged at 5, 7 and 14 days post-transfection and about one third of the cells were harvested and assayed for luciferase. The expression of luciferase was plotted as a percentage of the expression measured 5 days after transfection. As can be seen in Fig. 21, in the absence of integrase, or in the presence of integrase but in the DT40 cells lacking an inserted wild-type attP site, luciferase expression from a
10 vector bearing attB progressively decreased to very low levels. However, luciferase levels were persistent when the luciferase vector bearing attB was co-transfected with the integrase expression vector into the attP bearing cell lines DT40-NLB-attP and DT40-pur-attP. Inclusion of an attP sequence in the avian genome augments the level of integration efficiency beyond that afforded by the utilization of endogenous
15 pseudo-attP sites.

**Example 9: Generation of attP transgenic cell line
and birds using an NLB vector**

The NLB-attP retroviral vector can be injected into stage X chicken embryos
20 laid by pathogen-free hens. A small hole is drilled into the egg shell of a freshly laid egg, the shell membrane cut away and the embryo visualized by eye. With a drawn needle attached to a syringe, 1 to 10 μ l of concentrated retrovirus, approximately 2.5×10^5 IU, is injected into the subgerminal cavity of the embryo. The egg shell is resealed with a hot glue gun. Suitable methods for the manipulation of avian eggs, including
25 opening and resealing hard shell eggs are described in U.S. Patent Serial Nos: 5,897,998 and 6,397,777 which are herein incorporated by reference in their entireties.

Typically, 25% of embryos hatch 21 days later. The chicks are raised to sexual maturity and semen samples are taken. Birds that have a significant level of the transgene in sperm DNA will be identified, typically by a PCR-based assay. Ten to
30 25% of the hatched roosters will be able to give rise to G1 transgenic offspring, 1 to 20% of which may be transgenic. DNA extracted from the blood of G1 offspring is

analyzed by PCR and Southern analysis to confirm the presence of the intact transgene. Several lines of transgenic roosters, each with a unique site of attP integration, are then bred to non-transgenic hens, giving 50% of G2 transgenic offspring. Transgenic G2 hens and roosters from the same line can be bred to produce
5 G3 offspring homozygous for the transgene. Homozygous offspring will be distinguished from hemizygous offspring by quantitative PCR. The same procedure can be used to integrate an attB or attP site into transgenic birds.

Example 10: Expression of immunoglobulin chain polypeptides by transgenic

10 **chickens**

Bacterial artificial chromosomes (BACs) containing a 70 kbp segment of the chicken ovomucoid gene with the light and heavy chain cDNAs for a human monoclonal antibody inserted along with an internal ribosome entry site into the 3' untranslated region of the ovomucoid gene were equipped with the attB sequence.
15 The heavy and light chain cDNAs were inserted into separate ovomucoid BACs such that expression of an intact monoclonal antibody requires the presence of both BACs in the nucleus.

Several hens produced by coinjection of the attB-bearing ovomucoid BACs and integrase-encoding mRNA into stage I embryos produced intact monoclonal
20 antibodies in their egg white.. One hen, which had a high level of the light chain ovomucoid BAC in her blood DNA as determined by quantitative PCR particularly expressed the light chain portion of the monoclonal antibody in the egg white at a concentration of 350 nanograms per ml, or approximately 12 µg per egg.

What is Claimed Is:

1. A method for genetically transforming an avian cell, comprising:
delivering to an avian cell having a first recombination site a nucleic acid molecule comprising a second recombination site;
5 delivering a source of integrase activity to the avian cell; and
maintaining the avian cell under conditions suitable for the integrase to mediate recombination between the first and the second recombination sites, thereby integrating the nucleic acid molecule into the nuclear genome of the avian cell.
10
2. The method of Claim 1, wherein the avian cell is selected from the group consisting of a stage I cell, a stage X blastodermal cell, a primordial germ line cell and an oviduct cell.
- 15 3. The method of Claim 1, wherein the integrase is a serine recombinase
4. The method of Claim 1, wherein the integrase is the bacteriophage phiC31 integrase.
- 20 5. The method of Claim 1, wherein the source of integrase activity is delivered to the avian cell as a polypeptide.
6. The method of Claim 1, wherein the source of integrase activity is expressed from a polynucleotide molecule delivered to the avian cell.
25
7. The method of Claim 6, wherein the polynucleotide molecule is an mRNA.
8. The method of Claim 6, wherein the polynucleotide molecule is an expression vector.
30

9. The method of Claim 8, wherein the expression vector comprises a promoter operably linked to a region encoding the integrase, wherein the promoter is selected from a CMV promoter and an RSV promoter.
- 5 10. The method of Claim 9, wherein the expression vector comprises a nucleotide sequence selected from SEQ ID NOs: 1 and 9.
11. The method of Claim 1, wherein the nucleic acid molecule comprises an isolated gene expression control region operably linked to a region encoding a polypeptide selected to be expressed by an avian cell.
10
12. The method of Claim 1, wherein the nucleic acid molecule is an expression vector.
- 15 13. The method of Claim 12, wherein the expression vector is selected from the group consisting of a plasmid, an artificial chromosome, an isolated eukaryotic chromosome, an adenovirus vector and a lentivirus vector.
14. The method of Claim 11, wherein the gene expression control region is isolated from an avian gene selected from the group consisting of an ovalbumin gene, a lysozyme gene and an ovomucoid gene.
20
15. The method of Claim 11, wherein the nucleic acid molecule further comprises an IRES operably linked to a region encoding a second polypeptide selected to be expressed by an avian cell.
25
16. The method of Claim 11, wherein the region encoding the polypeptide is codon-optimized for expression of the polypeptide by the avian cell.
- 30 17. The method of Claim 15 wherein the region encoding the second polypeptide is codon-optimized for expression of the polypeptide by the avian cell.

18. The method of Claim 1, wherein the first recombination site is a attP site having at least 25% identity to the sequence according to SEQ ID NO: 11.
- 5 19. The method of Claim 1, wherein the first recombination site is a attP site having at least 75% identity to the sequence according to SEQ ID NO: 11.
20. The method of Claim 1, wherein the first recombination site is a attP site according to SEQ ID NO: 11.
- 10 21. The method of Claim 1, wherein the first recombination site is a pseudo-attP site.
22. The method of Claim 1, wherein the nucleic acid molecule and the source of integrase activity are sequentially delivered to the isolated avian cell.
- 15 23. The method of Claim 1, wherein the nucleic acid molecule and the source of integrase activity are concurrently delivered to the isolated avian cell.
- 20 24. The method of Claim 1, wherein the avian cell is a chicken cell.
25. The method of Claim 1, wherein the avian cell is a quail cell.
26. The method of Claim 1, wherein the nucleic acid molecule and the source of integrase activity are delivered to the avian cell by a method or combination of methods selected from injection, electroporation, DNA-PEI, virus-PEI, microcell fusion, artificial viral coats, polylysine conjugation and lipofection.
- 25 27. The method of Claim 1, wherein the avian cell is an oviduct cell in the oviduct of an avian and further comprising the steps of:
- 30

before delivering the nucleic acid molecule and source of integrase activity, surgically exposing the luminal surface of the oviduct of an avian;
delivering the nucleic acid molecule and the source of integrase activity to the oviduct cell by depositing the nucleic acid molecule and the source of integrase activity on the luminal surface;
applying an electroporation pulse across the wall of the oviduct, wherein the electroporation pulse is directed to deliver the nucleic acid molecule and the source of integrase activity to recipient oviduct cells, whereby the integrase mediates integration of the nucleic acid molecule into the genome of a recipient cell;
surgically closing the oviduct; and
maintaining the avian under conditions suitable for the expression by the recipient oviduct cells of a polypeptide encoded by the nucleic acid molecule and deposition of said polypeptide into the white of a laid hard shell egg.

28. A genetically transformed avian cell, and progeny thereof, generated by a of the methods according to Claims 1.
29. A genetically transformed avian, and progeny thereof, generated by the method according to Claim 27.
30. A method for generating a genetically transformed avian, comprising:
genetically transforming an avian cell by a method according to Claim 1;
delivering the genetically transformed avian cell to an early stage avian embryo, thereby generating a genetically transformed embryo;
and
maintaining the avian embryo under conditions suitable for the embryo to develop and hatch as a transgenic chick.

31. The method of Claim 26, wherein the genetically transformed embryo is delivered to a recipient female avian and laid as a hard shell egg.
- 5 32. A method of producing a polypeptide comprising expressing the polypeptide in a transgenic avian cell, said cell comprising a heterologous nucleic acid molecule that expresses the polypeptide, wherein the heterologous nucleic acid molecule is integrated into the nuclear genome and flanked by halves of an integration site recognized by an integrase.
- 10 33. A polypeptide of interest expressed by a genetically transformed avian cell, and progeny thereof, the cell comprising a heterologous nucleic acid molecule integrated into the nuclear genome thereof by an integrase, and wherein the nucleic acid molecule comprises a region encoding the polypeptide of interest and an operably linked promoter region.
- 15 34. The polypeptide according to Claim 33, wherein the polypeptide is an immunoglobulin chain.
- 20 35. The polypeptide according to Claim 33, wherein the polypeptide is a cytokine.
36. The polypeptide according to Claim 33, wherein the polypeptide is deposited in the white of an avian egg.
- 25 37. The polypeptide according to Claim 33, wherein the polypeptide is expressed by a transgenic bird comprising the genetically transformed avian cell.
38. The polypeptide according to Claim 37, wherein the genetically transformed avian cell, and the progeny thereof, are generated according to the methods of Claim 1.
- 30

39. The polypeptide according to Claim 37, wherein the transgenic bird is generated according to the method of Claim 30.
40. An avian egg white comprising a heterologous polypeptide produced
5 according to the method according to the Claim 32.
41. An avian egg comprising a heterologous polypeptide produced according to the method according to the Claim 32.
- 10 42. A method for generating a genetically modified avian cell, and progeny thereof, using a tagged chromosome, said method comprising the steps of:
providing an isolated modified chromosome comprising a lac operator
region and a first recombination site;
delivering the modified chromosome to a avian cell, thereby generating
15 a trisomic avian cell;
delivering to the avian cell a source of a tagged polypeptide comprising
a fluorescent domain and a lac repressor domain;
delivering a source of integrase activity to the avian cell;
delivering a polynucleotide comprising a second recombination site
20 and a region encoding a polypeptide to the avian cell;
maintaining the avian cell under conditions suitable for the integrase to
mediate recombination between the first and second
recombination sites, thereby integrating the polynucleotide into
the modified chromosome and generating a genetically
25 modified avian cell;
expressing the tag polypeptide by the avian cell;
allowing the tag polypeptide to bind to the modified chromosome so as
to label the modified chromosome; and
isolating the modified chromosome by selecting modified
30 chromosomes having a tag polypeptide bound thereto.

43. The method according to Claim 42, further comprising the step of delivering the modified chromosome to a second avian cell to generate a trisomic avian cell.
44. A modified avian chromosome comprising a lac operator region and a recombination site.
45. The avian chromosome according to Claim 44, wherein the lac operator region is a concatamer of lac operators.
46. The avian chromosome according to Claim 44, wherein the recombination site is selected from an att B or an att P site.
47. The avian chromosome according to Claim 44, further comprising a region encoding a tag polypeptide and an operably linked promoter.
48. The avian chromosome according to Claim 47, wherein the tag polypeptide comprises a fluorescent domain and a lac repressor domain.
49. The avian chromosome according to Claim 44, wherein the florescent domain is GFP.
50. The avian chromosome according to Claim 45, further comprising a heterologous polynucleotide integrated into the first recombination site.
51. The avian chromosome according to Claim 50, wherein the heterologous polynucleotide comprises a region encoding a polypeptide operably linked to a promoter.
52. The avian chromosome according to Claim 50, wherein the promoter is an avian promoter selected from the gene expression control region of an onomucoid gene, a lysozyme gene and an ovalbumin gene.




Fig. 1




Fig. 2




Fig. 3




Fig. 4

5/39





Fig. 5

6/39

**Fig. 6**

7/39




Fig. 7




Fig. 8

9/39

pCMV-C31int (SEQ ID NO: 1)

CATTCGCCATTCAGGCTGCGCAACTGTTGGGAAGGGCGATCGGTGCGGGCCTCTTCGCTATT
ACGCCAGCCAATACGCAAACCGCCTCTCCCCGCGCGTTGGCCGATTCATTAATGCAGGATCG
ATCCAGACATGATAAGATAACATTGATGAGTTTGGACAAACCACAACCTAGAATGCAGTGAAAA
AAATGCTTTTATTTGTGAAATTTGTGATGCTATTGCTTTATTTGTAAACCATTATAAGCTGCAA
TAAACAAGTTAACAACAACAATTGCATTCATTTTATGTTTCAGGTTTCAGGGGGAGGTGTGGG
AGGTTTTTTTAAAGCAAGTAAAACCTCTACAAATGTGGTATGGCTGATTATGATCATGAACAG
ACTGTGAGGACTGAGGGGCCTGAAATGAGCCTTGGGACTGTGAATCTAAAATACACAAACAA
TTAGAATCACTAGCTCCTGTGTATAATATTTTCATAAATCATACTCAGTAAGCAAACTCTC
AAGCAGCAAGCATATGCAGCTAGTTTAAACACATTATACACTTAAAAATTTTATATTTACCTT
AGAGCTTTTAAATCTCTGTAGGTAGTTTGTCCAATTATGTCACACCACAGAAGTAAGGTTCTT
TCACAAAGATCCCAAGCTAGCTTATAATACGACTCACTATAGGGAGAGAGCTATGACGTTCG
ATGCACGCGTAAGCTTGGGCCCCCTCGAGGGATCCGGGTGTCTCGCTACGCCGCTACGTCTTC
CGTGCCGTCTTGGGCGTCTGCTTTCGTCTGTCGCTCGGTTCGGCGGCTTCGCCACGTGATCGAAG
CGCGCTTCTCGATGGGCGTTCCCTGCCCCCTGCCCCGTAGTTCGACTTCGTGACAACGATCTTG
TCTACGAAGAGCCCGACGAACACGCGCTTGTCTGCTACTGACGCGCGCCCCCACCACGACTT
AGGGCCGGTTCGGGTCAGCGTCGGCGTCTTCGGGGAACCATTTGGTCAAGGGGAAGCTTCGGGG
CTTCGGCGGCTTCAAGTTCGGCAAGCCGCTCTTCCGCCCCCTTGCTGCCGGAGCGTCAGCGCT
GCCTGTTGCTTCCGGAAGTGCTTCCCTGCCAACGGGTCCGTTCGTACGCGCCTGCCGCGCGGTC
TTCGTACAGCTCTTCAAGGGCGTTCAGGGCGTTCGGCGCGCTCCGCAACAAGGTTCCGCCGTT
CGCCGCTCTTCTCAGGCGCCTCAGTGAGCTTGCCGAAGCGTCGGGCGGCTTCCCACAGAAGC
GCCAACGTCTCTTCGTGCGCTTCGGCGTGCCCTGATCTTGTGTAAGATGCGTTCCGCAACGAA
CTTGTGAGTGCCGCCATGCTGACGTTGCACGTGCTTTCGTGCTGCCAGGTGCGGACGGGT
CGACCACCTTCCGGCGACGGCAGCGGTAAGAGTCCTTGATCGATTCTTCCCCGCGCTTCGAA
GTCATGACGGCGCCACACTCGCAGTACAGCTTGTCCATGGCGGACAGAATGGCTTGCCCCCG
GGAAAGCCCCCTTGCCGCGCCCCCTGCCGTCCAACACGCCTGAAGCTCATACCACTCAGCGG
GCTCGATGATCGGTCCGCAATCAAGCTCGACCGGCCGGAGCGTGATCGGGTCGCGCTGAATG
CGGTAACCCTCAATCTTTCGTGGTTCGGCGTGCCGTCCGGCTTCTTCTTGTAGATCACCTCAGC
GGCGAAGCCCGCAATACGCGGGTCCCGAAGGATTTCGCATAACGGTTGCCGGGTCCCAGGCGC
TTGAAGCGGTCTTCTTCCCAATCGTCTCGCCCCGGGTTCGGCACGGCGTCAGCGTCCATGCGC
TTACAAAGCCCCGTGATGCTGCCCGGGTGAATGGCGGCTTGAAGGGGAAG
GTGTTTGTGCGTCTTGATCTCACGCCACCACCACCGGATTACGTTCGGGCTCGAACTCGAAGG
GTCCGGTAAGGGGAGTGGTTCGAGTGCGCAAGCTTGTGATGACGACATTGACCATTCGGCCG
TTGCGCGTGATCTCCTTCGTCTCCGAAACAAGCTCGAAGCCGTAAGGCGCCTTCCCGCCGAC
GTACCCGCCCAATTTCGCGCTGAAGGTTCTTCGTGTCGAGAATCTTCGCCGACTTCAGCGAAG
ATTCTTTGTGCGACGCGTCGAGCCGCATAATCAGGTGAATCAGGTCCATGACGTTTTCCCTGC
CGGAAGACGCCTTCTGAGTGGAACAATCGTCACGCCCAGGGCGAGCAATTCCGAGACAAT
CGGAATCGCGTCCATGACCTTCAGGCGCGAGAAGCGCGACACGTCATAGACAATGATCATGT
TGAGCCGCCCGGCGCGGCATTTCGTTTCAGGATGCGTTTCGAACTCCGGGCGCTCCGCCGTCCCG
AACGCCGACGTGCCCGGCGCTTCGCTGAAATGCCCGACGAACCTGAACCGGCCCCCGTTCGCG
CTCGACTTCGCGCTGAAGGTTCGGCCGCCTTGTCTTCGTTGGCGCTACGCTGTGTGCTGGGC
TTGCTGCGCTCGAATTCTCGCGCTCGCGCGACTGACGGTTCGTAAGCACCCGCGTACGTGTCC
ACCCCGGTCAACAACCCCTTGTGTTCATGTCGGCGACCCCTACGACTAGTGAGCTCGTCGACCCG
GGAATTCCGGACCGGTACCTGCAGGCGTACCTTCTATAGTGTACCTAAATAGCTTTTTTGCA
AAAGCCTAGGCTAGAGTCCGGAGGCTGGATCGGTCCCGGTGTCTTCTATGGAGGTCAAAACA
GCGTGGATGGCGTCTCCAGGCGATCTGACGGTTCACTAAACGAGCTCTGCTTATATAGACCT
CCCACCGTACACGCCTACCGCCCATTTGCGTCAATGGGGCGGAGTTGTTACGACATTTTGGA
AAGTCCCGTTGATTTTTGGTGCCAAAACAACTCCCATTCAGGTCAATGGGGTGGAGACTTGG
AAATCCCCGTGAGTCAAACCGCTATCCACGCCCATTCATGTACTGCCAAAACCGCATCACCA
TGGTAATAGCGATGACTAATACGTAGATGTACTGCCAAGTAGGAAAGTCCCATAGGTCATG
TACTGGGCATAATGCCAGGCGGGCCATTTACCGTCAATTGACGTCAATAGGGGGCGTACTTGG
CATATGATACACTTGATGTACTGCCAAGTGGGCAGTTTACCGTAAATACTCCACCCATTGAC

10/39

GTCAATGGAAAGTCCCTATTGGCGTTACTATGGGAACATACGTCATTATTGACGTCAATGGG
CGGGGGTTCGTTGGGCGGTTCAGCCAGGCGGGCCATTTACCGTAAGTTATGTAACGACCTGCAC
GATGCTGTTTCCTGTGTGAAATTGTTATCCGCTCACAATTCCACACATTATACGAGCCGGAA
GCTATAAAGTGTAAAGCCTGGGGTGCCTAATGAGTGAAAGGGCCTCGTATACGCCTATTTTT
ATAGGTTAATGTCATGATAATAATGGTTTCTTAGACGTCAGGTGGCACTTTTCGGGGAAATG
TGCGCGGAACCCCTATTTGTTTATTTTTCTAAATACATTCAAATATGTATCCGCTCATGAGA
CAATAACCCCTGATAAATGCTTCAATAATATTGAAAAACGCGCGAATTGCAAGCTCTGCATTA
ATGAATCGGCCAACGCGCGGGGAGAGGCGGTTTGCGTATTGGGCGCTCTTCCGCTTCCTCGC
TCACTGACTCGCTGCGCTCGGTTCGTTTCGGCTGCGGCGAGCGGTATCAGCTCACTCAAAGGCG
GTAATACGGTTATCCACAGAATCAGGGGATAACGCGAGGAAAGACATGTGAGCAAAAGGCCA
GCAAAAGGCCAGGAACCGTAAAAAGGCCGCGTTGCTGGCGTTTTTCCATAGGCTCCGCCCCC
CTGACGAGCATCACAAAATCGACGCTCAAGTCAGAGGTGGCGAAACCCGACAGGACTATAA
AGATACCAGGCGTTTCCCCCTGGAAGCTCCCTCGTGCGCTCTCCTGTTCCGACCCTGCCGCT
TACCGGATACCTGTCCGCCTTTCTCCCTTCGGGAAGCGTGGCGCTTTCTCAATGCTCACGCT
GTAGGTATCTCAGTTCGGTGTAGGTTCGTTTCGCTCCAAGCTGGGCTGTGTGCACGAACCCCC
GTTTCAGCCCGACCGCTGCGCCTTATCCGGTAACCTATCGTCTTGAGTCCAACCCGGTAAGACA
CGACTTATCGCCACTGGCAGCAGCCACTGGTAACAGGATTAGCAGAGCGAGGTATGTAGGCG
GTGCTACAGAGTTCTTGAAGTGGTGGCCTAACTACGGCTACACTAGAAGGACAGTATTTGGT
ATCTGCGCTCTGCTGAAGCCAGTTACCTTCGGAAAAAGAGTTGGTAGCTCTTGATCCGGCAA
ACAAACCACCGCTGGTAGCGGTGGTTTTTTTTGTTTTGCAAGCAGCAGATTACGCGCAGAAAAA
AAGGATCTCAAGAAGATCCTTTGATCTTTTCTACGGGGTCTGACGCTCAGTGGAACGAAAAC
TCACGTTAAGGGATTTTGGTTCATGCCATAACTTCGTATAGCATAACATTATACGAAGTTATGG
CATGAGATTATCAAAAAGGATCTTCACCTAGATCCTTTTAAATTAATAATGAAGTTTTAAAT
CAATCTAAAGTATATATGAGTAAACTTGGTCTGACAGTTACCAATGCTTAATCAGTGAGGCA
CCTATCTCAGCGATCTGTCTATTTTCGTTTCATCCATAGTTGCCTGACTCCCCGTCGTGTAGAT
AACTACGATACGGGAGGGCTTACCATCTGGCCCCAGTGCTGCAATGATACCGCGAGACCCAC
GCTCACCGGCTCCAGATTTATCAGCAATAAACCCAGCCAGCCGGAAGGGCCGAGCGCAGAAGT
GGTCCTGCAACTTTATCCGCCTCCATCCAGTCTATTAATTGTTGCCGGGAAGCTAGAGTAAG
TAGTTTCGCCAGTTAATAGTTTTCGCAACGTTGTTGCCATTGCTACAGGCATCGTGGTGTAC
GCTCGTCGTTTGGTATGGCTTCATTCAGCTCCGGTTCCCAACGATCAAGGCGAGTTACATGA
TCCCCCATGTTGTGCAAAAAAGCGGTTAGCTCCTTCGGTCCTCCGATCGTTGTCAGAAGTAA
GTTGGCCGCGAGTGTTATCACTCATGGTTATGGCAGCACTGCATAATTCTCTTACTGTCATGC
CATCCGTAAGATGCTTTTTCTGTGACTGGTGAGTACTCAACCAAGTCATTCTGAGAATAGTGT
ATGCGGCGACCGAGTTGCTCTTGCCCCGGCGTCAATACGGGATAATACCGCGCCACATAGCAG
AACTTTAAAGTGCTCATATTGGAACCGTTCTTCGGGGCGAAAACTCTCAAGGATCTTAC
CGCTGTTGAGATCCAGTTTCGATGTAACCCACTCGTGCACCCAACTGATCTTCAGCATCTTTT
ACTTTCACCAGCGTTTCTGGGTGAGCAAAAACAGGAAGGCAAAATGCCGCAAAAAAGGGAAT
AAGGGCGACACGGAATGTTGAATACTCATACTCTTCCTTTTTCAATATTATTGAAGCATTT
ATCAGGGTTATTGTCTCATGCCAGGGGTGGGCACACATATTTGATACCAGCGATCCCTACAC
AGCACATAATTCAATGCGACTTCCCTCTATCGCACATCTTAGACCTTTATTCTCCCTCCAGC
ACACATCGAAGCTGCCGAGCAAGCCGTTCTCACCAGTCCAAGACCTGGCATGAGCGGATACA
TATTTGAATGTATTTAGAAAAATAAACAAATAGGGGTTCCGCGCACATTTCCCCGAAAAGTG
CCACCTGAAATTGTAAACGTTAATATTTTGTAAATTCGCGTTAAATTTTTGTAAATCAG
CTCATTTTTTAACCAATAGGCCGAAATCGGCAAAATCCCTTATAAATCAAAAGAATAGACCG
AGATAGGGTTGAGTGTGTTCCAGTTTGGAAACAAGAGTCCACTATTAAAGAACGTGGACTCC
AACGTCAAAGGGCGAAAAACCGTCTATCAGGGCGATGGCCCACTACGTGAACCATCACCTA
ATCAAGTTTTTTGGGGTCGAGGTGCCGTAAAGCACTAAATCGGAACCTAAAGGGAGCCCCC
GATTTAGAGCTTGACGGGGAAAGCCGCGCAACGTGGCGAGAAAGGAAGGGAAGAAAGCGAAA
GGAGCGGGCGCTAGGGCGCTGGCAAGTGTAGCGGTACGCTGCGCGTAACCACCACACCCGC
CGCGCTTAATGCGCCGCTACAGGGCGCGTC

Fig. 9

11/39

pCMV-luc-attB (SEQ ID NO: 2)

CTCTATCGATAGGTACCGAGCTCTTACGCGTGCTAGCCCTCGAGCAGGATCTATACATTGAA
TCAATATTGGCAATTAGCCATATTAGTCATTGGTTATATAGCATAAATCAATATTGGCTATT
GGCCATTGCATACGTTGTATCTATATCATAATATGTACATTTATATTGGCTCATGTCCAATA
TGACCGCCATGTTGACATTGATTATTGACTAGTTATTAATAGTAATCAATTACGGGGTCATT
AGTTCATAGCCCATATATGGAGTTCCGCGTTACATAACTTACGGTAAATGGCCCGCCTGGCT
GACCGCCCAACGACCCCCGCCCATTGACGTCAATAATGACGTATGTTCCCATAGTAACGCCA
ATAGGGACTTTCCATTGACGTCAATGGGTGGAGTATTTACGGTAAACTGCCCACTTGGCAGT
ACATCAAGTGTATCATATGCCAAGTCCGCCCCCTATTGACGTCAATGACGGTAAATGGCCCG
CCTGGCATTATGCCCAGTACATGACCTTACGGGACTTTCCTACTTGGCAGTACATCTACGTA
TTAGTCATCGCTATTACCATGGTGATGCGGTTTTTGGCAGTACATCAATGGGCGTGGATAGCG
GTTTGACTCACGGGGATTTCCAAGTCTCCACCCCATTTGACGTCAATGGGAGTTTGTTTTGGC
ACCAAATCAACGGGACTTTCCAATAATGTCGTAACAACTCCGCCCCATTGACGCAAATGGGC
GGTAGGCGTGACGGTGGGAGGTCTATATAAGCAGAGCTCGTTTAGTGAACCGTCAGATCGC
CTGGAGACGCCATCCACGCTGTTTTGACCTCCATAGAAGACACCGGGACCGATCCAGCCTCC
CCTCGAAGCTCGACTCTAGGGGCTCGAGATCTGCGATCTAAGTAAGCTTGGCATTCGGGTAC
TGTTGGTAAAGCCACCATGGAAGACGCCAAAAACATAAAGAAAGGCCCGGCCATTCTATC
CGCTGGAAGATGGAACCGCTGGAGAGCAACTGCATAAGGCTATGAAGAGATACGCCCTGGTT
CCTGGAACAATTGCTTTTACAGATGCACATATCGAGGTGGACATCACTTACGCTGAGTACTT
CGAAATGTCCGTTCCGTTGGCAGAAGCTATGAAACGATATGGGCTGAATACAAATCACAGAA
TCGTGATATGCAGTGAAAACCTCTCTTCAATTCCTTTATGCCGGTGTTGGGCGCGTTATTTATC
GGAGTTGCAGTTGCGCCCGCGAACGACATTTATAATGAACGTGAATTGCTCAACAGTATGGG
CATTTTCGCAGCCTACCGTGGTGTTCGTTTCCA AAAAGGGGTTGCAAAAAATTTTGAACGTGC
AAAAAAAGCTCCCAATCATCCAAAAAATTATTATCATGGATTCTAAACGGATTACCAGGGA
TTTCAGTCGATGTACACGTTCTGTCACATCTCATCTACCTCCCGGTTTTTAATGAATACGATTT
TGTGCCAGAGTCCCTTCGATAGGGACAAGACAATTGCACTGATCATGAACTCCTCTGGATCTA
CTGGTCTGCCTAAAGGTGTCGCTCTGCCTCATAGA ACTGCCTGCGTGAGATTCTCGCATGCC
AGAGATCCTATTTTTTGGCAATCAAATCATTCGCGATACTGCGATTTTAAAGTGTGTTCCATT
CCATCACGGTTTTTGAATGTTTTACTACACTCGGATATTTGATATGTGGATTTTCGAGTCGTCT
TAATGTATAGATTTGAAGAAGAGCTGTTTCTGAGGAGCCTTCAGGATTACAAGATTCAAAGT
GCGCTGCTGGTGCCAACCTATTCTCCTTCTTCGCCAAAAGCACTCTGATTGACAAATACGA
TTTATCTAATTTACACGAAATTGCTTCTGGTGGCGCTCCCTCTCTAAGGAAGTCGGGGAAG
CGGTTGCCAAGAGGTTCCATCTGCCAGGTATCAGGCAAGGATATGGGCTCACTGAGACTACA
TCAGCTATTCTGATTACACCCGAGGGGGATGATAAACCGGGCGCGGTTCGGTAAAGTTGTTCC
ATTTTTTGAAGCGAAGGTTGTGGATCTGGATAACCGGGAAAACGCTGGGCGTTAATCAAAGAG
GCGAACTGTGTGTGAGAGGTCCTATGATTATGTCCGGTTATGTAAACAATCCGGAAGCGACC
AACGCCTTGATTGACAAGGATGGATGGCTACATTCTGGAGACATAGCTTACTGGGACGAAGA
CGAACACTTCTTCATCGTTGACCGCCTGAAGTCTCTGATTAAGTACAAAGGCTATCAGGTGG
CTCCCGCTGAATTGGAATCCATCTTGCTCCAACACCCCAACATCTTCGACGCAGGTGTCGCA
GGTCTTCCCGACGATGACGCCGGTGAACCTTCCCGCCGCGGTTGTTGTTTTGGAGCACGGAAA
GACGATGACGGAAAAAGAGATCGTGGATTACGTGCGCCAGTCAAGTAACAACCGCGAAAAAGT
TGCGCGGAGGAGTTGTGTTTGTGGACGAAGTACCGAAAGGTCTTACCGGAAAACCTCGACGCA
AGAAAAATCAGAGAGATCCTCATAAAGGCCAAGAAGGGCGGAAAGATCGCCGTGTAATTCTA
GAGTCGGGGCGGCCCGGCGCTTCGAGCAGACATGATAAGATACATTGATGAGTTTGGACAAA
CCACA ACTAGAATGCAGTGAAAAAATGCTTTATTTGTGAAATTTGTGATGCTATTGCTTTA
TTTGTAACCATTTATAAGCTGCAATAAACAAGTTAACAACAACAATTGCATTCATTTTATGTT
TCAGGTTTCAGGGGGAGGTGTGGGAGGTTTTTTTAAAGCAAGTAAAACCTCTACAAATGTGGTA
AAATCGATAAGGATCAATTCCGGCTTCAGGTACCGTCGACGATGTAGGTCACGGTCTCGAAGC
CGCGGTGCGGGTGCCAGGGCGTGCCCTTGGGCTCCCGGGCGCGTACTCCACCTCACCCATC
TGGTCCATCATGATGAACGGGTGAGGTTGGCGGTAGTTGATCCCGGCGAACGCGCGGCGCAC

12/39

CGGGAAGCCCTCGCCCTCGAAACCGCTGGGCGCGGTGGTCACGGTGAGCACGGGACGTGCGA
CGGCGTCGGCGGGGTGCGGATACGCGGGGCAGCGTCAGCGGGTTCTCGACGGTCACGGCGGGC
ATGTCGACAGCCGAATTGATCCGTGACCGATGCCCTTGAGAGCCTTCAACCCAGTCAGCTC
CTTCCGGTGGGCGCGGGGCATGACTATCGTCGCCGCACTTATGACTGTCTTCTTTATCATGC
AACTCGTAGGACAGGTGCCGGCAGCGCTCTTCCGCTTCCTCGCTCACTGACTCGCTGCGCTC
GGTCGTTTCGGCTGCGGCGAGCGGTATCAGCTCACTCAAAGGCGGTAATACGGTTATCCACAG
AATCAGGGGATAACGCAGGAAAGAACATGTGAGCAAAAGGCCAGCAAAAGGCCAGGAACCGT
AAAAAGGCCGCGTTGCTGGCGTTTTTCCATAGGCTCCGCCCCCTGACGAGCATCACAAAAA
TCGACGCTCAAGTCAGAGGTGGCGAAACCCGACAGGACTATAAAGATAACCAGGCGTTTTCCC
CTGGAAGCTCCCTCGTGCGCTCTCCTGTTCCGACCCTGCCGCTTACCGGATACCTGTCCGCC
TTTTCTCCCTTCGGGAAGCGTGGCGCTTTCTCAATGCTCACGCTGTAGGTATCTCAGTTCCGGT
GTAGGTGCTTCGCTCCAAGCTGGGCTGTGTGCACGAACCCCCCGTTTACGCCGACCGCTGCG
CCTTATCCGGTAACCTATCGTCTTGAGTCCAACCCGGTAAGACACGACTTATCGCCACTGGCA
GCAGCCACTGGTAACAGGATTAGCAGAGCGAGGTATGTAGGCGGTGCTACAGAGTTCTTGAA
GTGGTGGCCTAACTACGGCTACACTAGAAGGACAGTATTTGGTATCTGCGCTCTGCTGAAGC
CAGTTACCTTCGGAAAAAGAGTTGGTAGCTCTTGATCCGGCAAACAAACCACCGCTGGTAGC
GGTGGTTTTTTTTGTTTGCAAGCAGCAGATTACGCGCAGAAAAAAGGATCTCAAGAAGATCC
TTTGATCTTTTCTACGGGGTCTGACGCTCAGTGGAACGAAAACTCACGTTAAGGGATTTTGG
TCATGAGATTATCAAAAAGGATCTTCACCTAGATCCTTTTAAATTAAAAATGAAGTTTTAAA
TCAATCTAAAGTATATATGAGTAAACTTGGTCTGACAGTTACCAATGCTTAATCAGTGAGGC
ACCTATCTCAGCGATCTGTCTATTTCTGTTTCATCCATAGTTGCCTGACTCCCCGTCTGTGTA
TAACCTACGATACGGGAGGGCTTACCATCTGGCCCCAGTGCTGCAATGATACCGCGAGACCCA
CGCTCACCGGCTCCAGATTTATCAGCAATAAACCAGCCAGCCGGAAGGGCCGAGCGCAGAAG
TGGTCCTGCAACTTTATCCGCCTCCATCCAGTCTATTAATTGTTGCCGGGAAGCTAGAGTAA
GTAGTTCCGCCAGTTAATAGTTTGCGCAACGTTGTTGCCATTGCTACAGGCATCGTGGTGTCA
CGCTCGTCGTTTGGTATGGCTTCATTACAGTCCGGTTCCCAACGATCAAGGCGAGTTACATG
ATCCCCCATGTTGTGCAAAAAAGCGGTTAGCTCCTTCGGTCTCCTCGATCGTTGTCAGAAGTA
AGTTGGCCGCGAGTGTTATCACTCATGGTTATGGCAGCACTGCATAATTCTCTTACTGTCATG
CCATCCGTAAGATGCTTTTCTGTGACTGGTGAGTACTCAACCAAGTCATTCTGAGAATAGTG
TATGCGGCGACCGAGTTGCTCTTGCCCGGCGTCAATACGGGATAATACCGCGCCACATAGCA
GAACTTTAAAAGTGCTCATCATTTGGAAAACGTTCTTTCGGGGCGAAAACTCTCAAGGATCTTA
CCGCTGTTGAGATCCAGTTTCGATGTAACCCACTCGTGCACCCAACTGATCTTCAGCATCTTT
TACTTTTACCAGCGTTTCTGGGTGAGCAAAAACAGGAAGGCCAAAATGCCGCAAAAAAGGGAA
TAAGGGCGACACGGAAATGTTGAATACTCATACTCTTCCTTTTTTCAATATTATTGAAGCATT
TATCAGGGTTATTGTCTCATGAGCGGATACATATTTGAATGTATTTAGAAAAATAAACAAAT
AGGGGTTCGCGGCACATTTCCCCGAAAAGTGCCACCTGACGCGCCCTGTAGCGGCGCATTA
GCGCGGCGGGTGTGGTGGTTACGCGCAGCGTGACCGCTACACTTGCCAGCGCCCTAGCGCCC
GCTCCTTTTCGCTTTCTTCCCTTCTTTCTCGCCACGTTTCGCCGGCTTTCCCCGTCAAGCTCT
AAATCGGGGGCTCCCTTTAGGGTTCCGATTTAGTGCTTTACGGCACCTCGACCCCCAAAAAAC
TTGATTAGGGTGATGGTTCACGTAGTGGGCCATCGCCCTGATAGACGGTTTTTTCGCCCTTTG
ACGTTGGAGTCCACGTTCTTTAATAGTGGACTCTTGTTCCAAACTGGAACAACACTCAACCC
TATCTCGGTCTATTCTTTTGATTATAAGGGATTTTGCCGATTTTCGGCCTATTGGTTAAAAA
ATGAGCTGATTTAACAAAAATTTAACGCGAATTTTAACAAAATATTAACGTTTACAATTTCC
CATTCGCCATTCAGGCTGCGCAACTGTTGGGAAGGGCGATCGGTGCGGGCCTCTTCGCTATT
ACGCCAGCCCAAGCTACCATGATAAGTAAGTAATATTAAGGTACGGGAGGTACTTGAGCGG
CCGCAATAAAATATCTTTATTTTCATTACATCTGTGTGTTGGTTTTTTGTGTGAATCGATAG
TACTAACATACGCTCTCCATCAAAACAAAACGAAACAAAACAACTAGCAAAATAGGCTGTC
CCCAGTGCAAGTGCAGGTGCCAGAACATTT

Fig. 10

13/39

pCMV-luc-attP (SEQ ID NO: 3)

CTCTATCGATAGGTACCGAGCTCTTACGCGTGCTAGCCCTCGAGCAGGATCTATACATTGAA
TCAATATTGGCAATTAGCCATATTAGTCATTGGTTATATAGCATAAATCAATATTGGCTATT
GGCCATTGCATACGTTGTATCTATATCATAATATGTACATTTATATTGGCTCATGTCCAATA
TGACCGCCATGTTGACATTGATTATTGACTAGTTATTAATAGTAATCAATTACGGGGTCATT
AGTTCATAGCCCATATATGGAGTTCCGCGTTACATAAATTACGGTAAATGGCCCGCCTGGCT
GACCGCCCAACGACCCCCGCCCATTGACGTCAATAATGACGTATGTTCCCATAGTAACGCCA
ATAGGGACTTTCCATTGACGTCAATGGGTGGAGTATTTACGGTAAACTGCCCACTTGGCAGT
ACATCAAGTGTATCATATGCCAAGTCCGCCCCCTATTGACGTCAATGACGGTAAATGGCCCG
CCTGGCATTATGCCCAGTACATGACCTTACGGGACTTTCCCTACTTGGCAGTACATCTACGTA
TTAGTCATCGCTATTACCATGGTGATGCGGTTTTTGGCAGTACATCAATGGGCGTGGATAGCG
GTTTGACTCACGGGGATTTCCAAGTCTCCACCCCATTTGACGTCAATGGGAGTTTGTTTTGGC
ACCAAAATCAACGGGACTTTCCAAAATGTCGTAACAACTCCGCCCCATTGACGCAAATGGGC
GGTAGGCGTGACGGTGGGAGGTCTATATAAGCAGAGCTCGTTTTAGTGAACCGTCAGATCGC
CTGGAGACGCCATCCACGCTGTTTTGACCTCCATAGAAGACACCGGGACCGATCCAGCCTCC
CCTCGAAGCTCGACTCTAGGGGCTCGAGATCTGCGATCTAAGTAAGCTTGGCATTCCGGTAC
TGTTGGTAAAGCCACCATGGAAGACGCCAAAAACATAAAGAAAGGCCCGGCCATTCTATC
CGCTGGAAGATGGAACCGCTGGAGAGCAACTGCATAAGGCTATGAAGAGATACGCCCTGGTT
CCTGGAACAATTGCTTTTACAGATGCACATATCGAGGTGGACATCACTTACGCTGAGTACTT
CGAAATGTCCGTTCCGTTGGCAGAAGCTATGAAACGATATGGGCTGAATACAAATCACAGAA
TCGTCTGATGCAGTGAAAACCTCTCTTCAATTCTTTATGCCGGTGTTGGGCGCGTTATTTATC
GGAGTTGCAGTTGCGCCCGCGAACGACATTTATAATGAACGTGAATTGCTCAACAGTATGGG
CATTTTCGCAGCCTACCGTGGTGTTCGTTTCCAAAAGGGGTTGCAAAAATTTTGAACGTGC
AAAAAAAGCTCCCAATCATCCAAAAAATTATTATCATGGATTCTAAAACGGATTACCAGGGA
TTTCAGTCGATGTACACGTTCTGTCACATCTCATCTACCTCCCGGTTTTTAATGAATACGATTT
TGTGCCAGAGTCCTTCGATAGGGACAAGACAATTGCACTGATCATGAACTCCTCTGGATCTA
CTGGTCTGCCTAAAGGTGTCGCTCTGCCTCATAGAAGTGCCTGCGTGAGATTCTCGCATGCC
AGAGATCCTATTTTTTGGCAATCAAATCATTCCGGATACTGCGATTTTAAAGTGTGTTCCATT
CCATCACGGTTTTTGGAAATGTTTACTACACTCGGATATTTGATATGTGGATTTTCGAGTCGTCT
TAATGTATAGATTTGAAGAAGAGCTGTTTCTGAGGAGCCTTCAGGATTACAAGATTCAAAGT
GCGCTGCTGGTGCCAACCTATTCTCCTTCTTCGCCAAAAGCACTCTGATTGACAAATACGA
TTTATCTAATTTACACGAAATTGCTTCTGGTGGCGCTCCCCCTCTCTAAGGAAGTCGGGGAAG
CGGTTGCCAAGAGGTTCCATCTGCCAGGTATCAGGCAAGGATATGGGCTCACTGAGACTACA
TCAGCTATTCTGATTACACCCGAGGGGGATGATAAACCGGGCGCGGTCGGTAAAGTTGTTCC
ATTTTTTTGAAGCGAAGGTTGTGGATCTGGATACCGGGAAAACGCTGGGCGTTAATCAAAGAG
GCGAACTGTGTGTGAGAGGTCCTATGATTATGTCCGGTTATGTAAACAATCCGGAAGCGACC
AACGCCTTGATTGACAAGGATGGATGGCTACATTCTGGAGACATAGCTTACTGGGACGAAGA
CGAACACTTCTTCATCGTTGACCGCCTGAAGTCTCTGATTAAGTACAAAGGCTATCAGGTGG
CTCCCGCTGAATTGGAATCCATCTTGCTCCAACACCCCAACATCTTCGACGCAGGTGTGCA
GGTCTTCCCGACGATGACGCCGGTGAACCTCCCGCCGCGGTTGTTGTTTTGGAGCACGGAAA
GACGATGACGGAAAAAGAGATCGTGGATTACGTCGCCAGTCAAGTAACAACCGCGAAAAAGT
TGCGCGGAGGAGTTGTGTTTGTGGACGAAGTACCGAAAGGTCTTACCGGAAAACCTCGACGCA
AGAAAAATCAGAGAGATCCTCATAAAGGCCAAGAAGGGCGGAAAGATCGCCGTGTAATTCTA
GAGTCGGGGCGGCCCGGCTTCGAGCAGACATGATAAGATACATTGATGAGTTTGGACAAA
CCACAAC TAGAATGCAGTGAAAAAAATGCTTTATTTGTGAAATTTGTGATGCTATTGCTTTA
TTTGTAACCATTAAGCTGCAATAAACAAGTTAACAACAACAATTGCATTCATTTTATGTT
TCAGGTT CAGGGGGAGGTGTGGGAGGTTTTTTTAAAGCAAGTAAAACCTCTACAAATGTGGTA
AAATCGATAAGGATCAATTCGGCTTCGACTAGTACTGACGGACACACCGAAGCCCCGGCGGC
AACCTCAGCGGATGCCCCGGGGCTTCACGTTTTTCCAGGTCAGAAGCGGTTTTTCGGGAGTA
GTGCCCCA ACTGGGGTAACCTTTGAGTTCTCTCAGTTGGGGGCGTAGGGTCGCCGACATGAC
ACAAGGGGTTGTGACCGGGGTGACACGTACGCGGGTGCTTACGACCGTCAGTCGCGCGAGC

14/39

GCGACTAGTACAAGCCGAATTGATCCGTCGACCGATGCCCTTGAGAGCCTTCAACCCAGTCA
GCTCCTTCCGGTGGGCGCGGGGCATGACTATCGTCGCCGCACCTTATGACTGTCTTCTTTATC
ATGCAACTCGTAGGACAGGTGCCGGCAGCGCTCTTCCGCTTCCTCGCTCACTGACTCGCTGC
GCTCGGTTCGTTCCGGCTGCGGCGAGCGGTATCAGCTCACTCAAAGGCGGTAAATACGGTTATCC
ACAGAATCAGGGGATAACGCAGGAAAGAACATGTGAGCAAAAGGCCAGCAAAAGGCCAGGAA
CCGTAAAAAGGCCGCGTTGCTGGCGTTTTTCCATAGGCTCCGCCCCCTGACGAGCATCACA
AAAATCGACGCTCAAGTCAGAGGTGGCGAAACCCGACAGGACTATAAAGATACCAGGCGTTT
CCCCCTGGAAGCTCCCTCGTGCCTCTCCTGTTCCGACCCCTGCCGCTTACCGGATACCTGTC
CGCCTTTCTCCCTTCGGGAAGCGTGGCGCTTTCTCAATGCTCACGCTGTAGGTATCTCAGTT
CGGTGTAGGTTCGTTCCGCTCCAAGCTGGGCTGTGTGCACGAACCCCCCGTTTCAGCCCGACCGC
TGCGCCTTATCCGGTAACCTATCGTCTTGAGTCCAACCCGGTAAGACACGACTTATCGCCACT
GGCAGCAGCCACTGGTAACAGGATTAGCAGAGCGAGGTATGTAGGCGGTGCTACAGAGTTCT
TGAAGTGGTGGCCTAACTACGGCTACACTAGAAGGACAGTATTTGGTATCTGCGCTCTGCTG
AAGCCAGTTACCTTCGGAAAAAGAGTTGGTAGCTCTTGATCCGGCAAACAAACCACCGCTGG
TAGCGGTGGTTTTTTTTGTTTGCAAGCAGCAGATTACGCGCAGAAAAAAAGGATCTCAAGAAG
ATCCTTTTGATCTTTTCTACGGGGTCTGACGCTCAGTGGAACGAAAACTCACGTTAAGGGATT
TTGGTCATGAGATTATCAAAAAGGATCTTCACCTAGATCCTTTTAAATTAAAAATGAAGTTT
TAAATCAATCTAAAGTATATATGAGTAACTTGGTCTGACAGTTACCAATGCTTAATCAGTG
AGGCACCTATCTCAGCGATCTGTCTATTTTCGTTTCATCCATAGTTGCCTGACTCCCCGTCGTG
TAGATAACTACGATACGGGAGGGCTTACCATCTGGCCCCAGTGCTGCAATGATACCGCGAGA
CCCACGCTCACCGGCTCCAGATTTATCAGCAATAAACCAGCCAGCCGGAAGGGCCGAGCGCA
GAAGTGGTCCTGCAACTTTATCCGCCTCCATCCAGTCTATTAATTGTTGCCGGGAAGCTAGA
GTAAGTAGTTCCGCCAGTTAATAGTTTGCAGCAACGTTGTTGCCATTGCTACAGGCATCGTGGT
GTCACGCTCGTCGTTTGGTATGGCTTCATTCAGCTCCGGTTCCCAACGATCAAGGCGAGTTA
CATGATCCCCCATGTTGTGCAAAAAAGCGGTTAGCTCCTTCGGTCCCTCCGATCGTTGTCAGA
AGTAAGTTGGCCGCGAGTGTATCACTCATGGTTATGGCAGCACTGCATAATTCTCTTACTGT
CATGCCATCCGTAAGATGCTTTTCTGTGACTGGTGAGTACTCAACCAAGTCATTCTGAGAAT
AGTGTATGCGGCGACCGAGTTGCTCTTGCCCGGCGTCAATACGGGATAATAACGCGCCACAT
AGCAGAACTTTAAAAGTGCTCATCATTTGGAAAACGTTCTTCGGGGCGAAAACTCTCAAGGAT
CTTACCGCTGTTGAGATCCAGTTTCGATGTAACCCACTCGTGCACCCAACTGATCTTCAGCAT
CTTTTACTTTCACCAGCGTTTCTGGGTGAGCAAAAACAGGAAGGCAAAATGCCGCAAAAAAG
GGAATAAGGGCGACACGGAAATGTTGAATACTCATACTCTTCCTTTTTTCAATATTATTGAAG
CATTTATCAGGGTTATTGTCTCATGAGCGGATACATATTTGAATGTATTTAGAAAAATAAAC
AAATAGGGGTTCGCGCACATTTCCCCGAAAAGTGCCACCTGACGCGCCCTGTAGCGGCGCA
TTAAGCGCGGCGGGTGTGGTGGTTACGCGCAGCGTGACCGCTACACTTGCCAGCGCCCTAGC
GCCCCGCTCCTTTTCGCTTTCTTCCCTTCTTCTCGCCACGTTTCGCCGGCTTTCCCCGTCAG
CTCTAAATCGGGGGCTCCCTTTAGGGTTCCGATTTAGTGCTTTACGGCACCTCGACCCCAA
AACTTTGATTAGGGTGATGGTTCACGTAGTGGGCCATCGCCCTGATAGACGGTTTTTTTCGCCC
TTTGACGTTGGAGTCCACGTTCTTTAATAGTGGACTCTTGTTCCAACTGGAACAACACTCA
ACCCTATCTCGGTCTATTCTTTTGATTTATAAGGGATTTTGCCGATTTTCGGCCTATTGGTTA
AAAAATGAGCTGATTTAACAAAAATTTAACGCGAATTTTAAACAAAATATTAACGTTTACAAT
TTCCCATTCGCCATTCAGGCTGCGCAACTGTTGGGAAGGGCGATCGGTGCGGGCCTCTTCGC
TATTACGCCAGCCCAAGCTACCATGATAAGTAAGTAATATTAAGGTACGGGAGGTACTTGGA
GCGGCCGCAATAAAATATCTTTATTTTTCATTACATCTGTGTGTGGTTTTTTGTGTGAATCG
ATAGTACTAACATACGCTCTCCATCAAAACAAAACGAAACAAAACAACTAGCAAAATAGGC
TGTCCCCAGTGCAAGTGCAGGTGCCAGAACATTT

Fig. 11

15/39

pCMV-pur-attB (SEQ ID NO: 4)

CTAGAGTCGGGGCGGCCGCGCTTCGAGCAGACATGATAAGATACATTGATGAGTTTGGAC
AAACCACAAC TAGAATGCAGTGAAAAAATGCTTTATTTGTGAAATTTGTGATGCTATTGCT
TTATTTGTAACCATTTATAAGCTGCAATAAACAAGTTAACAACAACAATTGCATTCATTTTAT
GTTTCAGGTT CAGGGGGAGGTGTGGGAGGTTTTTTTAAAGCAAGTAAAACCTCTACAAATGTG
GTAAAATCGATAAGGATCAATTCGGCTTCAGGTACCGTCGACGATGTAGGTCACGGTCTCGA
AGCCGCGGTGCGGGTGCCAGGGCGTGCCCTTGGGCTCCCCGGGCGCGTACTCCACCTCACCC
ATCTGGTCCATCATGATGAACGGGTTCGAGGTGGCGGTAGTTGATCCCGGCGAACGCGCGGCG
CACCGGGAAGCCCTCGCCCTCGAAACCGCTGGGCGCGGTGGTCACGGTGAGCACGGGACGTG
CGACGGCGTTCGGCGGGTGCGGATACGCGGGGCGAGCGTCAGCGGGTTCTCGACGGTCACGGCG
GGCATGTCGACAGCCGAATTGATCCGTCGACCGATGCCCTTGAGAGCCTTCAACCCAGTCAG
CTCCTTCCGGTGGGCGCGGGGCATGACTATCGTCGCCGCACTTATGACTGTCTTCTTTATCA
TGCAACTCGTAGGACAGGTGCCGGCAGCGCTCTTCCGCTTCCCTCGCTCACTGACTCGCTGCG
CTCGGTCTGTTCCGGCTGCGGCGAGCGGTATCAGCTCACTCAAAGGCGGTAAATACGGTTATCCA
CAGAATCAGGGGATAACGCAGGAAAGAACATGTGAGCAAAAGGCCAGCAAAAGGCCAGGAAC
CGTAAAAAGGCCGCGTTGCTGGCGTTTTTCCATAGGCTCCGCCCCCTGACGAGCATCACAA
AAATCGACGCTCAAGTCAGAGGTGGCGAAACCCGACAGGACTATAAAGATACCAGGCGTTTC
CCCCTGGAAGCTCCCTCGTGCGCTCTCCTGTTCCGACCCTGCCGCTTACCGGATACCTGTCC
GCCTTTCTCCCTTCGGGAAGCGTGGCGCTTTCTCAATGCTCACGCTGTAGGTATCTCAGTTC
GGTGTAGGTTCGTTCCGCTCCAAGCTGGGCTGTGTGCACGAACCCCCCGTTTCAGCCCGACCGCT
GCGCCTTATCCGGTAACTATCGTCTTGAGTCCAACCCGGTAAGACACGACTTATCGCCACTG
GCAGCAGCCACTGGTAACAGGATTAGCAGAGCGAGGTATGTAGGCGGTGCTACAGAGTTCTT
GAAGTGGTGGCCTAACTACGGCTACACTAGAAGGACAGTATTTGGTATCTGCGCTCTGCTGA
AGCCAGTTACCTTCGGAAAAAGAGTTGGTAGCTCTTGATCCGGCAAACAAACCACCGCTGGT
AGCGGTGGTTTTTTTTGTTTGCAAGCAGCAGATTACGCGCAGAAAAAAGGATCTCAAGAAGA
TCCTTTGATCTTTTCTACGGGGTCTGACGCTCAGTGGAACGAAAACCTCACGTTAAGGGATTT
TGGTCATGAGATTATCAAAAAGGATCTTCACCTAGATCCTTTTAAATTAATAATGAAGTTTT
AAATCAATCTAAAGTATATATGAGTAAACTTGGTCTGACAGTTACCAATGCTTAATCAGTGA
GGCACCTATCTCAGCGATCTGTCTATTTTCGTTTCATCCATAGTTGCCTGACTCCCCGTCGTGT
AGATAACTACGATACGGGAGGGCTTACCATCTGGCCCCAGTGCTGCAATGATACCGCGAGAC
CCACGCTCACCGGCTCCAGATTTATCAGCAATAAACCAGCCAGCCGGAAGGGCCGAGCGCAG
AAGTGGTCCTGCAACTTTATCCGCCTCCATCCAGTCTATTAATTGTTGCCGGGAAGCTAGAG
TAAGTAGTTCGCCAGTTAATAGTTTGCGCAACGTTGTTGCCATTGCTACAGGCATCGTGGTG
TCACGCTCGTCGTTTGGTATGGCTTCATTCAGCTCCGGTTCCCAACGATCAAGGCGAGTTAC
ATGATCCCCCATGTTGTGCAAAAAAGCGGTTAGCTCCTTCGGTCCCTCCGATCGTTGTCAGAA
GTAAGTTGGCCGCGAGTGTTATCACTCATGGTTATGGCAGCACTGCATAATTCTCTTACTGTC
ATGCCATCCGTAAGATGCTTTTCTGTGACTGGTGAGTACTCAACCAAGTCATTCCTGAGAATA
GTGTATGCGGCGACCGAGTTGCTCTTGCCCGGCGTCAATACGGGATAATAACGCGCCACATA
GCAGAACTTTAAAAGTGCTCATCATTTGGAAAACGTTCTTCGGGGCGAAAACTCTCAAGGATC
TTACCGCTGTTGAGATCCAGTTTCGATGTAACCCACTCGTGCACCCAACTGATCTTCAGCATC
TTTTACTTTTACCAGCGTTTTCTGGGTGAGCAAAAACAGGAAGGCAAAATGCCGCAAAAAAGG
GAATAAGGGCGACACGGAAATGTTGAATACTCATACTCTTCCTTTTTCAATATTATTGAAGC
ATTTATCAGGGTTATTGTCTCATGAGCGGATACATATTTGAATGTATTTAGAAAAATAAACA
AATAGGGGTTCCGCGCACATTTCCCCGAAAAGTGCCACCTGACGCGCCCTGTAGCGGCGCAT
TAAGCGCGGCGGGTGTGGTGGTTACGCGCAGCGTGACCGCTACACTTGCCAGCGCCCTAGCG
CCCGCTCCTTTCGCTTTCTTCCCTTCCCTTCTCGCCACGTTCCGCGGCTTTCCCCGTCAGC
TCTAAATCGGGGGCTCCCTTTAGGGTTCCGATTTAGTGCTTTACGGCACCTCGACCCCAAAA
AACTTGATTAGGGTGATGGTTCACGTAGTGGGCCATCGCCCTGATAGACGGTTTTTTCGCCCT
TTGACGTTGGAGTCCACGTTCTTTAATAGTGGACTCTTGTTCCAAACTGGAACAACACTCAA
CCCTATCTCGGTCTATTCTTTTGATTTATAAGGGATTTTGCCGATTTTCGGCCTATTGGTTAA
AAAATGAGCTGATTTAACAAAAATTTAACGCGAATTTTAACAAAAATATTAACGTTTACAATT

16/39

TCCCATTCGCCATTCAGGCTGCGCAACTGTTGGGAAGGGCGATCGGTGCGGGCCTCTTCGCT
ATTACGCCAGCCCAAGCTACCATGATAAGTAAGTAATATTAAGGTACGGGAGGTACTTGGAG
CGGCCGCAATAAAATATCTTTATTTTCATTACATCTGTGTGTTGGTTTTTTGTGTGAATCGA
TAGTACTAACATACGCTCTCCATCAAAACAAAACGAAACAAAACAAACTAGCAAAATAGGCT
GTCCCCAGTGCAAGTGCAGGTGCCAGAACATTTCTCTATCGATAGGTACCGAGCTCTTACGC
GTGCTAGCCCTCGAGCAGGATCTATACATTGAATCAATATTGGCAATTAGCCATATTAGTCA
TTGGTTATATAGCATAAATCAATATTGGCTATTGGCCATTGCATACGTTGTATCTATATCAT
AATATGTACATTTATATTGGCTCATGTCCAATATGACCGCCATGTTGACATTGATTATTGAC
TAGTTATTAATAGTAATCAATTACGGGGTCATTAGTTTCATAGCCCATATATGGAGTTCGCGC
TTACATAACTTACGGTAAATGGCCCGCCTGGCTGACCGCCCAACGACCCCCGCCCATTGACG
TCAATAATGACGTATGTTCCCATAGTAACGCCAATAGGGACTTTCCATTGACGTCAATGGGT
GGAGTATTTACGGTAAACTGCCCACTTGGCAGTACATCAAGTGTATCATATGCCAAGTCCGC
CCCCATTGACGTCAATGACGGTAAATGGCCCGCCTGGCATTATGCCCAGTACATGACCTTA
CGGGACTTTCCTACTTGGCAGTACATCTACGTATTAGTCATCGCTATTACCATGGTGATGCG
GTTTTGGCAGTACATCAATGGGCGTGGATAGCGGTTTTGACTCACGGGGATTTCGAAGTCTCC
ACCCCATTTGACGTCAATGGGAGTTTGTGTTTTGGCACCAAAATCAACGGGACTTTCCAAAATGT
CGTAACAACCTCCGCCCCATTGACGCAAATGGGCGGTAGGCGTGTACGGTGGGAGGTCTATAT
AAGCAGAGCTCGTTTAGTGAACCGTCAGATCGCCTGGAGACGCCATCCACGCTGTTTTTGACC
TCCATAGAAGACACCGGGACCGATCCAGCCTCCCTCGAAGCTCGACTCTAGGGGCTCGAGA
TCTGCGATCTAAGTAAGCTTGCATGCCTGCAGGTGCGCCGCCACGACCGGTGCCGCCACCAT
CCCCTGACCCACGCCCTGACCCCTCACAAGGAGACGACCTTCCATGACCGAGTACAAGCCC
ACGGTGCGCCTCGCCACCCGCGACGACGTCCCCCGGGCCGTACGCACCCCTCGCCGCGCGTT
CGCCGACTACCCCGCCACGCGCCACACCGTCGACCCGGACCGCCACATCGAGCGGGTCACCG
AGCTGCAAGAACTCTTCCTCACGCGCGTCTGGGCTCGACATCGGCAAGGTGTGGGTGCGGGAC
GACGGCGCCGCGGTGGCGGTCTGGACCACGCCGGAGAGCGTCGAAGCGGGGGCGGTGTTGCG
CGAGATCGGCCCCGCGCATGGCCGAGTTGAGCGGTTCCCGGCTGGCCGCGCAGCAACAGATGG
AAGGCCTCCTGGCGCCGACCGGCCCAAGGAGCCCGCGTGGTTCCTGGCCACCGTCGGCGTC
TCGCCCCGACCACCAGGGCAAGGGTCTGGGCAGCGCCGTCTGTGCTCCCCGGAGTGGAGGCGGC
CGAGCGCGCCGGGGTGCCCGCCTTCTGGAGACCTCCGCGCCCCGCAACCTCCCCTTCTACG
AGCGGCTCGGCTTCACCGTCACCGCCGACGTCGAGGTGCCCGAAGGACCGCGCACCTGGTG
ATGACCCGCAAGCCCGGTGCCTGACGCCCGCCCCACGACCCGCGAGCGCCCGACCGAAAGGAG
CGCACGACCCCATGGCTCCGACCGAAGCCGACCCGGGCGGCCCCGCGACCCCGCACCCGCC
CCCGAGGCCACCGACT

Fig. 12

17/39

pCMV-pur-attP (SEQ ID NO: 5)

CTAGAGTCGGGGCGGCCGGCCGCTTCGAGCAGACATGATAAGATACATTGATGAGTTTGGAC
AAACCACAACCTAGAATGCAGTGAAAAAAATGCTTTATTTGTGAAATTTGTGATGCTATTGCT
TTATTTGTAACCATTATAAGCTGCAATAAACAAGTTAACAACAACAATTGCATTCATTTTAT
GTTTCAGGTTTCAGGGGGAGGTGTGGGAGGTTTTTTTAAAGCAAGTAAAACCTCTACAAATGTG
GTAAAATCGATAAGGATCAATTCGGCTTCGACTAGTACTGACGGACACACCGAAGCCCCGGC
GGCAACCCTCAGCGGATGCCCCGGGGCTTCACGTTTTTCCCAGGTCAGAAGCGGTTTTTCGGGA
GTAGTGCCCCAACTGGGGTAACCTTTGAGTTCTCTCAGTTGGGGGCGTAGGGTTCGCCGACAT
GACACAAGGGGTGTGACCGGGGTGGACACGTACGCGGGTGCTTACGACCGTCAGTCGCGCG
AGCGCGACTAGTACAAGCCGAATTGATCCGTCGACCGATGCCCTTGAGAGCCTTCAACCCAG
TCAGCTCCTTCCGGTGGGCGCGGGGCATGACTATCGTCGCCGCACTTATGACTGTCTTCTTT
ATCATGCAACTCGTAGGACAGGTGCCGGCAGCGCTCTTCCGCTTCCTCGCTCACTGACTCGC
TGCGCTCGGTTCGTTTCGGCTGCGGCGAGCGGTATCAGCTCACTCAAAGGCGGTAAATACGGTTA
TCCACAGAATCAGGGGATAACGCAGGAAAGAACATGTGAGCAAAAGGCCAGCAAAAGGCCAG
GAACCGTAAAAAGGCCGCGTTGCTGGCGTTTTTCCATAGGCTCCGCCCCCTGACGAGCATC
ACAAAAATCGACGCTCAAGTCAGAGGTGGCGAAACCCGACAGGACTATAAAGATACCAGGCG
TTTCCCCCTGGAAGCTCCCTCGTGCGCTCTCTGTTCCGACCCTGCCGCTTACCGGATACCT
GTCCGCCTTTCTCCCTTCGGGAAGCGTGGCGCTTTCTCAATGCTCACGCTGTAGGTATCTCA
GTTTCGGTGTAGGTTCGTTCCGCTCCAAGCTGGGCTGTGTGCACGAACCCCCCGTTCAGCCCCGAC
CGCTGCGCCTTATCCGGTAACCTATCGTCTTGAGTCCAACCCGGTAAGACACGACTTATCGCC
ACTGGCAGCAGCCACTGGTAACAGGATTAGCAGAGCGAGGTATGTAGGCGGTGCTACAGAGT
TCTTGAAGTGGTGGCCTAACTACGGCTACACTAGAAGGACAGTATTTGGTATCTGCGCTCTG
CTGAAGCCAGTTACCTTCGGAAAAAGAGTTGGTAGCTCTTGATCCGGCAAACAAACCACCGC
TGGTAGCGGTGGTTTTTTTTTGTGTTGCAAGCAGCAGATTACGCGCAGAAAAAAAGGATCTCAAG
AAGATCCTTTGATCTTTTTCTACGGGGTCTGACGCTCAGTGGAACGAAAACCTCACGTTAAGGG
ATTTTGGTTCATGAGATTATCAAAAAGGATCTTCACCTAGATCCTTTTAAATTAAAAATGAAG
TTTTTAAATCAATCTAAAGTATATATGAGTAAACTTGGTCTGACAGTTACCAATGCTTAATCA
GTGAGGCACCTATCTCAGCGATCTGTCTATTTTCGTTTCATCCATAGTTGCCTGACTCCCCGTC
GTGTAGATAACTACGATACGGGAGGGCTTACCATCTGGCCCCAGTGCTGCAATGATACCGCG
AGACCCACGCTCACCGGCTCCAGATTTATCAGCAATAAACCAGCCAGCCGGAAGGGCCGAGC
GCAGAAGTGGTCCTGCAACTTTATCCGCCTCCATCCAGTCTATTAATTGTTGCCGGGAAGCT
AGAGTAAGTAGTTTCGCCAGTTAATAGTTTTCGCGAACGTTGTTGCCATTGCTACAGGCATCGT
GGTGTACGCTCGTCGTTTGGTATGGCTTCATTCAGCTCCGGTTCCCAACGATCAAGGCGAG
TTACATGATCCCCCATGTTGTGCAAAAAAGCGGTTAGCTCCTTCGGTCCCTCCGATCGTTGTC
AGAAGTAAGTTGGCCGCGAGTGTTATCACTCATGGTTATGGCAGCACTGCATAATTCTCTTAC
TGTCATGCCATCCGTAAGATGCTTTTCTGTGACTGGTGAGTACTCAACCAAGTCATTCTGAG
AATAGTGTATGCGGCGACCGAGTTGCTCTTGCCCCGGCGTCAATACGGGGATAATACCGCGCCA
CATAGCAGAACTTTAAAAGTGCTCATCATTTGGAACCGTTCTTCGGGGCGAAAACTCTCAAG
GATCTTACCGCTGTTGAGATCCAGTTTCGATGTAACCCACTCGTGCACCCAACTGATCTTCAG
CATCTTTTACTTTTACCAGCGTTTCTGGGTGAGCAAAAACAGGAAGGCAAAATGCCGCAAAA
AAGGGAATAAGGGCGACACGGAAATGTTGAATACTCATACTCTTCCTTTTCAATATTATTG
AAGCATTTATCAGGGTTATTGTCTCATGAGCGGATACATAATTTGAATGTATTTAGAAAAATA
AACAAATAGGGGTTCCGCGCACATTTCCCCGAAAAGTGCCACCTGACGCGCCCTGTAGCGGC
GCATTAAGCGCGGCGGGTGTGGTGGTTACGCGCAGCGTGACCGCTACACTTGCCAGCGCCCT
AGCGCCCCGCTCCTTTTCGCTTTCTTCCCTTCTCTTCGCCACGTTTCGCCGGCTTTCCCCGTC
AAGCTCTAAATCGGGGGCTCCCTTTAGGGTTCCGATTTAGTGCTTTACGGGCACCTCGACCCC
AAAAAACTTGATTAGGGTGATGGTTCACGTAGTGGGCCATCGCCCTGATAGACGGTTTTTTCG
CCCTTTGACGTTGGAGTCCACGTTCTTTAATAGTGGACTCTTGTTCCAAACTGGAACAACAC
TCAACCCCTATCTCGGTCTATTCTTTTGTATTTATAAGGGATTTTGCCGATTTTCGGCCTATTGG
TTAAAAAATGAGCTGATTTAACAATAAATTTAACGCGAATTTTAACAATAATTAACGTTTAC
AATTTCCCATTCGCCATTTCAGGCTGCGCAACTGTTGGGAAGGGCGATCGGTGCGGGCCTCTT

18/39

CGCTATTACGCCAGCCCAAGCTACCATGATAAGTAAGTAATATTAAGGTACGGGAGGTACTT
GGAGCGGCCGCAATAAAATATCTTTATTTTCATTACATCTGTGTGTTGGTTTTTTGTGTGAA
TCGATAGTACTAACATACGCTCTCCATCAAAACAAAACGAAACAAAACAACTAGCAAAATA
GGCTGTCCCCAGTGCAAGTGCAGGTGCCAGAACATTTCTCTATCGATAGGTACCGAGCTCTT
ACGCGTGCTAGCCCTCGAGCAGGATCTATACATTGAATCAATATTGGCAATTAGCCATATTA
GTCATTGGTTATATAGCATAAATCAATATTGGCTATTGGCCATTGCATACGTTGTATCTATA
TCATAATATGTACATTTATATTGGCTCATGTCCAATATGACCGCCATGTTGACATTGATTAT
TGACTAGTTATTAATAGTAATCAATTACGGGGTCATTAGTTTCATAGCCCATATATGGAGTTC
CGCGTTACATAACTTACGGTAAATGGCCCGCCTGGCTGACCGCCCAACGACCCCCGCCCATT
GACGTCAATAATGACGTATGTTCCCATAGTAACGCCAATAGGGACTTTCCATTGACGTCAAT
GGGTGGAGTATTTACGGTAAACTGCCCACTTGGCAGTACATCAAGTGTATCATATGCCAAGT
CCGCCCCCTATTGACGTCAATGACGGTAAATGGCCCGCCTGGCATTATGCCCAGTACATGAC
CTTACGGGACTTTCTTACTTGGCAGTACATCTACGTATTAGTCATCGCTATTACCATGGTGA
TGCGGTTTTTGGCAGTACATCAATGGGCGTGGATAGCGGTTTTGACTCACGGGGATTTC AAGT
CTCCACCCCATTTGACGTCAATGGGAGTTTGT TTTTGGCACCAAATCAACGGGACTTTCCAAA
ATGTCGTAACAAC TCCGCCCCATTGACGCAAATGGGCGGTAGGCGTGTACGGTGGGAGGTCT
ATATAAGCAGAGCTCGTTTAGTGAACCGTCAGATCGCCTGGAGACGCCATCCACGCTGTTTT
GACCTCCATAGAAGACACCGGGACCGATCCAGCCTCCCTCGAAGCTCGACTCTAGGGGCTC
GAGATCTGCGATCTAAGTAAGCTTGCATGCCTGCAGGTGCGCCGCCACGACCGGTGCCGCCA
CCATCCCTGACCCACGCCCCTGACCCCTCACAAGGAGACGACCTTCCATGACCGAGTACAA
GCCACGGTGCGCCTCGCCACCCGCGACGACGTCCCCCGGGCCGTACGCACCCTCGCCGCCG
CGTTCGCCGACTACCCCGCCACGCGCCACACCGTCGACCCGGACCGCCACATCGAGCGGGTC
ACCGAGCTGCAAGAACTCTTCCTCACGCGCGTCGGGCTCGACATCGGCAAGGTGTGGGTGCG
GGACGACGGCGCCGCGGTGGCGGTCTGGACCACGCCGGAGAGCGTCGAAGCGGGGGCGGTGT
TCGCCGAGATCGGCCCCGCGCATGGCCGAGTTGAGCGGTTCCCGGCTGGCCGCGCAGCAACAG
ATGGAAGGCCTCCTGGCGCCGCACCGGCCCAAGGAGCCCGCGTGGTTCTTGCCACCGTCGG
CGTCTCGCCCGACCAACAGGGCAAGGGTCTGGGCAGCGCCGTGCTGCTCCCGGAGTGGAGG
CGGCCGAGCGCGCCGGGGTGCCCGCCTTCTTGAGACCTCCGCGCCCCGCAACCTCCCTTC
TACGAGCGGCTCGGCTTCACCGTCACCGCCGACGTCGAGGTGCCCGAAGGACCGCGCACCTG
GTGCATGACCCGCAAGCCCGGTGCCTGACGCCCGCCCCACGACCCGCGAGCGCCCGACCGAAA
GGAGCGCACGACCCCATGGCTCCGACCGAAGCCGACCCGGGCGGCCCGCCGACCCCGCACCC
CGCCCCCGAGGCCCAACCGACT

Fig. 13

19/39

pCMV-EGFP-attB (SEQ ID NO: 6)

CTAGAGTCGGGGCGGCCGCGCTTCGAGCAGACATGATAAGATACATTGATGAGTTTGGAC
AAACCACAACCTAGAATGCAGTGAAAAAATGCTTTATTTGTGAAATTTGTGATGCTATTGCT
TTATTTGTAACCATTATAAGCTGCAATAAACAAGTTAACAACAACAATTGCATTCATTTTAT
GTTTCAGGTTTCAGGGGGAGGTGTGGGAGGTTTTTTTAAAGCAAGTAAAACCTCTACAAATGTG
GTAAAATCGATAAGGATCAATTCGGCTTCAGGTACCGTCGACGATGTAGGTCACGGTCTCGA
AGCCGCGGTGCGGGTGCCAGGGCGTGCCCTTGGGCTCCCCGGGCGCGTACTCCACCTCACCC
ATCTGGTCCATCATGATGAACGGGTCGAGGTGGCGGTAGTTGATCCCGGCGAACGCGCGGGCG
CACCGGGAAGCCCTCGCCCTCGAAACCGCTGGGCGCGGTGGTCACGGTGAGCACGGGACGTG
CGACGGCGTCGGCGGGTGCGGATACGCGGGGCGAGCGTCAGCGGGTTCTCGACGGTCACGGCG
GGCATGTGACAGCCGAATTGATCCGTCGACCGATGCCCTTGAGAGCCTTCAACCCAGTCAG
CTCCTTCCGGTGGGCGCGGGGCATGACTATCGTCGCCGCACTTATGACTGTCTTCTTTATCA
TGCAACTCGTAGGACAGGTGCCGGCAGCGCTCTTCCGCTTCCTCGCTCACTGACTCGCTGCG
CTCGGTTCGTTTCGGCTGCGGCGAGCGGTATCAGCTCACTCAAAGGCGGTAAATACGGTTATCCA
CAGAATCAGGGGATAACGCAGGAAAGAACATGTGAGCAAAAGGCCAGCAAAAGGCCAGGAAC
CGTAAAAAGGCCGCGTTGCTGGCGTTTTTCCATAGGCTCCGCCCCCTGACGAGCATCACAA
AAATCGACGCTCAAGTCAGAGGTGGCGAAACCCGACAGGACTATAAAGATACCAGGCGTTTC
CCCCTGGAAGCTCCCTCGTGCGCTCTCCTGTTCCGACCCTGCCGCTTACCGGATACCTGTCC
GCCTTTCTCCCTTCGGGAAGCGTGGCGCTTTCTCAATGCTCACGCTGTAGGTATCTCAGTTC
GGTGTAGGTTCGTTCCGCTCCAAGCTGGGCTGTGTGCACGAACCCCCCGTTTCAGCCCGACCGCT
GCGCCTTATCCGGTAACATATCGTCTTGAGTCCAACCCGGTAAGACACGACTTATCGCCACTG
GCAGCAGCCACTGGTAACAGGATTAGCAGAGCGAGGTATGTAGGCGGTGCTACAGAGTTCTT
GAAGTGGTGGCCTAACTACGGCTACACTAGAAGGACAGTATTTGGTATCTGCGCTCTGCTGA
AGCCAGTTACCTTCGGAAAAAGAGTTGGTAGCTCTTGATCCGGCAAACAAACCACCGCTGGT
AGCGGTGGTTTTTTTTGTTTTGCAAGCAGCAGATTACGCGCAGAAAAAAGGATCTCAAGAAGA
TCCTTTGATCTTTTCTACGGGGTCTGACGCTCAGTGGAACGAAAACTCACGTTAAGGGATTT
TGGTCATGAGATTATCAAAAAGGATCTTCACCTAGATCCTTTTAAATTAAAAATGAAGTTTT
AAATCAATCTAAAGTATATATGAGTAAACTTGGTCTGACAGTTACCAATGCTTAATCAGTGA
GGCACCTATCTCAGCGATCTGTCTATTTTCGTTTCATCCATAGTTGCCTGACTCCCCGTCGTGT
AGATAACTACGATACGGGAGGGCTTACCATCTGGCCCCAGTGCTGCAATGATACCGCGAGAC
CCACGCTCACCGGCTCCAGATTTATCAGCAATAAACCAGCCAGCCGGAAGGGCCGAGCGCAG
AAGTGGTCCTGCAACTTTATCCGCCTCCATCCAGTCTATTAATTGTTGCCGGGAAGCTAGAG
TAAGTAGTTCGCCAGTTAATAGTTTGGCGAACGTTGTTGCCATTGCTACAGGCATCGTGGTG
TCACGCTCGTCGTTTGGTATGGCTTCATTCAGCTCCGGTTCCCAACGATCAAGGCGAGTTAC
ATGATCCCCCATGTTGTGCAAAAAAGCGGTTAGCTCCTTCGGTCTCCTCCGATCGTTGTCAGAA
GTAAGTTGGCCGCGAGTGTTATCACTCATGGTTATGGCAGCACTGCATAATTCTCTTACTGTC
ATGCCATCCGTAAGATGCTTTTCTGTGACTGGTGAGTACTCAACCAAGTCATTCCTGAGAATA
GTGTATGCGGCGACCGAGTTGCTCTTGCCCGGCGTCAATACGGGATAATACCGCGCCACATA
GCAGAACTTTAAAAGTGCTCATCATTTGGAACCGTTCTTCGGGGCGAAAACTCTCAAGGATC
TTACCGCTGTTGAGATCCAGTTCGATGTAACCCACTCGTGCACCCAACTGATCTTCAGCATC
TTTTACTTTTACCAGCGTTTCTGGGTGAGCAAAAACAGGAAGGCAAAATGCCGCAAAAAAGG
GAATAAGGGCGACACGGAAATGTTGAATACTCATACTCTTCCTTTTTTCAATATTATTGAAGC
ATTTATCAGGGTTATTGTCTCATGAGCGGATACATATTTGAATGTATTTAGAAAAATAAACA
AATAGGGGTTCGCGCACATTTCCCCGAAAAGTGCCACCTGACGCGCCCTGTAGCGGCGCAT
TAAGCGCGGCGGGTGTGGTGGTTACGCGCAGCGTGACCGCTACACTTGCCAGCGCCCTAGCG
CCCGCTCCTTTCGCTTTCTTCCCTTCCTTTCTCGCCACGTTTCGCCGGCTTTCCCCGTCAAGC
TCTAAATCGGGGGCTCCCTTTAGGGTTCCGATTTAGTGCTTTACGGCACCTCGACCCCAAAA
AACTTGATTAGGGTGATGGTTCACGTAGTGGGCCATCGCCCTGATAGACGGTTTTTTCGCCCT
TTGACGTTGGAGTCCACGTTCTTTAATAGTGGACTCTTGTTCCAAACTGGAACAACACTCAA
CCCTATCTCGGTCTATTCTTTTGATTTATAAGGGATTTTGCCGATTTTCGGCCTATTGGTTAA
AAAATGAGCTGATTTAACAAAAATTTAACGCGAATTTTAACAAAAATATTAAACGTTTACAATT

20/39

TCCCATTCGCCATTTCAGGCTGCGCAACTGTTGGGAAGGGCGATCGGTGCGGGCCTCTTCGCT
ATTACGCCAGCCCAAGCTACCATGATAAGTAAGTAATATTAAGGTACGGGAGGTACTTGGAG
CGGCCGCAATAAAATATCTTTATTTTCATTACATCTGTGTGTTGGTTTTTTGTGTGAATCGA
TAGTACTAACATACGCTCTCCATCAAAACAAAACGAAACAAAACAAACTAGCAAAATAGGCT
GTCCCCAGTGCAAGTGCAGGTGCCAGAACATTTCTCTATCGATAGGTACCGAGCTCTTACGC
GTGCTAGCCCTCGAGCAGGATCTATACATTGAATCAATATTGGCAATTAGCCATATTAGTCA
TTGGTTATATAGCATAAATCAATATTGGCTATTGGCCATTGCATACGTTGTATCTATATCAT
AATATGTACATTTATATTGGCTCATGTCCAATATGACCGCCATGTTGACATTGATTATTGAC
TAGTTATTAATAGTAATCAATTACGGGGTCATTAGTTTCATAGCCCATATATGGAGTTCCGCG
TTACATAACTTACGGTAAATGGCCCGCTGGCTGACCGCCCAACGACCCCCGCCCATTGACG
TCAATAATGACGTATGTTCCCATAGTAACGCCAATAGGGACTTTCCATTGACGTCAATGGGT
GGAGTATTTACGGTAAACTGCCCACTTGGCAGTACATCAAGTGTATCATATGCCAAGTCCGC
CCCCTATTGACGTCAATGACGGTAAATGGCCCGCTGGCATTATGCCCAGTACATGACCTTA
CGGGACTTTCTACTTGGCAGTACATCTACGTATTAGTCATCGCTATTACCATGGTGATGCG
GTTTTTGGCAGTACATCAATGGGCGTGGATAGCGGTTTGACTCACGGGGATTTCCAAGTCTCC
ACCCCATTGACGTCAATGGGAGTTTGTTTTGGCACCAAAATCAACGGGACTTTCCAATAATGT
CGTAACAACTCCGCCCCATTGACGCAAATGGGCGGTAGGCGTGTACGGTGGGAGGTCTATAT
AAGCAGAGCTCGTTTAGTGAACCGTCAGATCGCCTGGAGACGCCATCCACGCTGTTTTGACC
TCCATAGAAGACACCGGGACCGATCCAGCCTCCCCTCGAAGCTCGACTCTAGGGGCTCGAGA
TCCCCGGGTACCGGTGCGCCACCATGGTGAGCAAGGGCGAGGAGCTGTTCAACGGGGGTGGTGC
CCATCCTGGTTCGAGCTGGACGGCGACGTAAACGGCCACAAGTTCAGCGTGTCCGGCGAGGGC
GAGGGCGATGCCACCTACGGCAAGCTGACCCTGAAGTTCATCTGCACCACCGGCAAGCTGCC
CGTGCCCTGGCCACCCCTCGTGACCACCCTGACCTACGGCGTGCAGTGCTTCAGCCGCTACC
CCGACCACATGAAGCAGCACGACTTCTTCAAGTCCGCCATGCCCGAAGGCTACGTCCAGGAG
CGCACCATCTTCTTCAAGGACGACGGCAACTACAAGACCCGCGCCGAGGTGAAGTTCGAGGG
CGACACCCTGGTGAACCGCATCGAGCTGAAGGGCATCGACTTCAAGGAGGACGGCAACATCC
TGGGGCACAAGCTGGAGTACAACACAGCCACAACGTCTATATCATGGCCGACAAGCAG
AAGAACGGCATCAAGGTGAACCTTCAAGATCCGCCACAACATCGAGGACGGCAGCGTGCAGCT
CGCCGACCACTACCAGCAGAACACCCCATCGGCGACGGCCCCGTGCTGCTGCCCGACAACC
ACTACCTGAGCACCCAGTCCGCCCTGAGCAAAGACCCCAACGAGAAGCGCGATCACATGGTC
CTGCTGGAGTTCGTGACCGCCCGCGGGATCACTCTCGGCATGGACGAGCTGTACAAGTAAAG
CGGCCGCTCGAGCATGCAT

Fig. 14

21/39

p-12.0-lys-LSPIFNMM-CMV-pur-attB (SEQ ID NO: 7)

GGGCTGCAGGAATTCGATTGCCGCCTTCTTTGATATTCACCTCTGTTGTATTTTCATCTCTTCT
TGCCGATGAAAGGATATAACAGTCTGTATAACAGTCTGTGAGGAAATACTTGGTATTTCTTC
TGATCAGTGTTTTTATAAGTAATGTTGAATATTGGATAAGGCTGTGTGTCCTTTGTCTTGGG
AGACAAAGCCACAGCAGGTGGTGGTTGGGGTGGTGGCAGCTCAGTGACAGGAGAGGTTTTT
TTGCCCTGTTTTTTTTTTTTTTTTTTTTTTTAAAGTAAGGTGTTCTTTTTTTCTTAGTAAATTTT
CTACTGGACTGTATGTTTGTACAGGTCAGAAACATTTCTTCAAAAGAAGAACCCTTTTGGAAA
CTGTACAGCCCTTTTCTTTCATTCCCTTTTGTCTTCTGTGCCAATGCCTTTGGTTCTGATT
GCATTATGGAAAACGTTGATCGGAACCTTGAGGTTTTTATTTATAGTGTGGCTTGAAAGCTTG
GATAGCTGTTGTTACACGAGATACCTTATTAAGTTTAGGCCAGCTTGATGCTTTATTTTTTTC
CCTTTGAAGTAGTGAGCGTTCTCTGGTTTTTTTTTCTTTGAAACTGGTGAGGCTTAGATTTTTT
CTAATGGGATTTTTTACCTGATGATCTAGTTGCATACCCAAATGCTTGTAATGTTTTCTTA
GTTAACATGTTGATAACTTCGGATTTACATGTTGTATATACTTGTCTATCTGTGTTTCTAGTA
AAAATATATGGCATTATAGAAATACGTAATTCCTGATTTCTTTTTTTTTTATCTCTATGCT
CTGTGTGTACAGGTCAAACAGACTTCACTCCTATTTTTTATTTATAGAATTTTATATGCAGTC
TGTGCTTGGTTCTTGTGTTGTAAGGATACAGCCTTAAATTTCTTAGAGCGATGCTCAGTAAG
GCGGGTTGTACATGGGTTCAAATGTAAAACGGGCACGTTTGGCTGCTGCCTTCCCGAGATC
CAGGACACTAACTGCTTCTGCACTGAGGTATAAATCGCTTCAGATCCCAGGGAAGTGCAGA
TCCACGTGCATATTCTTAAAGAAGAATGAATACTTTCTAAAATATTTTGGCATAGGAAGCAA
GCTGCATGGATTTGTTTGGGACTTAAATTATTTTGGTAACGGAGTGCATAGGTTTTTAAACAC
AGTTGCAGCATGCTAACGAGTCACAGCGTTTATGCAGAAGTGATGCCTGGATGCCTGTTGCA
GCTGTTTACGGCACTGCCTTGCAGTGAGCATTGCAGATAGGGGTGGGGTGCTTTGTGTCTGTG
TTCACACACGCTGCCACACAGCCACCTCCCGGAACACATCTCACCTGCTGGGTACTTTTCAA
ACCATCTTAGCAGTAGTAGATGAGTTACTATGAAACAGAGAAGTTCTCAGTTGGATATTCT
CATGGGATGTCTTTTTTCCCATGTTGGGCAAAGTATGATAAAGCATCTCTATTTGTAAATTA
TGCACTTGTTAGTTCTGAATCCTTTCTATAGCACCACCTTATTGCAGCAGGTGTAGGCTCTG
GTGTGGCCTGTGTCTGTGCTTCAATCTTTTAAAGCTTCTTTGGAAATACACTGACTTGATTG
AAGTCTCTTGAAGATAGTAAACAGTACTTACCTTTGATCCCAATGAAATCGAGCATTTTCA
TGTAAGAAGATTCCGCCTATTCATACCATGTAATGTAATTTTACACCCCCAGTGCTGACACT
TTGGAATATATTCAAGTAATAGACTTTGGCCTCACCTCTTGTGTACTGTATTTGTAAATAG
AAAATATTTTAACTGTGCATATGATTATTACATTATGAAAGAGACATTCTGCTGATCTTCA
AATGTAAGAAAATGAGGAGTGCGTGTGCTTTTATAAATACAAGTGATTGCAAATTAGTGCAG
GTGTCCTTAAAAAAAAAAAAAAAAAAGTAATATAAAAAGGACCAGGTGTTTTTACAAGTGAAAT
ACATTCCTATTTGGTAAACAGTTACATTTTTTATGAAGATTACCAGCGCTGCTGACTTTCTAA
ACATAAGGCTGTATTGTCTTCTGTACCATTTGCATTTCTTCATTCCCAATTTGCACAAGGAT
GTCTGGGTAAACTATTCAAGAAATGGCTTTGAAATACAGCATGGGAGCTTGTCTGAGTTGGA
ATGCAGAGTTGCACTGCAAAATGTCAGGAAATGGATGTCTCTCAGAATGCCCAACTCCAAAG
GATTTTATATGTGTATATAGTAAGCAGTTTCTTGATTCAGCAGGCCAAAGAGTCTGCTGAA
TGTTGTGTTGCCGGAGACCTGTATTTCTCAACAAGGTAAGATGGTATCCTAGCAACTGCGGA
TTTTAATACATTTTTCAGCAGAAGTACTTAGTTAATCTCTACCTTTAGGGATCGTTTCATCAT
TTTTAGATGTTATACTTGAAATACTGCATAACTTTTAGCTTTTCATGGGTTCTTTTTTTTTCAG
CCTTTAGGAGACTGTTAAGCAATTTGCTGTCCAACCTTTTGTGTTGGTCTTAACTGCAATAG
TAGTTTACCTTGTATTGAAGAAATAAAGACCATTTTTTATATTAATAAATACTTTTGTCTGTC
TTCATTTTGACTTGTCTGATATCCTTGCAGTGCCCATTTATGTCAGTTCTGTCAGATATTCAG
ACATCAAACTTAACGTGAGCTCAGTGGAGTTACAGCTGCGGTTTTGATGCTGTTATTATTT
CTGAAACTAGAAATGATGTTGTCTTCATCTGCTCATCAACACTTCATGCAGAGTGTAAGGC
TAGTGAGAAATGCATACATTTATTGATACTTTTTTAAAGTCAACTTTTTTATCAGATTTTTTTT
TTCATTTGGAAATATATTGTTTTCTAGACTGCATAGCTTCTGAATCTGAAATGCAGTCTGAT
TGGCATGAAGAAGCACAGCACTCTTCATCTTACTTAAACTTCATTTTGGAAATGAAGGAAGTT
AAGCAAGGGCACAGGTCCATGAAATAGAGACAGTGCGCTCAGGAGAAAGTGAACCTGGATTT
CTTTGGCTAGTGTTCTAAATCTGTAGTGAGGAAAGTAACACCCGATTCCTTGAAAGGGCTCC

22/39

AGCTTTAATGCTTCCAAATTGAAGGTGGCAGGCAACTTGGCCACTGGTTATTTACTGCATTA
TGTCTCAGTTTCGCAGCTAACCTGGCTTCTCCACTATTGAGCATGGACTATAGCCTGGCTTC
AGAGGCCAGGTGAAGGTTGGGATGGGTGGAAGGAGTGCTGGGCTGTGGCTGGGGGGACTGTG
GGGACTCCAAGCTGAGCTTGGGGTGGGCAGCACAGGGAAAAGTGTGGGTAACTATTTTAAAG
TACTGTGTTGCAAACGTCTCATCTGCAAATACGTAGGGTGTGTACTCTCGAAGATTAACAGT
GTGGGTTTCAGTAATATATGGATGAATTCACAGTGGAAGCATTCAGGGTAGATCATCTAACG
ACACCAGATCATCAAGCTATGATTGGAAGCGGTATCAGAAGAGCGAGGAAGGTAAAGCAGTCT
TCATATGTTTTCCCTCCACGTAAAGCAGTCTGGGAAAGTAGCACCCCTTGAGCAGAGACAAG
GAAATAATTGAGGAGCATGTGCTAGGAGAACTTTCTTGCTGAATTCTACTTGCAAGAGCTTT
GATGCCTGGCTTCTGGTGCCTTCTGCAGCACCTGCAAGGCCCAGAGCCTGTGGTGAGCTGGA
GGGAAAGATTCTGCTCAAGTCCAAGCTTCAGCAGGTCATTGTCTTTGCTTCTTCCCCCAGCA
CTGTGCAGCAGAGTGGAAGTATGTCGAAGCCTCCTGTCCACTACCTGTTGCTGCAGGCAGA
CTGCTCTCAGAAAAAGAGAGCTAACTCTATGCCATAGTCTGAAGGTAAAATGGGTTTTTAAAA
AAGAAAACACAAAGGCCAAAACCGGCTGCCCCATGAGAAGAAAGCAGTGGTAAACATGGTAGA
AAAGGTGCAGAAGCCCCCAGGCAGTGTGACAGGCCCTCCTGCCACCTAGAGGCGGGAACAA
GCTTCCCTGCCTAGGGCTCTGCCCGCGAAGTGCGTGTTTTCTTTGGTGGGTTTTGTTTTGGCGT
TTGGTTTTTGAGATTTAGACACAAGGGAAGCCTGAAAGGAGGTGTTGGGCACTATTTTGGTTT
GTAAAGCCTGTACTTCAAATATATATTTTGTGAGGGAGTGAGCGAATTGGCCAATTTAAAA
TAAAGTTGCAAGAGATTGAAGGCTGAGTAGTTGAGAGGGTAACACGTTTAAATGAGATCTTCT
GAAACTACTGCTTCTAAACACTTGTTTGTGAGTGGTGAGACCTTGGATAGGTGAGTGCTCTTGT
TACATGTCTGATGCACTTGCTTGTCTTTTCCATCCACATCCATGCATTCCACATCCACGCA
TTTGTCACTTATCCCATATCTGTCTATCTGACATACCTGTCTCTTCGTCACCTTGGTCAGAA
GAAACAGATGTGATAATCCCCAGCCGCCCAAGTTTGAGAAGATGGCAGTTGCTTCTTTCCC
TTTTTCTGCTAAGTAAGGATTTTCTCCTGGCTTTGACACCTCACGAAATAGTCTTCTCCTGCC
TTACATTTCTGGGCATTATTTCAAATATCTTTGGAGTGCGCTGCTCTCAAGTTTGTGTCTTCC
TACTCTTAGAGTGAATGCTCTTAGAGTGAAAGAGAAGGAAGAGAAGATGTTGGCCGCAGTTC
TCTGATGAACACACCTCTGAATAATGGCCAAAGGTGGGTGGGTTTCTCTGAGGAACGGGCAG
CGTTTGCCTCTGAAAGCAAGGAGCTCTGCGGAGTTGCAGTTATTTTGCAACTGATGGTGGAA
CTGGTGCTTAAAGCAGATTCCCTAGGTTCCCTGCTACTTCTTTTCTTCTTGGCAGTCAGTT
TATTTCTGACAGACAAACAGCCACCCCCACTGCAGGCTTAGAAAGTATGTGGCTCTGCCTGG
GTGTGTTACAGCTCTGCCCTGGTGAAAGGGGATTAAAACGGGCACCATTCATCCCAAACAGG
ATCCTCATTCATGGATCAAGCTGTAAGGAACTTGGGCTCCAACCTCAAAACATTAATTGGAG
TACGAATGTAATTAAAACCTGCATTCTCGCATTCCTAAGTCATTTAGTCTGGACTCTGCAGCA
TGTAGGTCGGCAGCTCCCACTTTCTCAAAGACCACTGATGGAGGAGTAGTAAAAATGGAGAC
CGATTCAGAACAAACCAACGGAGTGTTGCCGAAGAACTGATGGAAATAATGCATGAATTGTG
TGGTGGACATTTTTTTTTTAAATAACATAAACTACTTCAAATGAGGTGCGAGAAGGTGAGTGT
TATTAGCAGCCATAAAACAGGTGAGCGAGTACCATTTTTCTCTACAAGAAAAACGATTCTG
AGCTCTGCGTAAGTATAAGTTCTCCATAGCGGCTGAAGCTCCCCCTGGCTGCCTGCCATCT
CAGCTGGAGTGCAGTGCCATTTCTTGGGGTTTCTCTCACAGCAGTAATGGGACAATACTTC
ACAAAAATTTCTTTCTTTTCTGTCATGTGGGATCCCTACTGTGCCCTCCTGGTTTTACGTTA
CCCCCTGACTGTTCCATTGAGCGGTTTGGAAAGAGAAAAAGAATTTGGAAATAAAACATGTC
TACGTTATCACCTCCTCCAGCATTTTGGTTTTTAAATTATGTCAATAACTGGCTTAGATTTGG
AAATGAGAGGGGGTTGGGTGTATTACCGAGGAACAAAGGAAGGCTTATATAAACTCAAGTCT
TTTATTTAGAGAACTGGCAAGCTGTCAAAAACAAAAAGGCCTTACCACCAAATTAAGTGAAT
AGCCGCTATAGCCAGCAGGGCCAGCACGAGGGATGGTGCAGTCTGGCACTATGCCACGGCC
TGCTTGTGACTCTGAGAGCAACTGCTTTGGAAATGACAGCACTTGGTGCAATTTCTTTTGT
TCAGAATGCGTAGAGCGTGCTTGGCGACAGTTTTTCTAGTTAGGCCACTTCTTTTTTCT
TCTCTCCTCATTTCTCCTAAGCATGTCTCCATGCTGGTAATCCAGTCAAGTGAACGTTCAAA
CAATGAATCCATCACTGTAGGATTCTCGTGGTGATCAAATCTTTGTGTGAGGTCTATAAAAT
ATGGAAGCTTATTTATTTTTTCGTTCTTCCATATCAGTCTTCTCTATGACAATTCACATCCAC
CACAGCAAATTAAAGGTGAAGGAGGCTGGTGGGATGAAGAGGGTCTTCTAGCTTTACGTTCT
TCCTTGCAAGGCCACAGGAAAATGCTGAGAGCTGTAGAATACAGCCTGGGGTAAGAAGTTCA

23/39

GTCTCCTGCTGGGACAGCTAACCGCATCTTATAACCCCTTCTGAGACTCATCTTAGGACCAA
ATAGGGTCTATCTGGGGTTTTTGTTCCTGCTGTTCCCTCCTGGAAGGCTATCTCACTATTTCA
CTGCTCCACGGTTACAAACCAAAGATACAGCCTGAATTTTTTCTAGGCCACATTACATAAA
TTTGACCTGGTACCAATATTGTTCTCTATATAGTTATTTCCCTTCCCCACTGTGTTTAACCCC
TTAAGGCATTTCAGAACAACTAGAATCATAGAATGGTTTGGATTGGAAGGGGCCTTAAACATC
ATCCATTTCCAACCCCTCTGCCATGGGCTGCTTGCCACCCACTGGCTCAGGCTGCCCAGGGCC
CCATCCAGCCTGGCCTTGAGCACCTCCAGGGATGGGGCACCCACAGCTTCTCTGGGCAGCCT
GTGCCAACACCTCACCCTCTCTGGGTAAAGAATTCTCTTTTAACATCTAATCTAAATCTCT
TCTCTTTTAGTTTAAAGCCATTCTCTTTTTTCCCGTTGCTATCTGTCCAAGAAATGTGTATT
GGTCTCCCTCCTGCTTATAAGCAGGAAGTACTGGAAGGCTGCAGTGAGGTCTCCCCACAGCC
TTCTCTTCTCCAGGCTGAACAAGCCCAGCTCCTTCAGCCTGTCTTCGTAGGAGATCATCTTA
GTGGCCCTCCTCTGGACCCATTCCAACAGTTCCACGGCTTTCTTGTGGAGCCCCAGGTCTGG
ATGCAGTACTTCAGATGGGGCCTTACAAAGGCAGAGCAGATGGGGACAATCGCTTACCCCTC
CCTGCTGGCTGCCCCCTGTTTTGATGCAGCCAGGGTACTGTTGGCCTTTCAGGCTCCCAGAC
CCCTTGCTGATTTGTGTCAAGCTTTTCATCCACCAGAACCCACGCTTCCTGGTTAATACTTC
TGCCCTCACTTCTGTAAAGCTTGTTTCAGGAGACTTCCATTCTTTAGGACAGACTGTGTTACA
CCTACCTGCCCTATTCTTGTCATATATACATTTCAAGTTCATGTTTCCTGTAAACAGGACAGAAT
ATGTATTCCTCTAACAAAAATACATGCAGAAATTCCTAGTGCCATCTCAGTAGGGTTTTTCATG
GCAGTATTAGCACATAGTCAATTTGCTGCAAGTACCTTCCAAGCTGCGGCCCTCCCATAAATC
CTGTATTTGGGATCAGTTACCTTTTGGGGTAAGCTTTTGTATCTGCAGAGACCCTGGGGGTT
CTGATGTGCTTCAGCTCTGCTCTGTTCTGACTGCACCATTTCCTAGATCACCCAGTTGTTCC
TGTACAACCTTCCTTGTCTCCATCCTTTCCAGCTTGTATCTTTGACAAATACAGGCCCTATT
TTTGTGTTTGCTTCAGCAGCCATTAAATTCTTCAGTGTCTCTTGTCTGTGATGCCACTG
GAACAGGATTTTCAGCAGTCTTGCAAAGAACATCTAGCTGAAAACCTTTCTGCCATTCAATAT
TCTTACCAGTTCTTCTTGTGTTGAGGTGAGCCATAAATTACTAGAACTTCGTCACTGACAAGT
TTATGCATTTTATTACTTCTATTATGTACTTACTTTGACATAACACAGACACGCACATATTT
TGCTGGGATTTCCACAGTGTCTCTGTGTCCTTCACATGGTTTTTACTGTCATACTTCCGTTAT
AACCTTGGCAATCTGCCCAGCTGCCCATCACAAGAAAAGAGATTCTTTTTTTATTACTTCTC
TTCAGCCAATAAACAAAATGTGAGAAGCCCAAACAAGAACTTGTGGGGCAGGCTGCCATCAA
GGGAGAGACAGCTGAAGGGTTGTGTAGCTCAATAGAATTAAGAAATAATAAGCTGTGTCAG
ACAGTTTTTGCTGATTTATACAGGCACGCCCCAAGCCAGAGAGGCTGTCTGCCAAGGCCACC
TTGCAGTCCTTGGTTTGTAAGATAAGTCATAGGTAACTTTTCTGGTGAATTGCGTGGAGAAT
CATGATGGCAGTTCTTGCTGTTTACTATGGTAAGATGCTAAAATAGGAGACAGCAAAGTAAC
ACTTGCTGCTGTAGGTGCTCTGCTATCCAGACAGCGATGGCACTCGCACACCAAGATGAGGG
ATGCTCCCAGCTGACGGATGCTGGGGCAGTAACAGTGGGTCCCATGCTGCCTGCTCATTAGC
ATCACCTCAGCCCTCACCAGCCCATCAGAAGGATCATCCCAAGCTGAGGAAAGTTGCTCATC
TTCTTCACATCATCAAACCTTTGGCCTGACTGATGCCTCCCGGATGCTTAAATGTGGTCACT
GACATCTTTATTTTTTCTATGATTTCAAGTCAGAACCCTCCGGATCAGGAGGGAACACATAGTG
GGAATGTACCCTCAGCTCCAAGGCCAGATCTTCCTTCAATGATCATGCATGCTACTTAGGAA
GGTGTGTGTGTGTGAATGTAGAATTGCCTTTGTTATTTTTTCTTCCCTGCTGTCAGGAACATT
TTGAATACCAGAGAAAAAGAAAAGTGCTCTTCTTGGCATGGGAGGAGTTGTCACTTTGCAA
AATAAAGGATGCAGTCCCAAATGTTTATAATCTCAGGGTCTGAAGGAGGATCAGAACTGTG
TATACAATTTCAAGGCTTCTCTGAATGCAGCTTTTGAAAGCTGTTCTTGGCCGAGGCAGTACT
AGTCAGAACCCCTCGGAAACAGGAACAAATGTCTTCAAGGTGCAGCAGGAGGAAACACCTTGC
CCATCATGAAAGTGAATAACCACTGCCGCTGAAGGAATCCAGCTCCTGTTTGAGCAGGTGCT
GCACACTCCCACACTGAAACAACAGTTCATTTTTATAGGACTTCCAGGAAGGATCTTCTTCT
TAAGCTTCTTAATTATGGTACATCTCCAGTTGGCAGATGACTATGACTACTGACAGGAGAAT
GAGGAACTAGCTGGGAATATTTCTGTTTGACCACCATGGAGTCACCCATTTCTTTACTGGTA
TTTGGAATAATAATTCTGAATTGCAAAGCAGGAGTTAGCGAAGATCTTCATTTCTTCCATG
TTGGTGACAGCACAGTTCTGGCTATGAAAGTCTGCTTACAAGGAAGAGGATAAAAATCATAG
GGATAATAAATCTAAGTTTGAAGACAATGAGGTTTTAGCTGCATTTGACATGAAGAAATTGA

24/39

GACCTCTACTGGATAGCTATGGTATTTACGTGTCTTTTTGCTTAGTTACTTATTGACCCCAG
CTGAGGTCAAGTATGAACTCAGGTCTCTCGGGCTACTGGCATGGATTGATTACATACTG
TAATTTTAGCAGTGATTTAGGGTTTATGAGTACTTTTGCAGTAAATCATAGGGTTAGTAATG
TTAATCTCAGGGAAAAAAAAAAAAAGCCAACCCTGACAGACATCCCAGCTCAGGTGGAAATC
AAGGATCACAGCTCAGTGCGGTCCCAGAGAACACAGGGACTCTTCTCTTAGGACCTTTATGT
ACAGGGCCTCAAGATAACTGATGTTAGTCAGAAGACTTTCCATTCTGGCCACAGTTCAGCTG
AGGCAATCCTGGAATTTTCTCTCCGCTGCACAGTTCAGTCATCCCAGTTTGTACAGTTCTG
GCACTTTTTTGGGTCAGGCCGTGATCCAAGGAGCAGAAGTTCCAGCTATGGTCAGGGAGTGCC
TGACCGTCCCAACTCACTGCACTCAAACAAAGGCGAAACCACAAGAGTGGCTTTTGTGAAA
TTGCAGTGTGGCCCAGAGGGGCTGCACCAGTACTGGATTGACCACGAGGCAACATTAATCCT
CAGCAAGTGCAATTTGCAGCCATTAAATTGAACTAACTGATACTACAATGCAATCAGTATCA
ACAAGTGGTTTGGCTTGAAGATGGAGTCTAGGGGCTCTACAGGAGTAGCTACTCTCTAATG
GAGTTGCATTTTGAAGCAGGACACTGTGAAAAGCTGGCCTCCTAAAGAGGCTGCTAAACATT
AGGGTCAATTTTCCAGTGCACTTTCTGAAGTGTCTGCAGTTCCCCATGCAAAGCTGCCCAA
CATAGCACTTCCAATTGAATACAATTATATGCAGGCGTACTGCTTCTTGCCAGCACTGTCTT
TCTCAAATGAACTCAACAAACAATTTCAAAGTCTAGTAGAAAGTAACAAGCTTTGAATGTCA
TTAAAAAGTATATCTGCTTTCAGTAGTTCAGCTTATTTATGCCCACTAGAAACATCTTGTAC
AAGCTGAACACTGGGGCTCCAGATTAGTGGTAAAACCTACTTTATACAATCATAGAATCATA
GAATGGCCTGGGTTGGAAGGGACCCCAAGGATCATGAAGATCCAACACCCCCGCCACAGGCA
GGGCCACCAACCTCCAGATCTGGTACTAGACCAGGCAGCCAGGGCTCCATCCAACCTGGCC
ATGAACACCTCCAGGGATGGAGCATCCACAACCTCTCTGGGCAGCCTGTGCCAGCACCTCAC
CACCTCTCTGTGAAGAACTTTTCCCTGACATCCAATCTAAGCCTTCCCTCCTTGAGGTTAG
ATCCACTCCCCCTTGTGCTATCACTGTCTACTCTTGTAAAAAGTTGATTCTCCTCCTTTTTG
GAAGTTGCAATGAGGTCTCCTTGCAAGCCTTCTTCTCTTCTGCAGGATGAACAAGCCCAGCT
CCCTCAGCCTGTCTTTATAGGAGAGGTGCTCCAGCCCTCTGATCATCTTTGTGGCCCTCCTC
TGGACCCGCTCCAAGAGCTCCACATCTTTCCTGTACTGGGGGCCCCAGGCCTGAATGCAGTA
CTCCAGATGGGGCCTCAAAGAGCAGAGTAAAGAGGGACAATCACCTTCCTCACCTGCTGG
CCAGCCCTCTTCTGATGGAGCCCTGGATACAACCTGGCTTTCTGAGCTGCAACTTCTCCTTAT
CAGTTCCACTATTAAACAGGAACAATACAACAGGTGCTGATGGCCAGTGCAGAGTTTTTCA
CACTTCTTCATTTCCGGTAGATCTTAGATGAGGAACGTTGAAGTTGTGCTTCTGCGTGTGCTT
CTTCTCCTCAAATACTCCTGCCTGATACCTCACCCACCTGCCACTGAATGGCTCCATGGC
CCCCTGCAGCCAGGGCCCTGATGAACCCGGCACTGCTTCAGATGCTGTTTAATAGCACAGTA
TGACCAAGTTGCACCTATGAATACACAAACAATGTGTTGCATCCTTCAGCACTTGAGAAGAA
GAGCCAAATTTGCATTGTGTCAGGAAATGGTTTATAGTAATTCTGCCAATTAAAACCTTGTTTATCT
ACCATGGCTGTTTTTATGGCTGTTAGTAGTGGTACACTGATGATGAACAATGGCTATGCAGT
AAAATCAAGACTGTAGATATTGCAACAGACTATAAAATTCCTCTGTGGCTTAGCCAATGTGG
TACTTCCCACATTTGTATAAGAAATTTGGCAAGTTTATAGAGCAATGTTTGAAGTGTGGGAAAT
TTCTGTATACTCAAGAGGGCGTTTTTGGCAACTGTAGAACAGAGGAATCAAAGGGGGGTGGG
AGGAAGTTAAAAGAAGAGGCAGGTGCAAGAGAGCTTGCAGTCCCGCTGTGTGTACGACACTG
GCAACATGAGGTCTTTGCTAATCTTGGTGCTTTGCTTCCCTGCCCTGGCTGCCTTAGGGTGC
GATCTGCCTCAGACCCACAGCCTGGGCAGCAGGAGGACCTGATGCTGCTGGCTCAGATGAG
GAGAATCAGCCTGTTTAGCTGCCTGAAGGATAGGCACGATTTTGGCTTTCCTCAAGAGGAGT
TTGGCAACCAGTTTCAGAAGGCTGAGACCATCCCTGTGCTGCACGAGATGATCCAGCAGATC
TTTAACCTGTTTAGCACCAAGGATAGCAGCGCTGCTTGGGATGAGACCTTGCTGGATAAGTT
TTACACCGAGCTGTACCAGCAGCTGAACGATCTGGAGGCTTGCCTGATCCAGGGCGTGGGCG
TGACCGAGACCCCTCTGATGAAGGAGGATAGCATCCTGGCTGTGAGGAAGTACTTTCAGAGG
ATCACCTGTACCTGAAGGAGAAGAAGTACAGCCCTGCGCTTGGGAAGTCGTGAGGGCTGA
GATCATGAGGAGCTTTAGCCTGAGCACCAACCTGCAAGAGAGCTTGAGGTCTAAGGAGTAAA
AAGTCTAGAGTCGGGGCGGCCGGCCGCTTCGAGCAGACATGATAAGATACATTGATGAGTTT
GGACAAACCACAACCTAGAATGCAGTGAAAAAATGCTTTATTTGTGAAATTTGTGATGCTAT
TGCTTTATTTGTAACCATTATAAGCTGCAATAAACAAGTTAACAACAACATTGCATTCATT
TTATGTTTCAGGTTTCAGGGGGAGGTGTGGGAGGTTTTTTTAAAGCAAGTAAAACCTCTACAAA

25/39

TGTGGTAAAATCGATAAGGATCCGTCGACCGATGCCCTTGAGAGCCTTCAACCCAGTCAGCT
CCTTCCGGTGGGCGCGGGGCATGACTATCGTCGCCGCACTTATGACTGTCTTCTTTATCATG
CAACTCGTAGGACAGGTGCCGGCAGCGCTCTTCCGCTTCCTCGCTCACTGACTCGCTGCGCT
CGGTCGTTCCGGCTGCGGCGAGCGGTATCAGCTCACTCAAAGGCGGTAAATACGGTTATCCACA
GAATCAGGGGATAACGCAGGAAAGAACATGTGAGCAAAAGGCCAGCAAAAGGCCAGGAACCG
TAAAAAGGCCGCGTTGCTGGCGTTTTTCCATAGGCTCCGCCCCCTGACGAGCATCACAAAA
ATCGACGCTCAAGTCAGAGGTGGCGAAACCCGACAGGACTATAAAGATACCAGGCGTTTCCC
CCTGGAAGCTCCCTCGTGCGCTCTCCTGTTCCGACCCTGCCGCTTACCGGATACCTGTCCGC
CTTTCTCCCTTCGGGAAGCGTGGCGCTTTCTCAATGCTCACGCTGTAGGTATCTCAGTTCCG
TGTAGGTCGTTTCGCTCCAAGCTGGGCTGTGTGCACGAACCCCCCGTTTACGCCGACCGCTGC
GCCTTATCCGGTAACTATCGTCTTGAGTCCAACCCGGTAAGACACGACTTATCGCCACTGGC
AGCAGCCACTGGTAACAGGATTAGCAGAGCGAGGTATGTAGGCGGTGCTACAGAGTTCTTGA
AGTGGTGGCCTAACTACGGCTACACTAGAAGGACAGTATTTGGTATCTGCGCTCTGCTGAAG
CCAGTTACCTTCGGAAAAAGAGTTGGTAGCTCTTGATCCGGCAAACAAACCCACCGCTGGTAG
CGGTGGTTTTTTTTGTTTGCAAGCAGCAGATTACGCGCAGAAAAAAGGATCTCAAGAAGATC
CTTTGATCTTTTCTACGGGGTCTGACGCTCAGTGGAACGAAAACCTCACGTTAAGGGATTTTG
GTCATGAGATTATCAAAAAGGATCTTCACCTAGATCCTTTTAAATTAAAAATGAAGTTTAA
ATCAATCTAAAGTATATATGAGTAAACTTGGTCTGACAGTTACCAATGCTTAATCAGTGAGG
CACCTATCTCAGCGATCTGTCTATTTTCGTTTATCCATAGTTGCCTGACTCCCCGTCGTGTAG
ATAACTACGATACGGGAGGGCTTACCATCTGGCCCCAGTGCTGCAATGATACCGCGAGACCC
ACGCTCACCGGCTCCAGATTTATCAGCAATAAACCAGCCAGCCGGAAGGGCCGAGCGCAGAA
GTGGTCCCTGCAACTTTATCCGCCTCCATCCAGTCTATTAATTGTTGCCGGGAAGCTAGAGTA
AGTAGTTCCGCCAGTTAATAGTTTGCAGCAACGTTGTTGCCATTGCTACAGGCATCGTGGTGTG
ACGCTCGTCGTTTGGTATGGCTTCATTCAGCTCCGGTTCCCAACGATCAAGGCGAGTTACAT
GATCCCCCATGTTGTGCAAAAAAGCGGTTAGCTCCTTCCGGTCCCTCCGATCGTTGTGAGAGT
AAGTTGGCCGCGAGTGTATCACTCATGGTTATGGCAGCACTGCATAATTCTCTTACTGTGAT
GCCATCCGTAAGATGCTTTTCTGTGACTGGTGAGTACTCAACCAAGTCATTCTGAGAATAGT
GTATGCCGCGACCGAGTTGCTCTTGCCCGGCGTCAATACGGGATAATACCGCGCCACATAGC
AGAACTTTAAAAGTGCTCATTCATTGGAAAACGTTCTTCCGGGGCGAAAACCTCTCAAGGATCTT
ACCGCTGTTGAGATCCAGTTTCGATGTAACCCACTCGTGCAACCAACTGATCTTCAGCATCTT
TACTTTTACCAGCGTTTCTGGGTGAGCAAAAACAGGAAGGCCAAAATGCCGCAAAAAGGGA
ATAAGGGCGACACGGAAATGTTGAATACTCATACTCTTCCCTTTTCAATATTATTGAAGCAT
TTATCAGGGTTATTGTCTCATGAGCGGATACATATTTGAATGTATTTAGAAAAATAAACAAA
TAGGGGTTCCGCGCACATTTCCCCGAAAAGTGCCACCTGACGCGCCCTGTAGCGGCGCATTA
AGCGCGGCGGGTGTGGTGGTTACGCGCAGCGTGACCGCTACACTTGCCAGCGCCCTAGCGCC
CGCTCCTTTTCGCTTTCTTCCCTTCTTCTCGCCACGTTTCGCCGGCTTTCCCCGTCAAGCTC
TAAATCGGGGGCTCCCTTTAGGGTTCCGATTTAGTGCTTTACGGCACCTCGACCCCCAAAAA
CTTGATTAGGGTGATGGTTCACGTAGTGGGCCATCGCCCTGATAGACGGTTTTTTCGCCCTTT
GACGTTGGAGTCCACGTTCTTTAATAGTGGACTCTTGTTCCAAACTGGAACAACACTCAACC
CTATCTCGGTCTATTCTTTTGATTTATAAGGGATTTTGCCGATTTTCGGCCTATTGGTTAAAA
AATGAGCTGATTTAACAAAAATTTAACGCGAATTTTAAACAAAATATTAACGTTTACAATTTT
CCATTCGCCATTCAGGCTGCGCAACTGTTGGGAAGGGCGATCGGTGCGGGCCTCTTCGCTAT
TACGCCAGCCCAAGCTACCATGATAAGTAAGTAATATTAAGGTACGGGAGGTACTTGGAGCG
GCCGCTCTAGAACTAGTGGATCCCCCGGCCGCAATAAAATATCTTTATTTTCATTACATCTG
TGTGTTGGTTTTTTTGTGTGAATCGATAGTACTAACATACGCTCTCCATCAAAACAAAACGAA
ACAAAACAACTAGCAAAATAGGCTGTCCCCAGTGCAAGTGCAGGTGCCAGAACATTTCTCT
ATCGATAGGTACCGAGCTCTTACGCGTGCTAGCCCTCGAGCAGGATCTATACATTGAATCAA
TATTGGCAATTAGCCATATTAGTCATTGGTTATATAGCATAAATCAATATTGGCTATTGGCC
ATTGCATACGTTGTATCTATATCATAATATGTACATTTATATTGGCTCATGTCCAATATGAC
CGCCATGTTGACATTGATTATTGACTAGTTATTAATAGTAATCAATTACGGGGTCATTAGTT
CATAGCCCATATATGGAGTTCCGCGTTACATAACTTACGGTAAATGGCCCGCCTGGCTGACC
GCCCAACGACCCCCGCCCATTGACGTCAATAATGACGTATGTTCCCATAGTAACGCCAATAG

26/39

GGACTTTCCATTGACGTCAATGGGTGGAGTATTTACGGTAAACTGCCCACTTGGCAGTACAT
CAAGTGTATCATATGCCAAGTCCGCCCCCTATTGACGTCAATGACGGTAAATGGCCCGCCTG
GCATTATGCCCAGTACATGACCTTACGGGACTTTCCTACTTGGCAGTACATCTACGTATTAG
TCATCGCTATTACCATGGTGATGCGGTTTTTGGCAGTACATCAATGGGCGTGGATAGCGGTTT
GACTCACGGGGATTTCCAAGTCTCCACCCCATTTGACGTCAATGGGAGTTTGTGTTTTGGCACCA
AAATCAACGGGACTTTCCAAAATGTCGTAACAACTCCGCCCCATTGACGCAAATGGGCGGTA
GGCGTGTACGGTGGGAGGTCTATATAAGCAGAGCTCGTTTTAGTGAACCGTCAGATCGCCTGG
AGACGCCATCCACGCTGTTTTGACCTCCATAGAAGACACCGGGACCGATCCAGCCTCCCCTC
GAAGCTCGACTCTAGGGGCTCGAGATCTGCGATCTAAGTAAGCTTGCATGCCTGCAGGTCGG
CCGCCACGACCGGTGCCGCCACCATCCCCTGACCCACGCCCCCTGACCCCTCACAAGGAGACG
ACCTTCCATGACCGAGTACAAGCCACGGTGCGCCTCGCCACCCGCGACGACGTCCCCCGGG
CCGTACGCACCCCTCGCCGCCGCGTTCGCCGACTACCCCGCCACGCGCCACACCGTCGACCCG
GACCGCCACATCGAGCGGGTCACCGAGCTGCAAGAACTCTTCCTCACGCGCGTCGGGCTCGA
CATCGGCAAGGTGTGGGTGCGGGACGACGGCGCCGCGGTGGCGGTCTGGACCACGCCGGAGA
GCGTCGAAGCGGGGGCGGTGTTGCGCCGAGATCGGCCCGCGCATGGCCGAGTTGAGCGGTTCC
CGGCTGGCCGCGCAGCAACAGATGGAAGGCCTCCTGGCGCCGACCCGGCCCAAGGAGCCCGC
GTGGTTCTTGCCACCGTCGGCGTCTCGCCCGACCACCAGGGCAAGGGTCTGGGCAGCGCCG
TCGTGCTCCCCGGAGTGGAGGCGGCCGAGCGCGCCGGGGTGCCCGCCTTCCTGGAGACCTCC
GCGCCCCGCAACCTCCCCCTTCTACGAGCGGCTCGGCTTCACCGTCACCGCCGACGTGAGGT
GCCCCAAGGACCGCGCACCTGGTGATGACCCGCAAGCCCGGTGCCTGACGCCCCGCCCCACG
ACCCGCAGCGCCCGACCGAAAGGAGCGCACGACCCCATGGCTCCGACCGAAGCCGACCCGGG
CGGCCCCGCGGACCCCGCACCCGCCCCCGAGGCCACCGACTCTAGAGTCGGGGCGGGCCGGC
CGCTTCGAGCAGACATGATAAGATACATTGATGAGTTTGGACAAACCACAACCTAGAATGCAG
TGAAAAAATGCTTTATTTGTGAAATTTGTGATGCTATTGCTTTATTTGTAACCATTATAAG
CTGCAATAAACAAGTTAAACAACAACAATTGCATTCATTTTATGTTCAGGTTTCAGGGGGAGG
TGTGGGAGGTTTTTTTAAAGCAAGTAAAACCTCTACAAATGTGGTAAAATCGATAAGGATCAA
TTCGGCTTCAGGTACCGTCGACGATGTAGGTACGGTCTCGAAGCCGCGGTGCGGGTGCCAG
GGCGTGCCCTTGGGCTCCCCGGGCGCGTACTCCACCTCACCCATCTGGTCCATCATGATGAA
CGGGTCGAGGTGGCGGTAGTTGATCCCGGCGAACGCGCGGCGCACCCGGGAAGCCCTCGCCCT
CGAAACCGCTGGGCGCGGTGGTCACGGTGAGCACGGGACGTGCGACGGCGTCGGCGGGTGCG
GATACGCGGGGCAGCGTCAGCGGGTTCTCGACGGTCACGGCGGGCATGTCGACAGCCGAATT
GATCCGTGACCGATGCCCTTGAGAGCCTTCAACCCAGTCAGCTCCTTCCGGTGGGCGCGGG
GCATGACTATCGTCGCCGCACTTATGACTGTCTTCTTTATCATGCAACTCGTAGGACAGGTG
CCGGCAGCGCTCTTCCGCTTCTCGCTCACTGACTCGCTGCGCTCGGTCGTTTCGGCTGCGGC
GAGCGGTATCAGCTCACTCAAAGGCGGTAATACGGTTATCCACAGAATCAGGGGATAACGCA
GGAAAGAACATG

Fig. 15

27/39

pOM IFN-Ins-CMV-pur-attB (SEQ ID NO: 8)

GGCCGCCACCGCGGTGGAGCTCCAATTCGCCCTATAGTGAGTCGTATTACAATTCAGTGGCC
GTCGTTTTTACAACGTCGTGACTGGGAAAACCCTGGCGTTACCCAACTTAATCGCCTTGCAGC
ACATCCCCCTTTCGCCAGCTGGCGTAATAGCGAAGAGGCCCGCACCGATCGCCCTTCCCAAC
AGTTGCGCAGCCTGAATGGCGAATGGGACGCGCCCTGTAGCGGCGCATTAAGCGCGGCGGGT
GTGGTGGTTACGCGCAGCGTGACCGCTACACTTGCCAGCGCCCTAGCGCCCGCTCCTTTCGC
TTTCTTCCCTTCCTTTCTCGCCACGTTTCGCCGGCTTTCCCCGTCAAGCTCTAAATCGGGGGC
TCCCTTTAGGGTTCCGATTTAGTGCTTTACGGCACCTCGACCCCAAAAACTTGATTAGGGT
GATGGTTCACGTAGTGGGCCATCGCCCTGATAGACGGTTTTTTCGCCCTTTGACGTTGGAGTC
CACGTTCTTTAATAGTGGACTCTTGTTCCAACTGGAACAACACTCAACCCCTATCTCGGTCT
ATTCTTTTGATTTATAAGGGATTTTGCCGATTTTCGGCCTATTGGTTAAAAAATGAGCTGATT
TAACAAAAATTTAACGCGAATTTTAACAAAATATTAACGCTTACAATTTAGGTGGCACTTTT
CGGGGAAATGTGCGCGGAACCCCTATTTGTTTATTTTTCTAAATACATTCAAATATGTATCC
GCTCATGAGACAATAACCCTGATAAATGCTTCAATAATATTGAAAAAGGAAGAGTATGAGTA
TTCAACATTTCCGTGTGCCCTTATTTCCCTTTTTTTCGCGGCATTTTGCCTTCCTGTTTTTGCT
CACCCAGAAACGCTGGTGAAAGTAAAGATGCTGAAGATCAGTTGGGTGCACGAGTGGGTTA
CATCGAACTGGATCTCAACAGCGGTAAGATCCTTGAGAGTTTTTCGCCCCGAAGAACGTTTTC
CAATGATGAGCACTTTTAAAGTTCTGCTATGTGGCGCGGTATTATCCCGTATTGACGCCGGG
CAAGAGCAACTCGGTTCGCCGCATACACTATTCTCAGAATGACTTGGTTGAGTACTCACCAGT
CACAGAAAAGCATCTTACGGATGGCATGACAGTAAGAGAATTATGCAGTGCTGCCATAACCA
TGAGTGATAACACTGCGGCCAACTTACTTCTGACAACGATCGGAGGACCGAAGGAGCTAACC
GCTTTTTTTGCACAACATGGGGGATCATGTAACCTCGCCTTGATCGTTGGGAACCGGAGCTGAA
TGAAGCCATACCAAACGACGAGCGTGACACCACGATGCCTGTAGCAATGGCAACAACGTTGC
GCAAACCTATTAACCTGGCGAACTACTTACTCTAGCTTCCCGGCAACAATTAATAGACTGGATG
GAGGCGGATAAAGTTGCAGGACCACTTCTGCGCTCGGCCCTTCCGGCTGGCTGGTTTTATTGC
TGATAAATCTGGAGCCGGTGAGCGTGGGTCTCGCGGTATCATTCGAGCACTGGGGCCAGATG
GTAAGCCCTCCCGTATCGTAGTTATCTACACGACGGGGAGTCAGGCAACTATGGATGAACGA
AATAGACAGATCGCTGAGATAGGTGCCTCACTGATTAAGCATTTGGTAACTGTCAGACCAAGT
TTACTCATATATACTTTAGATTGATTTAAACTTCATTTTTTAATTTAAAAGGATCTAGGTGA
AGATCCTTTTTTGATAATCTCATGACCAAAATCCCTTAACGTGAGTTTTTCGTTCCACTGAGCG
TCAGACCCCGTAGAAAAGATCAAAGGATCTTCTTGAGATCCTTTTTTTCTGCGCGTAATCTG
CTGCTTGCAAACAAAAAAACCACCGCTACCAGCGGTGGTTTTGTTTGCCGGATCAAGAGCTAC
CAACTCTTTTTTCCGAAGGTAACCTGGCTTCAGCAGAGCGCAGATACCAAATACTGTCTTCTA
GTGTAGCCGTAGTTAGGCCACCACTTCAAGAACTCTGTAGCACCGCCTACATACCTCGCTCT
GCTAATCCTGTTACCAGTGGCTGCTGCCAGTGGCGATAAGTCGTGTCTTACCGGGTTGGACT
CAAGACGATAGTTACCGGATAAGGCGCAGCGGTTCGGGCTGAACGGGGGGTTCGTGCACACAG
CCCAGCTTGGAGCGAACGACCTACACCGAACTGAGATACCTACAGCGTGAGCTATGAGAAAG
CGCCACGCTTCCCGAAGGGAGAAAGGCGGACAGGTATCCGGTAAGCGGCAGGGTCGGAACAG
GAGAGCGCACGAGGGAGCTTCCAGGGGGAAACGCCTGGTATCTTTATAGTCCTGTGCGGGTTT
CGCCACCTCTGACTTGAGCGTCGATTTTTGTGATGCTCGTCAGGGGGGCGGAGCCTATGGAA
AAACGCCAGCAACGCGGCCTTTTTACGGTTCCTGGCCTTTTGCTGGCCTTTTGCTCACATGT
TCTTTTCTGCGTTATCCCTGATTCTGTGGATAACCGTATTACCGCCTTTGAGTGAGCTGAT
ACCGCTCGCCGCAGCCGAACGACCGAGCGCAGCGAGTCAGTGAGCGAGGAAGCGGAAGAGCG
CCCAATACGCAAACCGCCTCTCCCCGCGCGTTGGCCGATTCATTAATGCAGCTGGCACGACA
GGTTTCCCGACTGGAAGCGGGCAGTGAGCGCAACGCAATTAATGTGAGTTAGCTCACTCAT
TAGGCACCCAGGCTTTACACTTTATGCTTCCGGCTCGTATGTTGTGTGGAATTGTGAGCGG
ATAACAATTTACACAGGAAACAGCTATGACCATGATTACGCCAAGCTCGAAATTAACCCCTC
ACTAAAGGGAAACAAAAGCTGGGTACCGGGCCCCCCCCCTCGACTAGAGGGACAGCCCCCCCCCA
AAGCCCCCAGGGATGTAATTACGTCCCTCCCCCGCTAGGGGGCAGCAGCGAGCCGCCCGGGG
CTCCGCTCCGGTCCGGCGCTCCCCCGCATCCCCGAGCCGGCAGCGTGCGGGGACAGCCCGG
GCACGGGGAAAGGTGGCACGGGATCGCTTTCCTCTGAACGCTTCTCGCTGCTCTTTGAGCCTG

CAGACACCTGGGGGGGATACGGGGGAAAAAGCTTTAGGCTGAAAGAGAGATTTAGAATGACAGA
ATCATAGAACGGCCTGGGTTGCAAAGGAGCACAGTGCTCATCCAGATCCAACCCCTGCTAT
GTGCAGGGTCATCAACCAGCAGCCCAGGCTGCCCAGAGCCACATCCAGCCTGGCCTTGAATG
CCTGCAGGGATGGGGCATCCACAGCCTCCTTGGGCAACCTGTTTCAGTGCGTCACCACCCTCT
GGGGGAAAAACTGCCTCCTCATATCCAACCCAAACCTCCCCTGTCTCAGTGTAAGCCATTC
CCCCTTGTCTTATCAAGGGGGAGTTTGCTGTGACATTGTTGGTCTGGGGTGACACATGTTTG
CCAATTCAGTGCATCACGGAGAGGCAGATCTTGGGGATAAGGAAGTGCAGGACAGCATGGAC
GTGGGACATGCAGGTGTTGAGGGCTCTGGGACACTCTCCAAGTCACAGCGTTCAGAACAGCC
TTAAGGATAAGAAGATAGGATAGAAGGACAAAGAGCAAGTTAAAACCCAGCATGGAGAGGAG
CACAAAAAGGCCACAGACACTGCTGGTCCCTGTGTCTGAGCCTGCATGTTTGATGGTGTCTG
GATGCAAGCAGAAGGGGTGGAAGAGCTTGCCCTGGAGAGATACAGCTGGGTTCAGTAGGACTGG
GACAGGCAGCTGGAGAATTGCCATGTAGATGTTTCATACAATCGTCAAATCATGAAGGCTGGA
AAAGCCCTCCAAGATCCCCAAGACCAACCCCAACCCACCCACCGTGCCCACTGGCCATGTCC
CTCAGTGCCACATCCCCACAGTTCTTCATCACCTCCAGGGACGGTGACCCCCCCACCTCCGT
GGGCAGCTGTGCCACTGCAGCACCGCTCTTTGGAGAAGGTAAATCTTGCTAAATCCAGCCCG
ACCCTCCCCTGGCACAACGTAAGGCCATTATCTCTCATCCAACCTCCAGGACGGAGTCAGTGA
GGATGGGGCTCTAGTCGAGGTGACGGTATCGATAAGCTTGATTAGGCAGAGCAATAGGACT
CTCAACCTCGTGAGTATGGCAGCATGTTAACTCTGCACTGGAGTCCAGCGTGGGAAACAATC
TGCCTTGACATGAGTCTTCGTGGGCCAATATTCCCCAACGGTTTTTCCTTCAGCTTGTCTTG
TCTCCTAAGCTCTCAAAACACCTTTTTTGGTGAATAAACTCACTTGGCAACGTTTTATCTGTCT
TACCTTAGTGTCACGTTTTCATCCCTATTCCCCTTTCTCCTCCTCCGTGTGGTACACAGTGGT
GCACACTGGTTCTTCTGTGTTGATGTTCTGCTCTGACAGCCAATGTGGGTAAAGTTCTTCCTGC
CACGTGTCTGTGTTGTTTTCACTTCAAAAAGGGCCCTGGGCTCCCCTTGGAGCTCTCAGGCA
TTTCCTTAATCATCACAGTCACGCTGGCAGGATTAGTCCCTCCTAAACCTTAGAATGACCTG
AACGTGTGCTCCCTCTTTGTAGTCAGTGCAGGGAGACGTTTGCCCTCAAGATCAGGGTCCATC
TCACCCACAGGGCCATTCCCAAGATGAGGTGGATGGTTTACTCTCACAAAAGTTTTCTTAT
GTTTGGCTAGAAAGGAGAACTCACTGCCTACCTGTGAATTCCCCTAGTCCTGGTTCTGCTGC
CACTGCTGCCTGTGCAGCCTGTCCCATGGAGGGGGCAGCAACTGCTGTCACAAAGGTGATCC
CACCTGTCTCCACTGAAATGACCTCAGTGCCACGTGTTGTATAGGGTATAAAGTACGGGAG
GGGGATGCCCCGGCTCCCTTCAGGGTTGCAGAGCAGAAGTGTCTGTGTATAGAGTGTGTCTTA
ATCTATTAATGTAAACAGAACAACTTCAGTCCTAGTGTTTTGTGGGCTGGAATTGCCCATGTG
GTAGGGACAGGCCTGCTAAATCACTGCAATCGCCTATGTTCTGAAGGTATTTGGGAAAGAAA
GGGATTTGGGGGATTGCCTGTGATTGGCTTTAATTGAATGGCAAATCACAGGAAAGCAGTTC
TGCTCAACAGTTGGTTGTTTCAGCCAATTCTTGCAGCCAAAGAGCCGGGTGCCCAGCGATAT
AATAGTTGTCACTTGTGTCTGTATGGATGACAGGGAGGTAGGGTGACCTGAGGACCACCTC
CAGCTTCTGCTAGCGTAGGTACAGTCACCACCTCCAGCTCCACACGAGTCCCATCGTGGTTT
ACCAAAGAAACACAATTATTTGGACCAGTTTGGAAAGTCACCCGCTGAATTGTGAGGCTAGA
TTAATAGAGCTGAAGAGCAAATGTTCCCAACTTGGAGATACTAGTTGGTATTAGTATCAGAG
GAACAGGGCCATAGCACCTCCATGCTATTAGATTCCGGCTGGCATGTACTTTTCAAGATGAT
TTGTAACATAAATGGCTTATTGTGCTTGTCTTAAGTCTGTGTCCTAATGTAAATGTTCTTT
TGGTTTATATAACCTTCTTGCCATTTGCTCTTCAGGTGTTCTTGCAGAACACTGGCTGCTTT
AATCTAGTTTAACTGTTGCTTGATTATTCTTAGGGATAAGATCTGAATAAACTTTTTTGTGGC
TTTGGCAGACTTTAGCTTGGGCTTAGCTCCCACATTAGCTTTTGCTGCCCTTTTCTGTGAAGC
TATCAAGATCCTACTCAATGACATTAGCTGGGTGCAGGTGTACCAAATCCTGCTCTGTGGAA
CACATTGTCTGATGATACCGAAGGCCAAACGTGAACTCAAAGAGGCACAGAGTTAAGAAGAAG
TCTGTGCAATTCAGAGGAAAAGCCAAAGTGGCCATTAGACACACTTTCCATGCAGCATTTGC
CAGTAGGTTTCATATAAACTACAAAATGGAATAAACCCTACAAATGGGAAAAGCCTGATA
CTAGAATTTAAATATTCACCCAGGCTCAAGGGGTGTTTCATGGAGTAATATCACTCTATAAA
AGTAGGGCAGCCAATTATTCACAGACAAAGCTTTTTTTTTTTCTGTGCTGCAGTGCTGTTTTT
CGGCTGATCCAGGGTTACTTATTGTGGGTCTGAGAGCTGAATGATTTCTCCTTGTGTCTATGT
TGGTGAAGGAGATATGGCCAGGGGGAGATGAGCATGTTCAAGAGGAAACGTTGCATTTTGGT
GGCTTGGGAGAAAGGTAGAACGATATCAGGTCCATAGTGTCACTAAGAGATCTGAAGGATGG

29/39

TTTTACAGAACAGTTGACTTGGCTGGGTGCAGGCTTGGCTGTAAATGGATGGAAGGATGGAC
AGATGGGTGGACAGAGATTTCTGTGCAGGAGATCATCTCCTGAGCTCGGTGCTTGACAGACT
GCAGATCCATCCCATAACCTTCTCCAGCATGAGAGCGCGGGGAGCTTTGGTACTGTTTCAGTC
TGCTGCTTGTTGCTTCCTGGGTGCACAGTGGTGATTTTCTTACTCACACAGGGCAAAAACCT
GAGCAGCTTCAAAGTGAACAGGTTGCTCTCATAGGCCATTTCAGTTGTCAAGATGAGGTTTTT
GGTTTCTTGTTTTGTAAAGGTGGGAAGAAGCACTGAAGGATCAGTTGCGAGGGCAGGGGTTTA
GCACTGTTTCAGAGAAGTCTTATTTTAACTCCTCTCATGAACAAAAAGAGATGCAGGTGCAGA
TTCTGGCAAGCATGCAGTGAAGGAGAAAGCCCTGAATTTCTGATATATGTGCAATGTTGGGC
ACCTAACATTCCCCGCTGAAGCACAGCAGCTCCAGCTCCATGCAGTACTCACAGCTGGTGCA
GCCCTCGGCTCCAGGGTCTGAGCAGTGCTGGGACTCACGAGGTTCCATGTCTTTCACACTGA
TAATGGTCCAATTTCTGGAATGGGTGCCCATCCTTGAGAGTCCCCAAGGCCAGGCTGGCTGC
GTCTCCGAGCAGCCCGATCTGGTGGTGAGTAGCCAGCCCATGGCAGGAGTTAGAGCCTGATG
GTCTTTAAGGTCCCTTCCAACCTAAGCCATCCTACGATTCTAGGAATCATGACTTGTGAGTG
TGTATTGCAGAGGCAATATTTTAAAGTTATAAATGTTTTCTCCCCTTCCTTGTTTGTCAAAG
TTATCTTGATCGCCTTATCAATGCTTTTGGAGTCTCCAGTCATTTTTCTTACAMCAAAAAGA
GGAGGAAGAATGAAGAGAATCATTTAATTTCTTGATTGAATAGTAGGATTCAGAAAGCTGTA
CGTAATGCCGTCTCTTTGTATCGAGCTGTAAGGTTTCTCATCATTTATCAGCGTGGTACATA
TCAGCACTTTTCCATCTGATGTGGAAAAAAAATCCTTATCATCTACAGTCTCTGTACCTAA
ACATCGCTCAGACTCTTTACCAAAAAAGCTATAGGTTTTTAAACTACATCTGCTGATAATTT
GCCTTGTTTTAGCTCTTCTTCCATATGCTGCGTTTTGTGAGAGGTGCGTGGATGGGCCTAAAC
TCTCAGCTGCTGAGCTTGATGGGTGCTTAAGAATGAAGCACTCACTGCTGAAACTGTTTTCA
TTTCACAGGAATGTTTTAGTGGCATTGTTTTTATAACTACATATTCCTCAGATAAATGAAAT
CCAGAAATAATTATGCAAACCTCACTGCATCCGTTGCACAGGTCTTTATCTGCTAGCAAAGGA
AATAATTTGGGGATGGCAAAAACATTCCTTCAGACATCTATATTTAAAGGAATATAATCCTG
GTACCCACCCACTTCATCCCTCATTATGTTTCACTCAGAGATACTCATTCTCTTGTTGTTA
TCATTTGATAGCGTTTTCTTTGTTCTTTGCCACGCTCTGGGCTATGGCTGCACGCTCTGCA
CTGATCAGCAAGTAGATGCGAGGGAAGCAGCAGTGAGAGGGGCTGCCCTCAGCTGGCACCCA
GCCGCTCAGCCTAGGAGGGGACCTTGCCTTTCCACCAGCTGAGGTGCAGCCCTACAAGCTTA
CACGTGCTGCGAGCAGGTGAGCAAAGGGAGTCTTCATGGTGTGTTTCTTGCTGCCCGGAAGC
AAAACTTTACTTTTCAATTCATTCCCCTTGAAGAATGAGGAATGTTTGGAAACGGACTGCTTTA
CGTTCAATTTCTCTCTTCCCTTTAAGGCTCAGCCAGGGGGCCATTGCTGAGGACGGCATCGGG
GCCCCCTGGACCAAATCTGTGGCACAGATGGTTTTCACTTACATCAGTGGATGTGGGATCTGC
GCCTGTAATGTGTCTTCTGAAGGAAGGAACGTGCCCTTCCAAGTGCCAGCCCCACAGCCCCC
AGCCCCCTCCCTGTGCTGCTCCAATTCATCTCCTCTTCTCCTCTTCTCCCTTTGCTGTTTGTGC
TCGGGTAGAAATCATGAAGATTTAGAAGAGAAAAACAAATAACTGGAGTGGAAACCCAGGTG
ATGCAGTTCATTCAGCTGTCATAGGTTTGTGCTTGTATAGGTCTGTATCAGAGATGCTARC
ACCACTTTGCTGTGCGGTGCTTAACCTCGGGTGAACCTCTCCTTCACTCGCATCATTTGCGGGCC
TTATTTACATCCCCAGCATCCATCACCCCTCTGGGAAAATGGGCGCACTGGATCTCTAATGGA
AGACTTTCCCTCTTTTCAAGAGCCTGTGGGATGTGCAGTGACAAGAAACGTGGAGGGGCTGAGC
AGCAGCACTGCCCCCAGGGAGCAGGAGCGGATGCCATCGGTGGCAGCATCCCAAATGATGTC
AGCGGATGCTGAGCAGGCAGCGGACGAACGGACAGAAGCGATGCGTACACCTTCTGTTGACA
TGGTATTTGGCAGCGATTTAACAACCTCGCTTCCTAGTCTGCTATTCTCCACAGGCTGCATTC
AAATGAACGAAGGGAAGGGAGGCAAAAAGATGCAAAATCCGAGACAAGCAGCAGAAATATTT
CTTCGCTACGGAAGCGTGCGCAACAACCTTCTCCAACAGCACCCAGAAGAGCACAGCGTAAC
CTTTTTCAAGACCAGAAAAGGAAATTCACAAAGCCTCTGTGGATAACCAGCGCGTTCAGCTCT
CCTGATAGCAGATTTCTTGTGTCAGGTTGCGAATGGGGTATGGTGCCAGGAGGTGCAGGGACCA
TATGATCATATACAGCACAGCAGTCATTGTGCATGTATTAATATATATTGAGTAGCAGTGTT
ACTTTGCCAAAGCAATAGTTTCAAGATGAGTCCTGCTGCATACCTCTATCTTAAACTAACT
TATAAATAGTAAAACCTTCTCAGTTCAGCCACGTGCTCCTCTCTGTCAGCACCAATGGTGCT
TCGCTGCAACCCAGCTGCAAGGAATCAGCCCGTGATCTCATTAACACTCAGCTCTGCAGGAT
AAATTAGATTGTTCCACTCTCTTTTGTGTTAATTACGACGGAACAATTGTTTCAGTGCTGAT
GGTCCTAATTGTCAGCTACAGAAAACGTCTCCATGCAGTTCCTTCTGCGCCAGCAAACTGTC

30/39

CAGGCTATAGCACCGTGATGCATGCTACCTCTCACTCCATCCTTCTTCTTTCCCACCAGG
GAGAGCTGTGTGTTTTCACTCTCAGCCACTCTGAACAATACCAAACCTGCTACGCACTGCCTC
CCTCGGAAAGAGAATCCCCTTGTTGCTTTTTTTATTTACAGGATCCTTCTTAAAAAGCAGACC
ATCATTTCACTGCAAACCCAGAGCTTCATGCCTCTCCTTCCACAACCGAAAACAGCCGGCTTC
ATTTGTCTTTTTTTAAATGCTGTTTTTCCAGGTGAATTTTGGCCAGCGTGTGGCTGAGATCCA
GGAGCACGTGTCAGCTTTCTGCTCTCATTGCTCCTGTTCTGCATTGCCTCTTTCTGGGGTTT
CCAAGAGGGGGGGGAGACTTTGCGCGGGGATGAGATAATGCCCCCTTTTCTTAGGGTGGCTGCT
GGGCAGCAGAGTGGCTCTGGGTCACTGTGGCACCAATGGGAGGCACCAGTGGGGGTGTGTTT
TGTGCAGGGGGGAAGCATTACAGAATGGGGCTGATCCTGAAGCTTGCAGTCCAAGGCTTTG
TCTGTGTACCCAGTGAAATCCTTCTCTGTTACATAAAGCCCAGATAGGACTCAGAAATGTA
GTCATTTCCAGCCCCCTCTTCTCAGATCTGGAGCAGCACTTGTTTGCAGCCAGTCCTCCCC
AAAATGCACAGACCTCGCCGAGTGGAGGGAGATGTAAACAGCGAAGGTTAATTACCTCCTTG
TCAAAAACACTTTGTGGTCCATAGATGTTTCTGTCAATCTTACAAAACAGAACCGAGAGGCA
GCGAGCACTGAAGAGCGTGTTCCTCATGCTGAGTTAATGAGACTTGGCAGCTCGCTGTGCAGA
GATGATCCCTGTGCTTCATGGGAGGCTGTAACTGTCTCCCCATCGCCTTCACACCGCAGTG
CTGTCTGACACCTCACCTCCATAAGCTGTAGGATGCAGCTGCCCAGGGATCAAGAGACT
TTTCTAAGGCTCTTAGGACTCATCTTTGCCGCTCAGTAGCGTGCAGCAATTACTCATCCCA
ACTATACTGAATGGGTTTCTGCCAGCTCTGCTTGTTTGTCAATAAGCATTTCCTTCATTTTGC
CTCTAAGTTTCTCTCAGCAGCACCGCTCTGGGTGACCTGAGTGGCCACCTGGAACCCGAGGG
GCACAGCCACCACCTCCCTGTTGCTGCTGCTCCAGGGACTCATGTGCTGCTGGATGGGGGGA
AGCATGAAGTTCCTCACCCAGACACCTGGGTTGCAATGGCTGCAGCGTGCTCTTCTTGGTAT
GCAGATTGTTTCCAGCCATTACTTGTAGAAATGTGCTGTGGAAGCCCTTTGTATCTCTTTCT
GTGGCCCTTCAGCAAAAGCTGTGGGAAAGCTCTGAGGCTGCTTTCTTGGGTCTGAGGAAT
TGTATGTTCTTTCTTTAAACAAAAATTATCCTTAGGAGAGAGCACTGTGCAAGCATTGTGCAC
ATAAAACAATTCAGGTTGAAAGGGCTCTCTGGAGGTTTCCAGCCTGACTACTGCTCGAAGCA
AGGCCAGGTTCAAAGATGGCTCAGGATGCTGTGTGCCTTCTGATTATCTGTGCCACCAATG
GAGGAGATTACAGCCACTCTGCTTCCCGTGCCACTCATGGAGAGGAATATTCCCTTATATT
CAGATAGAATGTTATCCTTTAGCTCAGCCTTCCCTATAACCCCATGAGGGAGCTGCAGATCC
CCATACTCTCCCCCTTCTCTGGGGTGAAGGCCGTGTCCCCCAGCCCCCTTCCCACCCTGTGC
CCTAAGCAGCCCGCTGGCCTCTGCTGGATGTGTGCCCTATATGTCAATGCCTGTCTTGCAGT
CCAGCCTGGGACATTTAATTCATCACCCAGGGTAATGTGGAACCTGTGTCTCTTCCCCTGCAG
GGTACAAAGTTCCTGCACGGGGTCTTTTCGGTTTCCAGGAAAACCTTCACTGGTGCTACCTGAAT
CAAGCTCTATTTAATAAGTTCATAAGCACATGGATGTGTTTTCTCTAGAGATACGTTTTTAATG
GTATCAGTGATTTTTATTTGCTTTTGTGCTTACTTCAAACAGTGCCTTTGGGCAGGAGGTGA
GGGACGGGTCTGCCGTTGGCTCTGCAGTGATTTCTCCAGGCGTGTGGCTCAGGTCAGATAGT
GGTCACTCTGTGGCCAGAAGAAGGACAAAGATGGAAATTGCAGATTGAGTCACGTTAAGCAG
GCATCTTGGAGTGATTTGAGGCAGTTTCATGAAAGAGCTACGACCACTTATTGTTGTTTTCC
CCTTTTACAACAGAAGTTTTTCATCAAAATAACGTGGCAAAGCCCAGGAATGTTTGGGAAAAG
TGTAAGTTAAATGTTTTGTAAATTCATTTGTGCGAGTGCTACCAGCTAAGAAAAAAGTCCTACC
TTTGGTATGGTAGTCCTGCAGAGAATACAACATCAATATTAGTTTGGAAAAAACACCACCA
CCACCAGAAACTGTAATGGAAAATGTAAACCAAGAAATTCCTTGGGTAAGAGAGAAAGGATG
TCGTATACTGGCCAAGTCCTGCCCAGCTGTGAGCCTGCTGACCCTCTGCAGTTCAGGACCAT
GAAACGTGGCACTGTAAGACGTGTCCCCTGCCCTTTGCTTGCCACAGATCTCTGCCCTTGTG
CTGACTCCTGCACACAAGAGCATTTCCCTGTAGCCAAACAGCGATTAGCCATAAGCTGCACC
TGACTTTGAGGATTAAGAGTTTGTCAATTAAGTGGATTGCAGCAGGAGATCAGTGGCAGGGTT
GCAGATGAAATCCTTTTCTAGGGGTAGCTAAGGGCTGAGCAACCTGTCCTACAGCACAAGCC
AAACCAGCCAAGGGTTTTCTGTGCTGTTCACAGAGGCAGGGCCAGCTGGAGCTGGAGGAGG
TTGTGCTGGGACCTTCTCCCTGTGCTGAGAATGGAGTGATTTCTGGGTGCTGTTCTGTGG
CTTGCACTGAGCAGCTCAAGGGAGATCGGTGCTCCTCATGCAGTGCCAAAACCTCGTGTTTGA
TGCAGAAAGATGGATGTGCACCTCCCTCCTGCTAATGCAGCCGTGAGCTTATGAAGGCAATG
AGCCCTCAGTGCAGCAGGAGCTGTAGTGCACCTCCTGTAGGTGCTAGGGAAAATCTCTGGTTC
CCAGGGATGCATTCATAAGGGCAATATATCTTGAGGCTGCGCCAAATCTTTCTGAAATATTC

31/39

ATGCGTGTTCCCTTAATTTATAGAAACAAACACAGCAGAATAATTATTCCAATGCCTCCCT
CGAAGGAAACCCATATTTCCATGTAGAAATGTAACCTATATACACACAGCCATGCTGCATCC
TTCAGAACGTGCCAGTGCTCATCTCCCATGGCAAAATACTACAGGTATTCTCACTATGTTGG
ACCTGTGAAAGGAACCATGGTAAGAACTTCGGTTAAAGGTATGGCTGCAAACTACTCATA
CCAAAACAGCAGAGCTCCAGACCTCCTCTTAGGAAAGAGCCACTTGGAGAGGGATGGTGTGA
AGGCTGGAGGTGAGAGACAGAGCCTGTCCCAGTTTTCTGTCTCTATTTTCTGAAACGTTTG
CAGGAGGAAAGGACAACCTGTACTTTCAGGCATAGCTGGTGCCCTCACGTAAATAAGTTCCTCC
GAACTTCTGTGTCATTTGTTCTTAAGATGCTTTGGCAGAACACTTTGAGTCAATTCGCTTAA
CTGTGACTAGGTCTGTAAATAAGTGCTCCCTGCTGATAAGGTTCAAGTGACATTTTGTAGTGG
TATTTGACAGCATTTACCTTGCTTTCAAGTCTTCTACCAAGCTCTTCTATACTTAAGCAGTG
AAACCGCCAAGAAACCTTCCTTTTTATCAAGCTAGTGCTAAATAACCATTAACTTCATAGGTT
AGATACGGTGCTGCCAGCTTCACCTGGCAGTGGTTGGTCAGTTCTGCTGGTGACAAAGCCTC
CCTGGCCTGTGCTTTTACCTAGAGGTGAATATCCAAGAATGCAGAACTGCATGGAAAGCAGA
GCTGCAGGCACGATGGTGCTGAGCCTTAGCTGCTTCCTGCTGGGAGATGTGGATGCAGAGAC
GAATGAAGGACCTGTCCCTTACTCCCTCAGCATTTCTGTGCTATTTAGGGTTCTACCAGAGT
CCTTAAGAGGTTTTTTTTTTTTTTGGTCCAAAAGTCTGTTTGTGTTGGTTTTGACCACTGAGA
GCATGTGACACTTGTCTCAAGCTATTAACCAAGTGTCCAGCCAAAATCAATTGCCTGGGAGA
CGCAGACCATTACCTGGAGGTGAGGACCTCAATAAATATTACCAGCCTCATTGTGCCGCTGA
CAGATTCAGCTGGCTGCTCCGTGTTCCAGTCCAACAGTTCGGACGCCACGTTTGTATATATT
TGCAGGCAGCCTCGGGGGGACCATCTCAGGAGCAGAGCACCGGCAGCCGCTGCAGAGCCGG
GCAGTACCTCACCATGGCTTTGACCTTTGCCTTACTGGTGGCTCTCCTGGTGCTGAGCTGCA
AGAGCAGCTGCTCTGTGGGCTGCGATCTGCCTCAGACCCACAGCCTGGGCAGCAGGAGGACC
CTGATGCTGCTGGCTCAGATGAGGAGAATCAGCCTGTTTAGCTGCCTGAAGGATAGGCACGA
TTTTGGCTTTCCTCAAGAGGAGTTTGGCAACCAGTTTCAGAAGGCTGAGACCATCCCTGTGC
TGCACGAGATGATCCAGCAGATCTTTAACCTGTTTAGCACCAAGGATAGCAGCGCTGCTTGG
GATGAGACCCTGCTGGATAAGTTTTACACCGAGCTGTACCAGCAGCTGAACGATCTGGAGGC
TTGCGTGATCCAGGGCGTGGGCGTGACCGAGACCCCTCTGATGAAGGAGGATAGCATCCTGG
CTGTGAGGAAGTACTTTCAGAGGATCACCTGTACCTGAAGGAGAAGAAGTACAGCCCCTGC
GCTTGGGAAGTCGTGAGGGCTGAGATCATGAGGAGCTTTAGCCTGAGCACCAACCTGCAAGA
GAGCTTGAGGTCTAAGGAGTAAAAAGTCTAGAGTCGGGGCGGCCGGCCGCTTCGAGCAGACA
TGATAAGATACATTGATGAGTTTGGACAAACCACAACCTAGAATGCAGTGAAAAAATGCTTT
ATTTGTGAAATTTGTGATGCTATTGCTTTATTTGTAAACCATTTATAAGCTGCAATAAACAAGT
TAACAACAACAATTGCATTCATTTTATGTTTCAGGTTTCAGGGGGAGGTGTGGGAGGTTTTTT
AAAGCAAGTAAAACCTCTACAAATGTGGTAAAATCGATACCGTCGACCTCGACTAGAGCGGC
CACTAACATACGCTCTCCATCAAAACAAAACGAAACAAAACAACTAGCAAAATAGGCTGTC
CCCAGTGCAAGTGCAGGTGCCAGAACATTTCTCTATCGATAGGTACCGAGCTCTTACGCGTG
CTAGCCCTCGAGCAGGATCTATACATTGAATCAATATTGGCAATTAGCCATATTAGTCATTG
GTTATATAGCATAAATCAATATTGGCTATTGGCCATTGCATACGTTGTATCTATATCATAAT
ATGTACATTTATATTGGCTCATGTCCAATATGACCGCCATGTTGACATTGATTATTGACTAG
TTATTAATAGTAATCAATTACGGGGTCATTAGTTCATAGCCCATATATGGAGTTCCGCGTTA
CATAACTTACGGTAAATGGCCCCGCTGGCTGACCGCCCAACGACCCCCGCCCATTGACGTCA
ATAATGACGTATGTTCCCATAGTAACGCCAATAGGGACTTTCCATTGACGTCAATGGGTGGA
GTATTTACGGTAAACTGCCCACTTGGCAGTACATCAAGTGTATCATATGCCAAGTCCGCCCC
CTATTGACGTCAATGACGGTAAATGGCCCGCTGGCATTATGCCCAGTACATGACCTTACGG
GACTTTCCTACTTGGCAGTACATCTACGTATTAGTCATCGCTATTACCATGGTGATGCGGTT
TTGGCAGTACATCAATGGGCGTGGATAGCGGTTTGACTCACGGGGATTTCGAAGTCTCCACC
CCATTGACGTCAATGGGAGTTTGTGTTTGGCACCAAAATCAACGGGACTTTCCAAAATGTCTG
AACAACTCCGCCCCATTGACGCAAAATGGGCGGTAGGCGTGACGGTGGGAGGTCTATATAAG
CAGAGCTCGTTTAGTGAACCGTCAGATCGCCTGGAGACGCCATCCACGCTGTTTTGACCTCC
ATAGAAGACACCGGGACCGATCCAGCCTCCCTCGAAGCTCGACTCTAGGGGCTCGAGATCT
GCGATCTAAGTAAGCTTGCATGCCTGCAGGTGCGCCGCCACGACCGGTGCCGCCACCATCCC
CTGACCCACGCCCCCTGACCCCTCACAAGGAGACGACCTTCATGACCGAGTACAAGCCACG

32/39

GTGCGCCTCGCCACCCGCGACGACGTCCCCGGGCGGTACGCACCCTCGCCGCCGCGTTTCGC
CGACTACCCCGCCACGCGCCACACCGTCGACCCGGACCGCCACATCGAGCGGGTCACCGAGC
TGCAAGAACTCTTCCTCACGCGCGTCGGGCTCGACATCGGCAAGGTGTGGGTCGCGGACGAC
GGCGCCGCGGTGGCGGTCTGGACCACGCCGGAGAGCGTCGAAGCGGGGGCGGTGTTCCGCCGA
GATCGGCCCGCGCATGGCCGAGTTGAGCGGTTCCTGGCTGGCCGCGCAGCAACAGATGGAAG
GCCTCCTGGCGCCGCACCGGCCCAAGGAGCCCGCGTGGTTCCTGGCCACCGTCGGCGTCTCG
CCCGACCACCAGGGCAAGGGTCTGGGCAGCGCCGTCGTGCTCCCCGGAGTGGAGGCGGCCGA
GCGCGCCGGGGTGCCCGCCTTCCTGGAGACCTCCGCGCCCCGCAACCTCCCCTTCTACGAGC
GGCTCGGCTTCACCGTCACCGCCGACGTGAGGTGCCCGAAGGACCGCGCACCTGGTGCATG
ACCCGCAAGCCCGGTGCCTGACGCCCCGCCACGACCCGCGAGCGCCCGACCGAAAGGAGCGC
ACGACCCCATGGCTCCGACCGAAGCCGACCCGGGCGGGCCCCGCGACCCCGCACCCGCCCCCC
GAGGCCACCGACTCTAGAGTCGGGGCGGGCCGGCCGCTTCGAGCAGACATGATAAGATACAT
TGATGAGTTTGGACAAACCACAACCTAGAATGCAGTGAAAAAATGCTTTATTTGTGAAATTT
GTGATGCTATTGCTTTATTTGTAAACCATTATAAGCTGCAATAAACAAGTTAACAACAACAAT
TGCATTCATTTTATGTTTCAGGTTTCAGGGGGAGGTGTGGGAGGTTTTTTTAAAGCAAGTAAAA
CCTCTACAAATGTGGTAAAATCGATAAGGATCAATTCCGGCTTCAGGTACCGTCGACGATGTA
GGTCACGGTCTCGAAGCCGCGGTGCGGGTGCCAGGGCGTGCCCTTGGGCTCCCCGGGCGCGT
ACTCCACCTCACCCATCTGGTCCATCATGATGAACGGGTGAGGTGGCGGTAGTTGATCCCG
GCGAACGCGCGGCGCACCGGGAAGCCCTCGCCCTCGAAACCGCTGGGCGCGGTGGTCACGGT
GAGCACGGGACGTGCGACGGCGTCGGCGGGTGCGGATACGCGGGGCAGCGTCAGCGGGTTCT
CGACGGTCACGGCGGGCATGTCGACAGCCGAATTGATCCGTGACCGATGCCCTTGAGAGCC
TTCAACCCAGTCAGCTCCTTCCGGTGGGCGCGGGGCATGACTATCGTCGCCGCACTTATGAC
TGTCTTCTTTATCATGCAACTCGTAGGACAGGTGCCGGCAGC

Fig. 16

33/39

pRSV-C31int (SEQ ID NO: 9)

CTGCATTAAATGAATCGGCCAACGCGCGGGGAGAGGCGGTTTGGCTATTGGGCGCTCTTCC
GCTTCCTCGCTCACTGACTCGCTGCGCTCGGTCGTTCCGGCTGCGGCGAGCGGTATCAGCT
CACTCAAAGGCGGTAATACGGTTATCCACAGAATCAGGGGATAACGCAGGAAAGAACATG
TGAGCAAAAGGCCAGCAAAAGGCCAGGAACCGTAAAAAGGCCGCGTTGCTGGCGTTTTTC
CATAGGCTCCGCCCCCTGACGAGCATCACAAAAATCGACGCTCAAGTCAGAGGTGGCGA
AACCCGACAGGACTATAAAGATACCAGGCGTTTCCCCCTGGAAGCTCCCTCGTGCGCTCT
CCTGTTCCGACCCTGCCGCTTACCGGATACCTGTCCGCCTTTCTCCCTTCGGGAAGCGTG
GCGCTTTCTCAATGCTCACGCTGTAGGTATCTCAGTTCCGGTGTAGGTCGTTTCGCTCCAAG
CTGGGCTGTGTGCACGAACCCCCCGTTTCAGCCCGACCGCTGCGCCTTATCCGGTAACTAT
CGTCTTGAGTCCAACCCGGTAAGACACGACTTATCGCCACTGGCAGCAGCCACTGGTAAC
AGGATTAGCAGAGCGAGGTATGTAGGCGGTGCTACAGAGTTCTTGAAGTGGTGGCCTAAC
TACGGCTACACTAGAAGGACAGTATTTGGTATCTGCGCTCTGCTGAAGCCAGTTACCTTC
GGAAAAAGAGTTGGTAGCTCTTGATCCGGCAAACAAACCACCGCTGGTAGCGGTGGTTTT
TTTGTTTGCAAGCAGCAGATTACGCGCAGAAAAAAGGATCTCAAGAAGATCCTTTGATC
TTTTCTACGGGGTCTGACGCTCAGTGGAACGAAAACCTCACGTTAAGGGATTTTGGTCATG
AGATTATCAAAAAGGATCTTCACCTAGATCCTTTTAAATTAAAAATGAAGTTTTAAATCA
ATCTAAAGTATATATGAGTAACTTGGTCTGACAGTTACCAATGCTTAATCAGTGAGGCA
CCTATCTCAGCGATCTGTCTATTTTCGTTTCATCCATAGTTGCCTGACTCCCCGTCGTGTAG
ATAACTACGATACGGGAGGGCTTACCATCTGGCCCCAGTGCTGCAATGATACCGCGAGAC
CCACGCTCACCGGCTCCAGATTTATCAGCAATAAACCAGCCAGCCGGAAGGGCCGAGCGC
AGAAGTGGTCCTGCAACTTTATCCGCCTCCATCCAGTCTATTAATTGTTGCCGGGAAGCT
AGAGTAAGTAGTTTCGCCAGTTAATAGTTTTCGCAACGTTGTTGCCATTGCTACAGGCATC
GTGGTGTACGCTCGTCGTTTGGTATGGCTTCATTCAGCTCCGGTTCCCAACGATCAAGG
CGAGTTACATGATCCCCCATGTTGTGCAAAAAGCGGTTAGCTCCTTCGGTCCCTCCGATC
GTTGTGAGAAGTAAGTTGGCCGAGTGTTATCACTCATGGTTATGGCAGCACTGCATAAT
TCTCTTACTGTCATGCCATCCGTAAGATGCTTTTCTGTGACTGGTGAGTACTCAACCAAG
TCATTCTGAGAATAGTGTATGCGGCGACCGAGTTGCTCTTGCCCGGCGTCAATACGGGAT
AATACCGCGCCACATAGCAGAACTTTAAAAGTGCTCATCATTTGGAAAACGTTCTTCGGGG
CGAAAACCTCTCAAGGATCTTACCGCTGTTGAGATCCAGTTCGATGTAACCCACTCGTGCA
CCCAACTGATCTTCAGCATCTTTTACTTTTACCAGCGTTTCTGGGTGAGCAAAAACAGGA
AGGCAAAATGCCGCAAAAAGGGGAATAAGGGCGACACGGAAATGTTGAATACTCATACTC
TTCCTTTTTCAATATTATTGAAGCATTTATCAGGGTTATTGTCTCATGAGCGGATACATA
TTTGAATGTATTTAGAAAAATAAACAAATAGGGGTTCCGCGCACATTTCCCGAAAAGTG
CCACCTGACGTCGACGGATCGGGAGATCTCCCGATCCCCATGGTTCGACTCTCAGTACAA
TCTGCTCTGATGCCGCATAGTTAAGCCAGTATCTGCTCCCTGCTTGTGTGTTGGAGGTG
CTGAGTAGTGCGCGAGCAAAATTTAAGCTACAACAAGGCAAGGCTTGACCGACAATTGCA
TGAAGAATCTGCTTAGGGTTAGGCGTTTTGCGCTGCTTCGCGATGTACGGGCCAGATATA
CGCGTGCTAGGGGTCTAGGATCGATTCTAGGAATTCTCTAGCCGCGGTCTAGGGATCCCG
GCGCGTATGGTGCACTCTCAGTACAATCTGCTCTGATGCCGCATAGTTAAGCCAGTATCT
GCTCCCTGCTTGTGTGTTGGAGGTCGCTGAGTAGTGCGCGAGCAAAATTTAAGCTACAAC
AAGGCAAGGCTTGACCGACAATTGCATGAAGAATCTGCTTAGGGTTAGGCGTTTTGCGCT
GCTTCGCGATGTACGGGCCAGATATACGCGTATCTGAGGGGACTAGGGTGTGTTTAGGCG
AAAAGCGGGGCTTCGGTTGTACGCGGTTAGGAGTCCCCTCAGGATATAGTAGTTTCGCTT
TTGCATAGGGAGGGGGAAATGTAGTCTTATGCAATACACTTGTAGTCTTGCAACATGGTA
ACGATGAGTTAGCAACATGCCCTTACAAGGAGAGAAAAAGCACCGTGATGCCGATTGGTG
GAAGTAAGGTGGTACGATCGTGCTTATTAGGAAGGCAACAGACAGGTCTGACATGGATT
GGACGAACCACTGAATTCCGCATTGCAGAGATAATTGTATTTAAGTGCCTAGCTCGATAC
AATAAACGCCATTTGACCATTCACCACATTTGGTGTGCACCTCCAAGCTTGCATGCCTGCA
GGTACCGGTCCGGAATTCCCGGGTTCGACGAGCTCACTAGTCGTAGGGTTCGCGACATGAC
ACAAGGGGTGTGACCGGGGTGGACACGTACGCGGGTGCTTACGACCGTCAGTCGCGCGA

34/39

GCGCGAGAATTTCGAGCGCAGCAAGCCCAGCGACACAGCGTAGCGCCAACGAAGACAAGGC
GGCCGACCTTCAGCGCGAAGTCGAGCGCGACGGGGGCGGTTTCAGGTTTCGTCTGGGCATTT
CAGCGAAGCGCCGGGCACGTCGGCGTTTCGGGACGGCGGAGCGCCCGGAGTTTCGAACGCAT
CCTGAACGAATGCCGCGCCGGGCGGCTCAACATGATCATTTGTCTATGACGTGTCTGCGCTT
CTCGCGCCTGAAGGTCATGGACGCGATTCCGATTGTCTCGGAATTGCTCGCCCTGGGCGT
GACGATTGTTTCCACTCAGGAAGGCGTCTTCCGGCAGGGAAACGTCATGGACCTGATTCA
CCTGATTATGCGGCTCGACGCGTCGCACAAAGAATCTTCGCTGAAGTCGGCGAAGATTCT
CGACACGAAGAACCTTCAGCGCGAATTGGGCGGGTACGTCTGGCGGGGAAGGCGCCTTACGG
CTTCGAGCTTGTTTCGGAGACGAAGGAGATCACGCGCAACGGCCGAATGGTCAATGTCGT
CATCAACAAGCTTGCGCACTCGACCACTCCCCTTACCGGACCCCTTCGAGTTTCGAGCCCGA
CGTAATCCGGTGGTGGTGGCGTGAGATCAAGACGCACAAACACCTTCCCTTCAAGCCGGG
CAGTCAAGCCGCCATTACCCGGGCAGCATCACGGGGCTTTGTAAGCGCATGGACGCTGA
CGCCGTGCCGACCCGGGGCGAGACGATTGGGAAGAAGACCGCTTCAAGCGCCTGGGACCC
GGCAACCGTTATGCGAATCCTTCGGGACCCGCGTATTGCGGGCTTCGCCGCTGAGGTGAT
CTACAAGAAGAAGCCGGACGGCACGCCGACCACGAAGATTGAGGGTTACCGCATTTCAGCG
CGACCCGATCACGCTCCGGCCGGTTCGAGCTTGATTGCGGACCGATCATCGAGCCCGCTGA
GTGGTATGAGCTTCAGGCGTGGTTGGACGGCAGGGGGCGCGGCAAGGGGGCTTCCCGGGG
GCAAGCCATTCTGTCCGCCATGGACAAGCTGTACTGCGAGTGTGGCGCCGTCATGACTTC
GAAGCGCGGGGAAGAATCGATCAAGGACTCTTACCGCTGCCGTGCCGGAAGGTGGTCTGA
CCCGTCCGCACCTGGGCAGCACGAAGGCACGTGCAACGTCAGCATGGCGGCACTCGACAA
GTTTCGTTGCGGAACGCATCTTCAACAAGATCAGGCACGCCGAAGGCGACGAAGAGACGTT
GGCGCTTCTGTGGGAAGCCGCCCGACGCTTCGGCAAGCTCACTGAGGCGCCTGAGAAGAG
CGGCGAACGGGCGAACCTTGTTGCGGAGCGCGCCGACGCCCTGAACGCCCTTGAAGAGCT
GTACGAAGACCGCGCGGCAGGCGCGTACGACGGACCCGTTGGCAGGAAGCACTTCCGGAA
GCAACAGGCAGCGCTGACGCTCCGGCAGCAAGGGGCGGAAGAGCGGCTTGCCGAACCTGA
AGCCGCCGAAGCCCCGAAGCTTCCCTTGACCAATGGTTCCCCGAAGACGCCGACGCTGA
CCCGACCGGCCCTAAGTCGTGGTGGGGGCGCGCGTCAGTAGACGACAAGCGCGTGTTCGT
CGGGCTCTTCGTAGACAAGATCGTTGTCACGAAGTCGACTACGGGCAGGGGGCAGGGAAC
GCCCATCGAGAAGCGCGCTTCGATCACGTGGGCGAAGCCGCCGACCGACGACGACGAAGA
CGACGCCCAGGACGGCACGGAAGACGTAGCGGCGTAGCGAGACACCCGGATCCCTCGAGG
GGCCCTATTCTATAGTGTACCTAAATGCTAGAGCTCGCTGATCAGCCTCGACTGTGCCT
TCTAGTTGCCAGCCATCTGTTGTTTGCCCCCTCCCCCGTGCCTTCCTTGACCCTGGAAGGT
GCCACTCCCCTGTCCTTTCCTAATAAAATGAGGAAATTGCATCGCATTTGTCTGAGTAGG
TGTCATTCTATTCTGGGGGGTGGGGTGGGGCAGGACAGCAAGGGGGAGGATTGGGAAGAC
AATAGCAGGCATGCTGGGGATGCGGTGGGCTCTATGGCTTCTGAGGCGGAAAGAACCAGG
TGCCAGTCATAGCCGAATAGCCTCTCCACCCAAGCGGCCGGAGAACCTGCGTGCAATCC
ACTGGGGGCGCG

Fig. 17

35/39

pCR-XL-TOPO-CMV-PUR-attB (SEQ ID NO: 10)

AGCGCCCAATACGCAAACCGCCTCTCCCCGCGCGTTGGCCGATTTCATTAATGCAGCTGGC
ACGACAGGTTTCCCGACTGGAAAGCGGGCAGTGAGCGCAACGCAATTAATGTGAGTTAGC
TCACTCATTAGGCACCCCAGGCTTTACACTTTATGCTTCCGGCTCGTATGTTGTGTGGAA
TTGTGAGCGGATAACAATTTACACAGGAAACAGCTATGACCATGATTACGCCAAGCTAT
TTAGGTGACGCGTTAGAATACTCAAGCTATGCATCAAGCTTGGTACCGAGCTCGGATCCA
CTAGTAACGGCCGCCAGTGTGCTGGAATTCGCCCTTGGCCGCAATAAAATATCTTTATTT
TCATTACATCTGTGTGTTGGTTTTTTTGTGTGAATCGATAGTACTAACATACGCTCTCCAT
CAAAACAAAACGAAACAAAACAACTAGCAAAATAGGCTGTCCCAGTGCAAGTGCAGGT
GCCAGAACATTTCTCTATCGATAGGTACCGAGCTCTTACGCGTGCTAGCCCTCGAGCAGG
ATCTATACATTGAATCAATATTGGCAATTAGCCATATTAGTCATTGGTTATATAGCATAA
ATCAATATTGGCTATTGGCCATTGCATACGTTGTATCTATATCATAATATGTACATTTAT
ATTGGCTCATGTCCAATATGACCGCCATGTTGACATTGATTATTGACTAGTTATTAATAG
TAATCAATTACGGGGTCATTAGTTCATAGCCCATATATGGAGTTCGCGGTTACATAACTT
ACGGTAAATGGCCCGCCTGGCTGACCGCCCAACGACCCCCGCCCATTGACGTCAATAATG
ACGTATGTTCCCATAGTAACGCCAATAGGGACTTTCATTGACGTCAATGGGTGGAGTAT
TTACGGTAAACTGCCCACTTGGCAGTACATCAAGTGTATCATATGCCAAGTCCGCCCCCT
ATTGACGTCAATGACGGTAAATGGCCCGCCTGGCATTATGCCCAGTACATGACCTTACGG
GACTTTCCTACTTGGCAGTACATCTACGTATTAGTCATCGCTATTACCATGGTGATGCGG
TTTTGGCAGTACATCAATGGGCGTGGATAGCGGTTTGA CTCACGGGGATTTC CAAGTCTC
CACCCCATTTGACGTCAATGGGAGTTTGT TTTGGCACCAAAATCAACGGGACTTTCCAAA
TGTCGTAACTCCGCCCCATTGACGCAAATGGGCGGTAGGCGTGTACGGTGGGAGGTC
TATATAAGCAGAGCTCGTTTAGTGAACCGTCAGATCGCCTGGAGACGCCATCCACGCTGT
TTTGACCTCCATAGAAGACACCGGGACCGATCCAGCCTCCCCTCGAAGCTCGACTCTAGG
GGCTCGAGATCTGCGATCTAAGTAAGCTTGCATGCCTGCAGGTCCGCGCCACGACCGGT
GCCGCCACCATCCCCTGACCCACGCCCCCTGACCCCTCACAAGGAGACGACCTTCCATGAC
CGAGTACAAGCCCACGGTGC GCCTCGCCACCCGCGACGACGTCCCCCGGGCCGTACGCAC
CCTCGCCGCGCGCTTCGCCGACTACCCCGCCACGCGCCACACCGTCCGACCCGGACCGCCA
CATCGAGCGGGTCACCGAGCTGCAAGAACTCTTCCTCAGCGCGTCCGGCTCGACATCGG
CAAGGTGTGGGTCCGCGACGACGGCGCCGCGGTGGCGGTCTGGACCACGCCGGAGAGCGT
CGAAGCGGGGGCGGTGTTCGCCGAGATCGGCCCCGCGCATGGCCGAGTTGAGCGGTTC CCG
GCTGGCCGCGCAGCAACAGATGGAAGGCCTCCTGGCGCCGCACCGGCCCAAGGAGCCCGC
GTGGTTCCTGGCCACCGTCCGCGTCTCGCCCCGACCACCAGGGCAAGGGTCTGGGCAGCGC
CGTCGTGCTCCCCGGAGTGGAGGCGGCCGAGCGCGCCGGGTGCCCGCCTTCTTGAGAC
CTCCGCGCCCCGCAACCTCCCCTTCTACGAGCGGCTCGGCTTCACCGTCACCGCCGACGT
CGAGGTGCCCGAAGGACCGCGCACCTGGTGCATGACCCGCAAGCCCGGTGCCCTGACGCCC
GCCCCACGACCCGCGAGCGCCCGACCGAAAGGAGCGCACGACCCCATGGCTCCGACCGAAG
CCGACCCGGGCGGGCCCCCGCCGACCCCGCACCCGCCCCCGAGGCCACCGACTCTAGAGTC
GGGGCGGCGGGCCGCTTCGAGCAGACATGATAAGATACATTGATGAGTTTGGACAAACCA
CAACTAGAATGCAGTGAAAAAAATGCTTTATTTGTGAAATTTGTGATGCTATTGCTTTAT
TTGTAACCATTTATAAGCTGCAATAAACAAGTTAACAACAACAATTGCATTCATTTTATGT
TTCAGGTTTCAAGGGGAGGTGTGGGAGGTTTTTTTAAAGCAAGTAAAACCTCTACAAATGTG
GTAAAATCGATAAGGATCAATTCGGCTTCAGGTACCGTCGACGATGTAGGTACCGTCTC
GAAGCCGCGGTGCGGGTGCCAGGGCGTGCCCTTGGGCTCCCCGGGCGCGTACTCCACCTC
ACCCATCTGTTCCATCATGATGAACGGGTTCGAGGTGGCGGTAGTTGATCCCGGCGAACGC
GCGGCGCACCGGGAAGCCCTCGCCCTCGAAACCGCTGGGCGCGGTGGTACCGGTGAGCAC
GGGACGTGCGACGGCGTCCGGCGGGTGC GGATACGCGGGGCAGCGTCAGCGGGTTCTCGAC
GGTACGGCGGGCATGTGACAGCCGAATTGATCCGTCGACCGATGCCCTTGAGAGCCTT
CAACCCAGTCAGCTCCTTCCGGTGGGCGCGGGGCATGACTATCGTCGCCCGCACTTATGAC
TGTCTTCTTTATCATGCAACTCGTAGGACAGGTGCCGGCAGCGCTCTTCCGCTTCTCTCGC
TCACTGACTCGCTGCGCTCGGTCTGTTCTGGCTGCGGCGAGCGGTATCAGCTCACTCAAAGG
CGGTAATACGGTTATCCACAGAATCAGGGGATAACGCAGGAAAGAACATGAAGGGCGAAT
TCTGCAGATATCCATCACACTGGCGGCCGCTCGAGCATGCATCTAGAGGGCCCAATTCGC
CCTATAGTGAGTCGTATTACAATTCAGTGGCCGTCTGTTTACAAACGTCGTGACTGGGAAA
ACCCTGGCGTTACCCAACCTAATCGCCTTG CAGCACATCCCCCTTTCGCCAGCTGGCGTA

36/39

ATAGCGAAGAGGCCCCGCACCGATCGCCCTTCCCAACAGTTGCGCAGCCTATACGTACGGC
AGTTTAAAGGTTTACACCTATAAAAGAGAGAGCCGTTATCGTCTGTTTGTGGATGTACAGA
GTGATATTATTGACACGCCGGGGCGACGGATGGTGATCCCCCTGGCCAGTGCACGTCTGC
TGTCAGATAAAGTCTCCCGTGAACTTTACCCGGTGGTGATATCGGGGATGAAAGCTGGC
GCATGATGACCACCGATATGGCCAGTGTGCCGGTCTCCGTTATCGGGGAAGAAGTGGCTG
ATCTCAGCCACCGCGAAAATGACATCAAAAACGCCATTAACTGATGTTCTGGGGAATAT
AAATGTCAGGCATGAGATTATCAAAAAGGATCTTCACCTAGATCCTTTTCACGTAGAAAG
CCAGTCCGCAGAAAACGGTGCTGACCCCGGATGAATGTCAGCTACTGGGCTATCTGGACAA
GGGAAAACGCAAGCGCAAAGAGAAAGCAGGTAGCTTGCAGTGGGCTTACATGGCGATAGC
TAGACTGGGCGGTTTTATGGACAGCAAGCGAACCAGGAATTGCCAGCTGGGGCGCCCTCTG
GTAAGGTTGGGAAGCCCTGCAAAGTAAACTGGATGGCTTTCTCGCCGCCAAGGATCTGAT
GGCGCAGGGGATCAAGCTCTGATCAAGAGACAGGATGAGGATCGTTTTCGCATGATTGAAC
AAGATGGATTGCACGCAGGTTCTCCGGCCGCTTGGGTGGAGAGGCTATTCCGGCTATGACT
GGGCACAACAGACAATCGGCTGCTCTGATGCCGCCGTGTTCCGGCTGTCAGCGCAGGGGC
GCCCCGTTCTTTTTGTCAAGACCGACCTGTCCGGTGCCCTGAATGAACTGCAAGACGAGG
CAGCGCGGCTATCGTGGCTGGCCACGACGGGCGTTCTTGGCGCAGCTGTGCTCGACGTTG
TCACTGAAGCGGGAAGGGACTGGCTGCTATTGGGCGAAGTGCCGGGGCAGGATCTCCTGT
CATCTCACCTTGCTCCTGCCGAGAAAGTATCCATCATGGCTGATGCAATGCGGCGGCTGC
ATACGCTTGATCCGGCTACCTGCCCATTCGACCACCAAGCGAAACATCGCATCGAGCGAG
CACGTACTCGGATGGAAGCCGGTCTTGTGATCAGGATGATCTGGACGAAGAGCATCAGG
GGCTCGCGCCAGCCGAACGTGTTCCGCCAGGCTCAAGGCGAGCATGCCCGACGGCGAGGATC
TCGTCTGTGACCCATGGCGATGCCTGCTTGCCGAATATCATGGTGGAAAATGGCCGCTTTT
CTGGATTCATCGACTGTGGCCGGCTGGGTGTGGCGGACCGCTATCAGGACATAGCGTTGG
CTACCCGTGATATTGCTGAAGAGCTTGGCGGCGAATGGGCTGACCGCTTCTCTGTGCTTT
ACGGTATCGCCGCTCCCGATTTCGCAGCGCATCGCCTTCTATCGCCTTCTTGACGAGTTCT
TCTGAATTATTAAACGCTTACAATTTCTGATGCGGTATTTTCTCCTTACGCATCTGTGCG
GTATTTTACACCGCATAACAGGTGGCACTTTTCGGGGAAATGTGCGCGGAACCCCTATTTG
TTTATTTTTCTAAATACATTCAAATATGTATCCGCTCATGAGACAATAACCCTGATAAAT
GCTTCAATAATAGCACGTGAGGAGGGCCACCATGGCCAAGTTGACCAGTGCCGTTCCGGT
GCTCACCGCGCGCGACGTCCGCCGAGCGGTGAGTTCTGGACCGACCGGCTCGGGTTCTC
CCGGGACTTCGTGGAGGACGACTTCGCCGGTGTGGTCCGGGACGACGTGACCTGTTCAT
CAGCGCGGTCCAGGACCAGGTGGTGCCGACAACACCCTGGCCTGGGTGTGGGTGCGCGG
CCTGGACGAGCTGTACGCCGAGTGGTCCGAGGTGCTGTCCACGAACCTTCCGGGACGCCTC
CGGGCCGGCCATGACCGAGATCGGCGAGCAGCCGTGGGGGCGGGAGTTCCGCCCTGCGCGA
CCCCGGCCGGCAACTGCGTGCACTTCGTGGCCGAGGAGCAGGACTGACACGTGCTAAACT
TCATTTTTTAATTTAAAAGGATCTAGGTGAAGATCCTTTTTTGATAATCTCATGACCAAAT
CCCTTAACGTGAGTTTTTCGTTCCACTGAGCGTCAGACCCCGTAGAAAAGATCAAAGGATC
TTCTTGAGATCCTTTTTTTCTGCGCGTAATCTGCTGCTTGCAAACAAAAAACACCGCT
ACCAGCGGTGGTTTTGTTTGGCCGATCAAGAGCTACCAACTCTTTTTCCGAAGGTAACCTGG
CTTCAGCAGAGCGCAGATAACCAATACTGTCTTCTAGTGTAGCCGTAGTTAGGCCACCA
CTTCAAGAACTCTGTAGCACCGCCTACATACCTCGCTCTGCTAATCCTGTTACCAGTGGC
TGCTGCCAGTGGCGATAAGTCTGTCTTACCGGGTTGGACTCAAGACGATAGTTACCGGA
TAAGGCGCAGCGGTCCGGCTGAACGGGGGGTTCTGTGCACACAGCCCAGCTTGGAGCGAAC
GACCTACACCGAACTGAGATACCTACAGCGTGAGCTATGAGAAAGCGCCACGCTTCCCGA
AGGGAGAAAGGCGGACAGGTATCCGGTAAGCGGCAGGGTCCGGAACAGGAGAGCGCACGAG
GGAGCTTCCAGGGGGAAACGCCTGGTATCTTTATAGTCTGTGCGGTTTCGCCACCTCTG
ACTTGAGCGTCGATTTTTGTGATGCTCGTCAGGGGGGCGGAGCCTATGGAAAAACGCCAG
CAACGCGGCCTTTTTACGGTTCCTGGGCTTTTGCTGGCCTTTTGCTCACATGTTCTTTCC
TGCGTTATCCCTGATTCTGTGGATAACCGTATTACCGCCTTTGAGTGAGCTGATACCGC
TCGCCGCAGCCGAACGACCGAGCGCAGCGAGTCAGTGAGCGAGGAAGCGGAAG ,

FIG. 18

37/39

attP (SEQ ID NO: 11)

GACTAGTACTGACGGACACACCGAAGCCCCGGCGGCAACCCTCAGCGGATGCCCCGGGGCTT
CACGTTTTTCCCAGGTCAGAAGCGGTTTTTCGGGAGTAGTGCCCCAACTGGGGTAACCTTTGAG
TTCTCTCAGTTGGGGGCGTAGGGTCGCCGACATGACACAAGGGGTTGTGACCGGGGTGGACA
CGTACGCGGGTGCTTACGACCGTCAGTCGCGCGAGCGCGACTAGTACA

Fig. 19




Fig. 20




Fig. 21

Integrase.ST25
SEQUENCE LISTING

<110> AviGenics, Inc

<120> Avian Integrase-mediated Transformation

<130> A181 1080.1

<160> 12

<170> PatentIn version 3.2

<210> 1

<211> 6230

<212> DNA

<213> Plasmid pCMV-31int

```

<400> 1
cattcgccat tcaggctgcg caactgttgg gaagggcgat cgggtgcgggc ctcttcgcta      60
ttacgccagc caatacgcaa accgcctctc cccgcgcggt ggccgattca ttaatgcagg      120
atcgatccag acatgataag atacattgat gagtttggac aaaccacaac tagaatgcag      180
tgaaaaaaat gctttatttg tgaaatttgt gatgctattg ctttatttgt aaccattata      240
agctgcaata aacaagttaa caacaacaat tgcattcatt ttatgtttca ggttcagggg      300
gaggtgtggg aggtttttta aagcaagtaa aacctctaca aatgtggtat ggctgattat      360
gatcatgaac agactgtgag gactgagggg cctgaaatga gccttggggac tgtgaatcta      420
aaatacacia acaattagaa tcactagctc ctgtgtataa tattttcata aatcatactc      480
agtaagcaaa actctcaagc agcaagcata tgcagctagt ttaacacatt atacacttaa      540
aaattttata ttaccttag agctttaaat ctctgtaggt agtttgtcca attatgtcac      600
accacagaag taaggttcct tcacaaagat cccaagctag cttataatac gactcactat      660
agggagagag ctatgacgtc gcatgcacgc gtaagcttgg gcccctcgag ggatccgggt      720
gtctcgctac gccgctacgt cttccgtgcc gtcctggggc tcgtcttcgt cgtcgtcggg      780
cggcggcttc gccacgtga tcgaagcgcg cttctcgatg ggcgttcctt gcccctgcc      840
cgtagtcgac ttcgtgacaa cgatcttgtc tacgaagagc ccgacgaaca cgcgcttgtc      900
gtctactgac gcgcgcccc accacgactt agggccgggtc gggtcagcgt cggcgtcttc      960
ggggaaccat tgggtcaagg gaagcttcgg ggcttcggcg gcttcaagtt cggcaagccg     1020
ctcttccgcc ccttgctgcc ggagcgtcag cgctgcctgt tgcttccgga agtgcttcct     1080
gccaacgggt ccgtcgtacg cgctgccgc gcggtcttcg tacagctctt caagggcggt     1140
cagggcgctc gcgcgctccg caacaagggt cgcccgttcg ccgctcttct caggcgctc     1200
agtgagcttg ccgaagcgtc gggcggcttc ccacagaagc gccaacgtct cttcgtcgcc     1260
ttcggcgtgc ctgatcttgt tgaagatgcg ttccgcaacg aacttgtcga gtgccgcat     1320
gctgacgttg cacgtgcctt cgtgctgccc aggtgcggac gggtcgacca cttccggcg     1380
acggcagcgg taagagtcct tgatcgattc ttccccgcgc ttcgaagtca tgacggcgcc     1440
acactcgcag tacagcttgt ccatggcgga cagaatggct tgccccggg aaagcccctt     1500

```

Integrase.ST25

gccgcgcccc	ctgccgtcca	accacgcctg	aagctcatac	cactcagcgg	gctcgatgat	1560
cgggtccgcaa	tcaagctcga	ccggccggag	cgtgatcggg	tcgcgctgaa	tgcggtaacc	1620
ctcaatcttc	gtggtcggcg	tgccgtccgg	cttcttcttg	tagatcacct	cagcggcgaa	1680
gcccgcataa	cgcggttccc	gaaggattcg	cataacgggt	gccgggtccc	aggcgcttga	1740
agcgggtcttc	ttcccaatcg	tctcgccccg	ggtcggcacg	gcgtcagcgt	ccatgcgctt	1800
acaaagcccc	gtgatgctgc	ccgggtgaat	ggcggcttga	ctgcccgggt	tgaagggaag	1860
gtgtttgtgc	gtcttgatct	cacgccacca	ccaccggatt	acgtcggggt	cgaactcgaa	1920
gggtccggta	aggggagtg	tcgagtgcgc	aagcttggtg	atgacgacat	tgaccattcg	1980
gccgttgcg	gtgatctcct	tcgtctccga	aacaagctcg	aagccgtaag	gcgccttccc	2040
gccgacgtac	ccgccaatt	cgcgctgaag	gttcttcgtg	tcgagaatct	tcgccgactt	2100
cagcgaagat	tctttgtgcg	acgcgtcgag	ccgcataatc	aggtgaatca	gggtccatgac	2160
gtttccctgc	cggaagacgc	cttcctgagt	ggaacaatc	gtcacgcca	gggcgagcaa	2220
ttccgagaca	atcggaatcg	cgtccatgac	cttcaggcgc	gagaagcgcg	acacgtcata	2280
gacaatgatc	atgttgagcc	gcccggcgcg	gcattcggtc	aggatgcgtt	cgaactccgg	2340
gcgctccgcc	gtcccgaacg	ccgacgtgcc	cggcgcttcg	ctgaaatgcc	cgacgaacct	2400
gaaccggccc	ccgtcgcgct	cgacttcgcg	ctgaagggtcg	gccgccttgt	cttcggttggc	2460
gctacgctgt	gtcgctgggc	ttgctgcgct	cgaattctcg	cgctcgcgcg	actgacggtc	2520
gtaagcacc	gcgtacgtgt	ccaccccggt	cacaaccct	tgtgtcatgt	cggcgaccct	2580
acgactagtg	agctcgtcga	cccgggaatt	ccggaccggt	acctgcaggc	gtaccttcta	2640
tagtgtcacc	taaatagctt	tttgcaaaag	cctaggctag	agtccggagg	ctggatcggt	2700
cccgggtgtct	tctatggagg	tcaaaacagc	gtggatggcg	tctccaggcg	atctgacggt	2760
tcactaaacg	agctctgctt	atatagacct	cccaccgtac	acgcctaccg	cccatttgcg	2820
tcaatggggc	ggagttgtta	cgacattttg	gaaagtccc	ttgatttttg	tgccaaaaca	2880
aactcccatt	gacgtcaatg	gggtggagac	ttggaaatcc	ccgtgagtca	aaccgctatc	2940
cacgcccatt	gatgtactgc	caaaaccgca	tcaccatggt	aatagcgatg	actaatacgt	3000
agatgtactg	ccaagtagga	aagtcccata	aggatcatgta	ctgggcataa	tgccaggcgg	3060
gccatttacc	gtcattgacg	tcaatagggg	gcgtacttgg	catatgatac	acttgatgta	3120
ctgccaaagt	ggcagtttac	cgtaaatact	ccaccattg	acgtcaatgg	aaagtcccta	3180
ttggcggttac	tatgggaaca	tacgtcatta	ttgacgtcaa	tgggcggggg	tcgttggg	3240
gtcagccagg	cgggccattt	accgtaagtt	atgtaacgac	ctgcacgatg	ctgtttcctg	3300
tgtgaaattg	ttatccgctc	acaattccac	acattatacg	agccggaagc	tataaagtgt	3360
aaagcctggg	gtgcctaata	agtgaagg	cctcgtatac	gcctattttt	atagggtta	3420
gtcatgataa	taatggtttc	ttagacgtca	gggtggcactt	ttcggggaaa	tgtgcgcgga	3480
accctatttt	gtttattttt	ctaaatacat	tcaaatatgt	atccgctcat	gagacaataa	3540

Integrase.ST25

ccctgataaa	tgcttcaata	atattgaaaa	acgcgcgaat	tgcaagctct	gcattaatga	3600
atcggccaac	gcgcggggag	aggcggtttg	cgtattgggc	gctcttccgc	ttcctcgctc	3660
actgactcgc	tgcgctcggt	cgttcggctg	cggcgagcgg	tatcagctca	ctcaaaggcg	3720
gtaatacggg	tatccacaga	atcaggggat	aacgcaggaa	agaacatgtg	agcaaaaaggc	3780
cagcaaaaagg	ccaggaaccg	taaaaaggcc	gcgttgctgg	cgtttttcca	taggctccgc	3840
ccccctgacg	agcatcacia	aaatcgacgc	tcaagtcaga	ggtaggcgaaa	cccgacagga	3900
ctataaagat	accaggcggt	tccccctgga	agctccctcg	tgcgctctcc	tgttccgacc	3960
ctgccgctta	ccggatacct	gtccgccttt	ctcccttcgg	gaagcgtggc	gctttctcaa	4020
tgctcacgct	gtaggtatct	cagttcggtg	taggtcggtc	gctccaagct	gggctgtgtg	4080
cacgaacccc	ccgttcagcc	cgaccgctgc	gccttatccg	gtaactatcg	tcttgagtcc	4140
aaccgcgtaa	gacacgactt	atcgccactg	gcagcagcca	ctggtaacag	gattagcaga	4200
gcgaggtatg	taggcgggtg	tacagagttc	ttgaagtggg	ggcctaacta	cggctacact	4260
agaaggacag	tatttggtat	ctgcgctctg	ctgaagccag	ttaccttcgg	aaaaagagtt	4320
ggtagctctt	gatccggcaa	acaaaccacc	gctggtagcg	gtgggtttttt	tgtttgcaag	4380
cagcagatta	cgcgcagaaa	aaaaggatct	caagaagatc	ctttgatctt	ttctacgggg	4440
tctgacgctc	agtggaacga	aaactcacgt	taagggatctt	tggtcatgcc	ataacttcgt	4500
atagcataca	ttatacgaag	ttatggcatg	agattatcaa	aaaggatctt	cacctagatc	4560
cttttaaatt	aaaaatgaag	ttttaaatca	atctaaagta	tatatgagta	aacttggtct	4620
gacagttacc	aatgcttaat	cagtgaggca	cctatctcag	cgatctgtct	atttcgttca	4680
tccatagttg	cctgactccc	cgtcgtgtag	ataactacga	tacgggaggg	cttaccatct	4740
ggccccagtg	ctgcaatgat	accgcgagac	ccacgctcac	cggctccaga	tttatcagca	4800
ataaaccagc	cagccggaag	ggccgagcgc	agaagtgggtc	ctgcaacttt	atccgcctcc	4860
atccagtcta	ttaattggtg	ccgggaagct	agagtaagta	gttcgccagt	taatagtttg	4920
cgcaacgttg	ttgccattgc	tacaggcatc	gtgggtgtcac	gctcgtcggt	tggtatggct	4980
tcattcagct	ccggttccca	acgatcaagg	cgagttacat	gatcccccat	gttgtgcaaa	5040
aaagcggtta	gctccttcgg	tcctccgatc	gttggtcagaa	gtaagttaggc	cgcagtggtta	5100
tcactcatgg	ttatggcagc	actgcataat	tctcttactg	tcatgccatc	cgtaagatgc	5160
ttttctgtga	ctgggtgagta	ctcaaccaag	tcatcttgag	aatagtgtat	gcggcgaccg	5220
agttgctctt	gcccggcgtc	aatacgggat	aataccgcgc	cacatagcag	aactttaaaa	5280
gtgctcatca	ttggaaaacg	ttcttcgggg	cgaaaactct	caaggatctt	accgctgttg	5340
agatccagtt	cgatgtaacc	cactcgtgca	cccaactgat	cttcagcatc	ttttactttc	5400
accagcgttt	ctgggtgagc	aaaaacagga	aggcaaaatg	ccgcaaaaaa	gggaataagg	5460
gcgacacgga	aatgttgaat	actcatactc	ttcctttttc	aatattattg	aagcatttat	5520
cagggttatt	gtctcatgcc	aggggtgggc	acacatatct	gataccagcg	atccctacac	5580

Integrase.ST25

agcacataat tcaatgcgac ttccctctat cgcacatctt agacctttat tctccctcca 5640
 gcacacatcg aagctgccga gcaagccgtt ctcaccagtc caagacctgg catgagcgga 5700
 tacatatattg aatgtattta gaaaaataaa caaatagggg ttccgcgcac atttccccga 5760
 aaagtgccac ctgaaattgt aaacgttaat attttggtta aattcgcgtt aaatttttgt 5820
 taaatcagct catTTTTTaa ccaataggcc gaaatcggca aaatccctta taaatcaaaa 5880
 gaatagaccg agatagggtt gagtggtgtt ccagtttgga acaagagtcc actattaaag 5940
 aacgtggact ccaacgtcaa agggcgaaaa accgtctatc agggcgatgg cccactacgt 6000
 gaaccatcac cctaataaag ttttttgggg tcgaggtgcc gttaaagcact aaatcggaac 6060
 cctaaaggga gcccccgatt tagagcttga cggggaaagc cggcgaaacgt ggcgagaaag 6120
 gaagggaaga aagcgaaagg agcgggcgct agggcgctgg caagtgtagc ggtcacgctg 6180
 cgcgtaacca ccacacccgc cgcgcttaat gcgccgctac agggcgcgctc 6230

<210> 2
 <211> 5982
 <212> DNA
 <213> Plasmid pCMV-luc-attB

<400> 2
 ctctatcgat aggtaccgag ctcttacgcg tgctagccct cgagcaggat ctatacattg 60
 aatcaatatt ggcaattagc catattagtc attgggtata tagcataaat caatattggc 120
 tattggccat tgcatacgtt gtatctatat cataatatgt acatttatat tggctcatgt 180
 ccaatatgac cgccatgttg acattgatta ttgactagtt attaatagta atcaattacg 240
 gggtcattag ttcatagccc atatatggag ttccgcggtta cataacttac ggtaaattggc 300
 ccgcctggct gaccgccccaa cgacccccgc ccattgacgt caataatgac gtatgttccc 360
 atagtaacgc caatagggac tttccattga cgtcaatggg tggagtattt acggtaaact 420
 gccacttg gacgtacatca agtgtatcat atgccaaagtc cggccccctat tgacgtcaat 480
 gacggtaaatt ggccgcctg gcattatgcc cagtacatga ccttacggga ctttcctact 540
 tggcagtaca tctacgtatt agtcatcgct attaccatgg tgatgcggtt ttggcagtac 600
 atcaatgggc gtggatagcg gtttgactca cggggatttc caagtctcca cccattgac 660
 gtcaatggga gtttgttttg gcaccaaata caacgggact ttccaaaatg tcgtaacaac 720
 tccgccccat tgacgcaaata gggcggtagg cgtgtacggg gggagggtcta tataagcaga 780
 gctcgttttag tgaaccgtca gatcgcttg agacgccatc cacgctgttt tgacctccat 840
 agaagacacc gggaccgatc cagcctcccc tcgaagctcg actctagggg ctcgagatct 900
 gcgatctaag taagcttggc attccggtac tgttggtaaa gccaccatgg aagacgcaa 960
 aaacataaag aaaggccccg cgccattcta tccgctggaa gatggaaccg ctggagagca 1020
 actgcataag gctatgaaga gatacgccct ggttcctgga acaattgctt ttacagatgc 1080
 acatatcgag gtggacatca cttacgctga gtacttcgaa atgtccgttc gggtggcaga 1140
 agctatgaaa cgatatgggc tgaatacaaa tcacagaatc gtcgtatgca gtgaaaactc 1200

Integrase.ST25

tcttcaattc	tttatgccgg	tgttgggagc	gttatattatc	ggagttgcag	ttgcgcccgc	1260
gaacgacatt	tataatgaac	gtgaattgct	caacagtatg	ggcatttcgc	agcctaccgt	1320
ggtgttcggt	tccaaaaagg	ggttgcaaaa	aattttgaac	gtgcaaaaaa	agctcccaat	1380
catccaaaaa	attattatca	tggattctaa	aacggattac	cagggatttc	agtcgatgta	1440
cacgttcgtc	acatctcatc	tacctcccgg	ttttaatgaa	tacgattttg	tgccagagtc	1500
cttcgatagg	gacaagacaa	ttgcactgat	catgaactcc	tctggatcta	ctgggtctgcc	1560
taaagggtgc	gctctgcctc	atagaactgc	ctgcgtgaga	ttctcgcgatg	ccagagatcc	1620
tattttttggc	aatcaaatca	ttccggatac	tgcgatttta	agtgttggtc	cattccatca	1680
cggtttttggg	atgttttacta	cactcggata	tttgatatgt	ggatttcgag	tcgtcttaat	1740
gtatagattt	gaagaagagc	tgtttctgag	gagccttcag	gattacaaga	ttcaaagtgc	1800
gctgctggtg	ccaaccctat	tctccttctt	cgccaaaagc	actctgattg	acaataacga	1860
tttatctaata	ttacacgaaa	ttgcttctgg	tggcgctccc	ctctctaagg	aagtcgggga	1920
agcggttgcc	aagagggtcc	atctgccagg	tatcaggcaa	ggatatgggc	tcactgagac	1980
tacatcagct	attctgatta	cacccgaggg	ggatgataaa	ccgggagcgg	tcggtaaagt	2040
tgttccattt	tttgaagcga	aggttggtga	tctggatacc	gggaaaacgc	tgggcggtta	2100
tcaaagaggc	gaactgtgtg	tgagagggtc	tatgattatg	tccgggttatg	taaacaatcc	2160
ggaagcgacc	aacgccttga	ttgacaagga	tggtatggct	cattctggag	acatagctta	2220
ctgggacgaa	gacgaacact	tcttcatcgt	tgaccgcctg	aagtctctga	ttaagtacaa	2280
aggctatcag	gtggctcccc	ctgaattgga	atccatcttg	ctccaacacc	ccaacatctt	2340
cgacgcaggt	gtcgcagggt	ttcccagcga	tgacgcccgt	gaacttcccc	ccgccgttgt	2400
tgtttttgag	cacggaaaga	cgatgacgga	aaaagagatc	gtggattacg	tcgccagtca	2460
agtaacaacc	gcgaaaaagt	tgcgcgagg	agttgtgttt	gtggacgaag	taccgaaagg	2520
tcttaccgga	aaactcgacg	caagaaaaat	cagagagatc	ctcataaagg	ccaagaagg	2580
cggaaagatc	gccgtgtaat	tctagagtcg	gggcggccgg	ccgcttcgag	cagacatgat	2640
aagatacatt	gatgagtttg	gacaaaccac	aactagaatg	cagtgaaaaa	aatgctttat	2700
ttgtgaaatt	tgtgatgcta	ttgctttatt	tgtaaccatt	ataagctgca	ataaacaagt	2760
taacaacaac	aattgcattc	attttatggt	tcagggttcag	ggggagggtgt	gggagggtttt	2820
ttaaagcaag	taaaacctct	acaaatgtgg	taaaatcgat	aaggatcaat	tcggcttcag	2880
gtaccgtcga	cgatgtaggt	cacgggtctcg	aagccgcggg	gcgggtgcca	gggcgtgccc	2940
ttgggctccc	cgggcgcgta	ctccacctca	cccatctggg	ccatcatgat	gaacgggtcg	3000
aggtggcggt	agttgatccc	ggcgaacgcg	cggcgccacc	ggaagccctc	gccctcgaaa	3060
ccgctgggag	cgggtggcac	ggtgagcacg	ggacgtgcga	cggcgtcggc	gggtgcggat	3120
acgcggggca	gcgtcagcgg	gttctcgacg	gtcacggcgg	gcatgtcgac	agccgaattg	3180
atccgtcgac	cgatgccctt	gagagccttc	aaccaggtca	gctccttccg	gtgggagcgg	3240

Integrase.ST25

ggcatgacta	tcgtcgccgc	acttatgact	gtcttcttta	tcatgcaact	cgtaggacag	3300
gtgccggcag	cgctcttccg	cttcctcgct	cactgactcg	ctgcgctcgg	tcgttcggct	3360
gcggcgagcg	gtatcagctc	actcaaaggc	ggtaatacgg	ttatccacag	aatcagggga	3420
taacgcagga	aagaacatgt	gagcaaaagg	ccagcaaaag	gccaggaacc	gtaaaaaggc	3480
cgcgttgctg	gcgtttttcc	ataggctccg	ccccctgac	gagcatcaca	aaaatcgacg	3540
ctcaagtcag	aggtggcgaa	acccgacagg	actataaaga	taccaggcgt	ttccccctgg	3600
aagctccctc	gtgcgctctc	ctgttccgac	cctgccgctt	accggatacc	tgtccgcctt	3660
tctcccttcg	ggaagcgtgg	cgctttctca	atgctcacgc	tgtaggtatc	tcagttcggt	3720
gtaggtcggt	cgctccaagc	tgggctgtgt	gcacgaaccc	cccgttcagc	ccgaccgctg	3780
cgccttatcc	ggtaactatc	gtcttgagtc	caaccgggta	agacacgact	tatcgccact	3840
ggcagcagcc	actggtaaca	ggattagcag	agcgaggat	gtaggcgggtg	ctacagagtt	3900
cttgaagtgg	tggcctaact	acggctacac	tagaaggaca	gtatttggtg	tctgcgctct	3960
gctgaagcca	gttaccttcg	gaaaaagagt	tggtagctct	tgatccggca	aacaaaccac	4020
cgctggtagc	ggtggttttt	ttgtttgcaa	gcagcagatt	acgcgcagaa	aaaaaggatc	4080
tcaagaagat	cctttgatct	tttctacggg	gtctgacgct	cagtggaaacg	aaaactcacg	4140
ttaagggatt	ttggtcatga	gattatcaaa	aaggatcttc	acctagatcc	ttttaaat	4200
aaaatgaagt	tttaaatcaa	tctaaagtat	atatgagtaa	acttggtctg	acagttacca	4260
atgcttaatc	agtgaggcac	ctatctcagc	gatctgtcta	tttcgttcac	ccatagttgc	4320
ctgactcccc	gtcgtgtaga	taactacgat	acgggagggc	ttaccatctg	gccccagtgc	4380
tgcaatgata	ccgcgagacc	cacgctcacc	ggctccagat	ttatcagcaa	taaaccagcc	4440
agccggaagg	gccgagcgca	gaagtgggtc	tgcaacttta	tccgcctcca	tccagtctat	4500
taattgttgc	cgggaagcta	gagtaagtag	ttcgccagtt	aatagtttgc	gcaacgttgt	4560
tgccattgct	acaggcatcg	tgggtgtcacg	ctcgctggtt	ggtatggctt	cattcagctc	4620
cggttcccaa	cgatcaaggc	gagttacatg	atcccccatg	ttgtgcaaaa	aagcggttag	4680
ctccttcggt	cctccgatcg	ttgtcagaag	taagttggcc	gcagtgttat	cactcatggt	4740
tatggcagca	ctgcataatt	ctcttactgt	catgccatcc	gtaagatgct	tttctgtgac	4800
tgggtgagtac	tcaaccaagt	cattctgaga	atagtgtatg	cggcgaccga	gttgctcttg	4860
cccggcgctca	atacgggata	ataccgcgcc	acatagcaga	actttaaaag	tgctcatcat	4920
tggaacacgt	tcttcggggc	gaaaactctc	aaggatctta	ccgctgttga	gatccagttc	4980
gatgtaaccc	actcgtgcac	ccaactgatc	ttcagcatct	tttactttca	ccagcgtttc	5040
tgggtgagca	aaaacaggaa	ggcaaaatgc	cgcaaaaaag	ggaataaggg	cgacacggaa	5100
atgttggaata	ctcatactct	tcctttttca	atattattga	agcattttatc	agggttattg	5160
tctcatgagc	ggatacatat	ttgaatgtat	ttagaaaaat	aaacaaatag	gggttccgcg	5220
cacatttccc	cgaaaagtgc	cacctgacgc	gccctgtagc	ggcgcattaa	gcgcggcggg	5280

Integrase.ST25

```

tgtggtggtt acgcgcagcg tgaccgctac acttgccagc gccctagcgc ccgctccttt 5340
cgctttcttc ccttcctttc tcgccacggt cgccggcttt ccccgtaag ctctaaatcg 5400
ggggctccct ttaggggtcc gatttagtgc tttacggcac ctcgacccca aaaaacttga 5460
ttaggggtgat ggttcacgta gtggggccatc gccctgatag acggttttttc gccctttgac 5520
gttggagtcc acgttcttta atagtggact cttgttccaa actggaacaa cactcaaccc 5580
tatctcggtc tattcttttg atttataagg gatthttgccg atttcggcct attgggttaa 5640
aatgagctg atttaacaaa aatttaacgc gaatttttaac aaaatattaa cgttttacaat 5700
ttcccatcgc ccattcagggc tgcgcaactg ttgggaaggg cgatcgggtgc gggcctcttc 5760
gctattacgc cagcccaagc taccatgata agtaagtaat attaagggtac gggagggtact 5820
tgagagcggcc gcaataaaaat atctttatth tcattacatc tgtgtgttgg ttttttgtgt 5880
gaatcgatag tactaacata cgctctccat caaaacaaaa cgaaacaaaa caaactagca 5940
aataggctg tccccagtgc aagtgcaggt gccagaacat tt 5982

```

```

<210> 3
<211> 5924
<212> DNA
<213> Plasmid pCMV-luc-attP

```

```

<400> 3
ctctatcgat aggtaccgag ctcttacgcg tgctagccct cgagcaggat ctatacattg 60
aatcaatatt ggcaattagc catattagtc attgggtata tagcataaat caatattggc 120
tattggccat tgcatacgtt gtatctatat cataatatgt acattttatat tggctcatgt 180
ccaatatgac cgccatgttg acattgatta ttgactagtt attaatagta atcaattacg 240
gggtcattag ttcatagccc atatatggag ttccgcgtta cataacttac ggtaaatggc 300
ccgcctggct gaccgcccga cgacccccgc ccattgacgt caataatgac gtatgttccc 360
atagtaacgc caatagggac tttccattga cgtcaatggg tggagtattt acggtaaact 420
gcccacttgg cagtacatca agtgtatcat atgccaagtc cgccccctat tgacgtcaat 480
gacggtaaat ggcccgctg gcattatgcc cagtacatga ccttacggga ctttcctact 540
tggcagtaca tctacgtatt agtcatcgct attaccatgg tgatgcgggt ttggcagtac 600
atcaatgggc gtggatagcg gtttgactca cggggatttc caagtctcca cccattgac 660
gtcaatggga gtttgttttg gcaccaaagt caacgggact ttccaaaatg tcgtaacaac 720
tccgccccat tgacgcaaat gggcggtagg cgtgtacggg gggagggtcta tataagcaga 780
gctcgtttag tgaaccgtca gatcgcctgg agacgccatc cacgctgttt tgacctccat 840
agaagacacc gggaccgatc cagcctcccc tcgaagctcg actctagggg ctcgagatct 900
gcgatctaag taagcttggc attccggtac tgttggtaaa gccaccatgg aagacgcca 960
aacataaag aaaggcccgg cgccattcta tccgctggaa gatggaaccg ctggagagca 1020
actgcataag gctatgaaga gatacgccct ggttcctgga acaattgctt ttacagatgc 1080

```

Integrase.ST25

acatatcgag	gtggacatca	cttacgctga	gtacttcgaa	atgtccgttc	ggttggcaga	1140
agctatgaaa	cgatatgggc	tgaatacaaa	tcacagaatc	gtcgtatgca	gtgaaaactc	1200
tcttcaattc	tttatgccgg	tgttgggctc	gttattttatc	ggagttgcag	ttgcgcccgc	1260
gaacgacatt	tataatgaac	gtgaattgct	caacagtatg	ggcatttcgc	agcctaccgt	1320
gggtgttcgtt	tccaaaaagg	ggttgcaaaa	aatttttgaac	gtgcaaaaaa	agctcccaat	1380
catccaaaaa	attattatca	tggattctaa	aacggattac	cagggatttc	agtcgatgta	1440
cacgttcgtc	acatctcatc	tacctcccgg	ttttaatgaa	tacgattttg	tgccagagtc	1500
cttcgatagg	gacaagacaa	ttgcactgat	catgaactcc	tctggatcta	ctgggtctgcc	1560
taaagggtgtc	gctctgcctc	atagaactgc	ctgcgtgaga	ttctcgcattg	ccagagatcc	1620
tatTTTTTggc	aatcaaatca	ttccggatac	tgcgatttta	agtgttggtc	cattccatca	1680
cggTTTTTgga	atgttttacta	cactcggata	tttgatatgt	ggattttcgag	tcgtcttaat	1740
gtatagattt	gaagaagagc	tgTTTTctgag	gagccttcag	gattacaaga	ttcaaagtgc	1800
gctgctggtg	ccaaccctat	tctccttctt	cgccaaaagc	actctgattg	acaataacga	1860
tttatctaat	ttacacgaaa	ttgcttctgg	tggcgctccc	ctctctaagg	aagtcgggga	1920
agcggttgcc	aagaggttcc	atctgccagg	tatcaggcaa	ggatatgggc	tactgagac	1980
tacatcagct	attctgatta	cacccgaggg	ggatgataaa	ccgggctcgg	tcggtaaagt	2040
tgttccattt	tttgaagcga	aggttgtgga	tctggatacc	gggaaaacgc	tgggctgtaa	2100
tcaaagaggc	gaactgtgtg	tgagagggtc	tatgattatg	tccggttatg	taaacaatcc	2160
ggaagcgacc	aacgccttga	ttgacaagga	tggatggcta	cattctggag	acatagctta	2220
ctgggacgaa	gacgaacact	tcttcatcgt	tgaccgcctg	aagtctctga	ttaagtacaa	2280
aggctatcag	gtggtctccg	ctgaattgga	atccatcttg	ctccaacacc	ccaacatctt	2340
cgacgcaggt	gtcgcaggtc	ttcccagcga	tgacgcccgt	gaacttcccg	ccgccgttgt	2400
tgTTTTggag	cacggaaaga	cgatgacgga	aaaagagatc	gtggattacg	tcgccagtca	2460
agtaacaacc	gcgaaaaagt	tgcgcgagg	agttgtgttt	gtggacgaag	taccgaaagg	2520
tcttaccgga	aaactcgacg	caagaaaaat	cagagagatc	ctcataaagg	ccaagaaggg	2580
cggaaagatc	gccgtgtaat	tctagagtcg	gggcggccgg	ccgcttcgag	cagacatgat	2640
aagatacatt	gatgagtttg	gacaaaccac	aactagaatg	cagtgaaaaa	aatgctttat	2700
ttgtgaaatt	tgtgatgcta	ttgctttatt	tgtaaccatt	ataagctgca	ataaacaagt	2760
taacaacaac	aattgcattc	atTTTTatgtt	tcaggttcag	ggggagggtgt	gggagggtttt	2820
ttaaagcaag	taaaacctct	acaaatgtgg	taaaatcgat	aaggatcaat	tcggcttcga	2880
ctagtactga	cggacacacc	gaagccccgg	cggcaaccct	cagcggatgc	cccggggctt	2940
cacgttttcc	caggtcagaa	gcggTTTTtcg	ggagtagtgc	cccaactggg	gtaacctttg	3000
agttctctca	gttggggggcg	tagggctcgcc	gacatgacac	aaggggttgt	gaccgggggtg	3060
gacacgtacg	cgggtgctta	cgaccgtcag	tcgcgcgagc	gcgactagta	caagccgaat	3120

Integrase.ST25

tgatccgtcg	accgatgccc	ttgagagcct	tcaacccagt	cagctccttc	cggtagggcgc	3180
ggggcatgac	tatcgtcgcc	gcacttatga	ctgtcttctt	tatcatgcaa	ctcgtaggac	3240
aggtgccggc	agcgctcttc	cgcttcctcg	ctcactgact	cgctgcgctc	ggtcgttcgg	3300
ctgcggcgag	cggtatcagc	tcactcaaag	gcggtaatac	ggttatccac	agaatcaggg	3360
gataacgcag	gaaagaacat	gtgagcaaaa	ggccagcaaa	aggccaggaa	ccgtaaaaag	3420
gccgcgttgc	tggcgttttt	ccataggctc	cgccccctg	acgagcatca	caaaaatcga	3480
cgctcaagtc	agaggtggcg	aaacccgaca	ggactataaa	gataccaggc	gtttccccct	3540
ggaagctccc	tcgtgcgctc	tcctgttccg	accctgccgc	ttaccggata	cctgtccgcc	3600
tttctccctt	cgggaagcgt	ggcgctttct	caatgctcac	gctgtaggta	tctcagttcg	3660
gtgtaggtcg	ttcgctccaa	gctgggctgt	gtgcacgaac	cccccgttca	gcccgaaccgc	3720
tgcgccttat	ccggtaacta	tcgtcttgag	tccaacccgg	taagacacga	cttatcgcca	3780
ctggcagcag	ccactggtaa	caggattagc	agagcgaggt	atgtaggcgg	tgctacagag	3840
ttcttgaagt	ggtggcctaa	ctacggctac	actagaagga	cagtatttgg	tatctgcgct	3900
ctgctgaagc	cagttacctt	cggaaaaaga	gttggttagct	cttgatccgg	caaacaacc	3960
accgctggta	gcggtggttt	ttttgtttgc	aagcagcaga	ttacgcgcag	aaaaaaagga	4020
tctcaagaag	atcctttgat	cttttctacg	gggtctgacg	ctcagtggaa	cgaaaactca	4080
cgttaaggga	ttttggtcac	gagattatca	aaaaggatct	tcacctagat	cctttttaaat	4140
taaaaatgaa	gtttttaaatc	aatctaaagt	atatatgagt	aaacttggtc	tgacagttac	4200
caatgcttaa	tcagtgaggc	acctatctca	gcgatctgtc	tatttcgttc	atccatagtt	4260
gcctgactcc	ccgtcgtgta	gataactacg	atacgggagg	gcttaccatc	tggccccagt	4320
gctgcaatga	taccgcgaga	cccacgctca	ccggctccag	atttatcagc	aataaaccag	4380
ccagccggaa	gggccgagcg	cagaagtggc	cctgcaactt	tatccgcctc	catccagtct	4440
attaattggt	gccgggaagc	tagagtaagt	agttcgccag	ttaatagttt	gcgcaacggt	4500
gttgccattg	ctacaggcat	cgtgggtgtca	cgctcgtcgt	ttgggtatggc	ttcattcagc	4560
tccggttccc	aacgatcaag	gcgagttaca	tgatccccc	tggtgtgcaa	aaaagcgggt	4620
agctccttcg	gtcctccgat	cgttgtcaga	agtaagttgg	ccgcagtgtt	atcactcatg	4680
gttatggcag	cactgcataa	ttctcttact	gtcatgccat	ccgtaagatg	cttttctgtg	4740
actggtgagt	actcaaccaa	gtcatttctga	gaatagtgtg	tgccggcgacc	gagttgctct	4800
tgcccggcgt	caatacggga	taataccgcg	ccacatagca	gaactttaaa	agtgtctatc	4860
attggaaaac	gttcttcggg	gcgaaaactc	tcaaggatct	taccgctgtt	gagatccagt	4920
tcgatgtaac	ccactcgtgc	acccaactga	tcttcagcat	cttttacttt	caccagcggt	4980
tctgggtgag	caaaaacagg	aaggcaaaat	gccgcaaaaa	aggggaataag	ggcgacacgg	5040
aatgttgaa	tactcatact	cttccttttt	caatattatt	gaagcattta	tcagggttat	5100
tgtctcatga	gcggatacat	atttgaatgt	atttagaaaa	ataaacaat	aggggttccg	5160

Integrase.ST25

cgcacatttc cccgaaaagt gccacctgac gcgccctgta gcggcgcatc aagcgcgggc 5220
 ggtgtggtgg ttacgcgcag cgtgaccgct acacttgcca gcgccctagc gcccgcctcct 5280
 ttcgcttttct tcccttcctt tctcgccacg ttcgccggct ttccccgtca agctctaaat 5340
 cgggggctcc ctttaggggtt ccgatttagt gctttacggc acctcgaccc caaaaaactt 5400
 gattaggggtg atggttcacg tagtgggcca tcgccctgat agacgggtttt tcgccctttg 5460
 acgttgaggat ccacgttctt taatagtggg ctcttggttc aaactggaac aacactcaac 5520
 cctatctcgg tctattcttt tgatttataa gggattttgc cgatttcggc ctattggtta 5580
 aaaaatgagc tgatttaaca aaaatttaac gcgaatttta acaaaatatt aacgtttaca 5640
 atttcccatt cgccattcag gctgcgcaac tggtgggaag ggcgatcggg gcgggcctct 5700
 tcgctattac gccagcccaa gctaccatga taagtaagta atattaaggc acgggaggta 5760
 cttggagcgg ccgcaataaa atatctttat tttcattaca tctgtgtgtt ggttttttgt 5820
 gtgaatcgat agtactaaca tacgctctcc atcaaaacaa aacgaaacaa aacaaactag 5880
 caaaataggc tgtccccagt gcaagtgcag gtgccagaac attt 5924

<210> 4
 <211> 5101
 <212> DNA
 <213> Plasmid pCMV-pur-attB

<400> 4
 ctagagtcgg ggcgcccgcc cgcttcgagc agacatgata agatacattg atgagtttgg 60
 acaaaccaca actagaatgc agtgaaaaaa atgctttatt tgtgaaattt gtgatgctat 120
 tgctttatatt gtaaccatta taagctgcaa taaacaagtt aacaacaaca attgcattca 180
 ttttatgttt cagggttcagg gggagggtgtg ggagggttttt taaagcaagt aaaacctcta 240
 caaatgtggg aaaatcgata aggatcaatt cggcttcagg taccgtcgac gatgtaggtc 300
 acggtctcga agccgcgggtg cgggtgccag ggcgtgccct tgggctcccc gggcgcgtag 360
 tccacctcac ccatctgggt catcatgatg aacgggtcga ggtggcggtg gttgatcccc 420
 gcgaacgcgc ggcgaccggg gaagccctcg ccctcgaaac cgctgggcgc ggtgggtcacg 480
 gtgagcacgg gacgtgcgac ggcgtcggcg ggtgcggata cgcggggcag cgtcagcggg 540
 ttctcgacgg tcacggcggg catgtcgaca gccgaattga tccgtcgacc gatgcccttg 600
 agagccttca acccagtcag ctctttccgg tgggcgcggg gcatgactat cgtcgccgca 660
 cttatgactg tcttctttat catgcaactc gtaggacagg tgccggcagc gctcttccgc 720
 ttctcgctc actgactcgc tgcgctcggg cgttcggctg cggcgagcgg tatcagctca 780
 ctcaaaggcg gtaatacggg tatccacaga atcaggggat aacgcaggaa agaacatgtg 840
 agcaaaaggc cagcaaaagg ccaggaaccg taaaaaggcc gcgttgctgg cgtttttcca 900
 taggctccgc cccctgacg agcatcacia aaatcgacgc tcaagtcaga ggtggcgaaa 960
 cccgacagga ctataaagat accaggcggt tccccctgga agctccctcg tgcgctctcc 1020
 tgttccgacc ctgccgctta ccggatacct gtccgccttt ctcccttcgg gaagcgtggc 1080

Integrase.ST25

gcttttctcaa	tgctcacgct	gtaggtatct	cagttcggtg	taggtcgttc	gctccaagct	1140
gggctgtgtg	cacgaacccc	ccgttcagcc	cgaccgctgc	gccttatccg	gtaactatcg	1200
tcttgagtcc	aacccggtaa	gacacgactt	atcgccactg	gcagcagcca	ctggtaacag	1260
gattagcaga	gcgaggtatg	taggcggtgc	tacagagttc	ttgaagtggc	ggcctaacta	1320
cggctacact	agaaggacag	tatttggtat	ctgcgctctg	ctgaagccag	ttaccttcgg	1380
aaaaagagtt	ggtagctctt	gatccggcaa	acaaaccacc	gctggtagcg	gtggtttttt	1440
tgtttgcaag	cagcagatta	cgcgagaaa	aaaaggatct	caagaagatc	ctttgatctt	1500
ttctacgggg	tctgacgctc	agtggaacga	aaactcacgt	taagggattt	tggtcatgag	1560
attatcaaaa	aggatcttca	cctagatcct	tttaaattaa	aatgaagtt	ttaaatcaat	1620
ctaaagtata	tatgagtaaa	cttggtctga	cagttaccaa	tgcttaatca	gtgaggcacc	1680
tatctcagcg	atctgtctat	ttcgttcatc	catagttgcc	tgactccccg	tcgtgtagat	1740
aactacgata	cgggagggct	taccatctgg	ccccagtgct	gcaatgatac	cgcgagaccc	1800
acgctcaccg	gctccagatt	tatcagcaat	aaaccagcca	gccggaaggg	ccgagcgag	1860
aagtggtcct	gcaactttat	ccgcctccat	ccagtctatt	aattgttgcc	gggaagctag	1920
agtaagtagt	tcgccagtta	atagtttgcg	caacgttggt	gccattgcta	caggcatcgt	1980
ggtgtcacgc	tcgtcgtttg	gtatggcttc	attcagctcc	ggttcccaac	gatcaaggcg	2040
agttacatga	tcccccatgt	tgtgcaaaaa	agcggttagc	tccttcggtc	ctccgatcgt	2100
tgtcagaagt	aagttggccg	cagtgttatc	actcatgggt	atggcagcac	tgcataattc	2160
tcttactgtc	atgccatccg	taagatgctt	ttctgtgact	ggtgagtact	caaccaagtc	2220
attctgagaa	tagtgtatgc	ggcgaccgag	ttgctcttgc	ccggcgtaaa	tacgggataa	2280
taccgcgcca	catagcagaa	ctttaaaagt	gctcatcatt	ggaaaacggt	cttcggggcg	2340
aaaactctca	aggatcttac	cgctgttgag	atccagttcg	atgtaacca	ctcgtgcacc	2400
caactgatct	tcagcatctt	ttactttcac	cagcgtttct	gggtgagcaa	aaacaggaag	2460
gcaaaatgcc	gcaaaaaagg	gaataagggc	gacacggaaa	tgttgaatac	tcatactctt	2520
cctttttcaa	tattattgaa	gcatttatca	gggttattgt	ctcatgagcg	gatacatatt	2580
tgaatgtatt	tagaaaaata	aacaaatagg	ggttccgcgc	acatttcccc	gaaaagtgcc	2640
acctgacgcg	ccctgtagcg	gcgcattaag	cgcggcgggt	gtgggtgggtta	cgcgagcggt	2700
gaccgctaca	cttgccagcg	ccctagcgcc	cgctcctttc	gctttcttcc	cttcctttct	2760
cgccacgttc	gccggctttc	cccgtaagc	tctaaatcgg	gggctccctt	tagggttccg	2820
atttagtgct	ttacggcacc	tcgaccccaa	aaaacttgat	taggggtgatg	gttcacgtag	2880
tgggcatcg	ccctgataga	cggtttttcg	ccctttgacg	ttggagtcca	cgttctttta	2940
tagtggactc	ttgttccaaa	ctggaacaac	actcaaccct	atctcgggtct	attcttttga	3000
tttataaggg	attttgccga	tttcggccta	ttggttaaaa	aatgagctga	tttaacaaaa	3060
atttaacgcg	aattttaaca	aaatattaac	gtttacaatt	tcccatcgc	cattcaggct	3120

Integrase.ST25

gcgcaactgt tgggaagggc gatcgggtgcg ggcctcttcg ctattacgcc agcccaagct 3180
accatgataa gtaagtaata ttaaggtacg ggaggtactt ggagcggccg caataaaata 3240
tctttattttt cattacatct gtgtgttggt tttttgtgtg aatcgatagt actaacatac 3300
gctctccatc aaaacaaaac gaaacaaaac aaactagcaa aataggctgt cccagtgca 3360
agtgcaggtg ccagaacatt tctctatcga taggtaccga gctcttacgc gtgctagccc 3420
tcgagcagga tctatacatt gaatcaatat tggcaattag ccatattagt cattggttat 3480
atagcataaa tcaatattgg ctattggcca ttgcatacgt tgtatctata tcataatatg 3540
tacatttata ttggctcatg tccaatatga ccgccatgtt gacattgatt attgactagt 3600
tattaatagt aatcaattac ggggtcatta gttcatagcc catatatgga gttccgcgtt 3660
acataactta cggtaaatgg ccgcctggc tgaccgcca acgacccccg cccattgacg 3720
tcaataatga cgtatgttcc catagtaacg ccaataggga ctttccattg acgtcaatgg 3780
gtggagtatt tacggtaaac tgcccacttg gcagtacatc aagtgtatca tatgccaagt 3840
ccgcccccta ttgacgtcaa tgacggtaaa tggcccgctt ggcattatgc ccagtacatg 3900
accttacggg actttcctac ttggcagtac atctacgtat tagtcatcgc tattaccatg 3960
gtgatgcggt tttggcagta catcaatggg cgtggatagc ggtttgactc acggggattt 4020
ccaagtctcc accccattga cgtcaatggg agtttgtttt ggcacaaaaa tcaacgggac 4080
tttccaaaat gtcgtaacaa ctccgccccca ttgacgcaaa tgggcggtag gcgtgtacgg 4140
tgggaggtct atataagcag agctcgttta gtgaaccgtc agatcgctg gagacgcat 4200
ccacgctgtt ttgacctca tagaagacac cgggaccgat ccagcctccc ctcgaagctc 4260
gactctaggg gctcgagatc tgcgatctaa gtaagcttgc atgcctgcag gtcggccgcc 4320
acgaccggtg ccgccaccat cccctgaccc acgcccctga cccctcacia ggagacgacc 4380
ttccatgacc gagtacaagc ccacgggtgcg cctcgccacc cgcgacgacg tccccgggc 4440
cgtacgcacc ctcgccgccg cgttcgccga ctaccccgcc acgcgccaca ccgtcgaccc 4500
ggaccgccac atcgagcggg tcaccgagct gcaagaactc ttcctcacgc gcgtcgggct 4560
cgacatcggc aaggtgtggg tcgcggacga cggcgccgcg gtggcggtct ggaccacgcc 4620
ggagagcgtc gaagcggggg cgggtgttcgc cgagatcggc ccgcgcatgg ccgagttgag 4680
cggttccccg ctggccgcgc agcaacagat ggaaggcctc ctggcgccgc accggcccaa 4740
ggagcccgcg tggttcctgg ccaccgtcgg cgtctcgccc gaccaccagg gcaagggtct 4800
gggcagcgcc gtcgtgctcc ccggagtggg ggcggccgag cgcgccgggg tgcccgctt 4860
cctggagacc tccgcgcccc gcaacctccc cttctacgag cggctcggtc tcaccgtcac 4920
cgccgacgtc gaggtgcccc aaggaccgcg cacctggtgc atgaccgcga agcccgggtgc 4980
ctgacgcccc cccacgacc cgcagcgccc gaccgaaagg agcgcacgac cccatggctc 5040
cgaccgaagc cgaccggggc ggccccgccc accccgcacc cgcccccgag gcccaccgac 5100
t 5101

Integrase.ST25

<210> 5
 <211> 5043
 <212> DNA
 <213> Plasmid pCMV-pur-attP

<400> 5
 ctagagtcgg ggcggccggc cgcttcgagc agacatgata agatacattg atgagtttgg 60
 acaaaccaca actagaatgc agtgaaaaaa atgcttttatt tgtgaaattt gtgatgctat 120
 tgcttttattt gtaaccatta taagctgcaa taaacaagtt aacaacaaca attgcattca 180
 ttttatgttt caggttcagg gggagggtgtg ggagggttttt taaagcaagt aaaacctcta 240
 caaatgtggt aaaatcgata aggatcaatt cggcttcgac tagtactgac ggacacaccg 300
 aagccccggc ggcaaccctc agcggatgcc ccggggcttc acgttttccc aggtcagaag 360
 cggtttttcgg gagtagtgcc ccaactgggg taacctttga gttctctcag ttgggggcggt 420
 agggtcgccg acatgacaca aggggttgtg accgggggtg acacgtacgc gggtgcttac 480
 gaccgtcagt cgcgcgagcg cgactagtac aagccgaatt gatccgtcga ccgatgccct 540
 tgagagcctt caaccagtc agctccttcc ggtgggcgcg gggcatgact atcgtcgccg 600
 cacttatgac tgtcttcttt atcatgcaac tcgtaggaca ggtgccggca gcgctcttcc 660
 gcttcctcgc tcaactgactc gctgcgctcg gtcgttcggc tgcggcgagc ggtatcagct 720
 cactcaaagg cggtaatagc gttatccaca gaatcagggg ataacgcagg aaagaacatg 780
 tgagcaaaaag gccagcaaaa ggccaggaac cgtaaaaagg ccgcgttgct ggcgtttttc 840
 cataggctcc gccccctga cgagcatcac aaaaatcgac gctcaagtca gaggtggcga 900
 aacccgacag gactataaag ataccaggcg tttccccctg gaagctccct cgtgcgctct 960
 cctgttccga ccctgccgct taccggatac ctgtccgcct ttctcccttc gggaagcgtg 1020
 gcgctttctc aatgctcacg ctgtaggtat ctgagttcgg tgtaggtcgt tcgctccaag 1080
 ctgggctgtg tgcacgaacc ccccgttcag cccgaccgct gcgccttata cggttaactat 1140
 cgtcttgagt ccaacccggt aagacacgac ttatcgccac tggcagcagc cactggtaac 1200
 aggattagca gagcgaggta ttagggcggg gctacagagt tcttgaagtg gtggcctaac 1260
 tacggctaca ctagaaggac agtatattggt atctgcgctc tgctgaagcc agttaccttc 1320
 ggaaaaagag ttggtagctc ttgatccggc aaacaaacca ccgctggtag cggtggtttt 1380
 tttgtttgca agcagcagat tacgcgcaga aaaaaaggat ctcaagaaga tcctttgatc 1440
 ttttctacgg ggtctgacgc tcagtggaac gaaaactcac gttaagggat tttgggtcatg 1500
 agattatcaa aaaggatctt cacctagatc cttttaaatt aaaaatgaag ttttaaataca 1560
 atctaaagta tatatgagta aacttggtct gacagttacc aatgcttaat cagtgaggca 1620
 cctatctcag cgatctgtct atttcgttca tccatagttg cctgactccc cgtcgtgtag 1680
 ataactacga tacgggaggg cttaccatct ggccccagtg ctgcaatgat accgcgagac 1740
 ccacgctcac cggctccaga tttatcagca ataaaccagc cagccggaag ggccgagcgc 1800

Integrase.ST25

agaagtggct	ctgcaacttt	atccgcctcc	atccagtcta	ttaattgttg	ccgggaagct	1860
agagtaagta	gttcgccagt	taatagtttg	cgcaacgttg	ttgccattgc	tacaggcatc	1920
gtggtgtcac	gctcgtcgtt	tggtatggct	tcattcagct	ccggttccca	acgatcaagg	1980
cgagttacat	gatcccccat	gttgtgcaaa	aaagcggtta	gctccttcgg	tcctccgata	2040
gttgtcagaa	gtaagttggc	cgcagtgtta	tcactcatgg	ttatggcagc	actgcataat	2100
tctcttactg	tcattgccatc	cgtaagatgc	ttttctgtga	ctggtgagta	ctcaaccaag	2160
tcattctgag	aatagtgtat	gcggcgaccg	agttgctctt	gcccggcgct	aatacgggat	2220
aataccgcgc	cacatagcag	aactttaaaa	gtgctcatca	ttggaaaacg	ttcttcgggg	2280
cgaaaactct	caaggatctt	accgctgttg	agatccagtt	cgatgtaacc	cactcgtgca	2340
cccaactgat	cttcagcatc	ttttactttc	accagcgttt	ctgggtgagc	aaaaacagga	2400
aggcaaaatg	ccgcaaaaaa	gggaataagg	gcgacacgga	aatgttgaat	actcatactc	2460
ttcctttttc	aatattattg	aagcatttat	cagggttatt	gtctcatgag	cggatacata	2520
tttgaatgta	tttagaaaaa	taaacaaata	ggggttccgc	gcacatttcc	ccgaaaagtg	2580
ccacctgacg	cgccctgtag	cggcgcatta	agcgcggcgg	gtgtggtggt	tacgcgcagc	2640
gtgaccgcta	cacttgccag	cgccctagcg	cccgtctctt	tcgctttctt	cccttccttt	2700
ctcgccacgt	tcgccggctt	tccccgtcaa	gctctaaatc	gggggctccc	tttaggggtc	2760
cgatttagtg	ctttacggca	cctcgacccc	aaaaaacttg	attaggggtga	tggttcacgt	2820
agtgggcat	cgccctgata	gacggttttt	cgccctttga	cgttggagtc	cacgttcttt	2880
aatagtggac	tcttgttcca	aactggaaca	acactcaacc	ctatctcggt	ctattctttt	2940
gatttataag	ggattttgcc	gatttcggcc	tattgggttaa	aaaatgagct	gatttaacaa	3000
aaatttaacg	cgaattttta	caaaatatta	acgtttacaa	tttcccatc	gccattcagg	3060
ctgcgcaact	gttggaagg	gcgatcggtg	cgggcctctt	cgctattacg	ccagcccaag	3120
ctaccatgat	aagtaagtaa	tattaaggta	cgggaggtag	ttggagcggc	cgcaataaaa	3180
tatctttatt	ttcattacat	ctgtgtgttg	gtttttttgtg	tgaatcgata	gtactaacat	3240
acgctctcca	tcaaaacaaa	acgaaacaaa	acaaactagc	aaaataggct	gtccccagtg	3300
caagtgcagg	tgccagaaca	tttctctatc	gataggtagc	gagctcttac	gcgtgctagc	3360
cctcgagcag	gatctataca	ttgaatcaat	attggcaatt	agccatatta	gtcattgggt	3420
atatagcata	aatcaatatt	ggctattggc	cattgcatac	gttgatatcta	tatcataata	3480
tgtacattta	tattggctca	tgtccaatat	gaccgccatg	ttgacattga	ttattgacta	3540
gttattaata	gtaatcaatt	acgggggtcat	tagttcatag	cccatatatg	gagttccgcg	3600
ttacataact	tacggtaaata	ggcccgccctg	gctgaccgcc	caacgacccc	cgccatttga	3660
cgtcaataat	gacgtatggt	cccatagtaa	cgccaatagg	gactttccat	tgacgtcaat	3720
gggtggagta	tttacggtaa	actgcccact	tggcagtaca	tcaagtgtat	catatgccaa	3780
gtccgcccc	tattgacgtc	aatgacggta	aatggccccg	ctggcattat	gcccagtaga	3840

Integrase.ST25

tgaccttacg	ggacttttcct	acttggcagt	acatctacgt	attagtcatc	gctattacca	3900
tggtgatgcg	gttttggcag	tacatcaatg	ggcgtggata	gcggtttgac	tcacggggat	3960
ttccaagtct	ccaccccatt	gacgtcaatg	ggagtttggt	ttggcaccaa	aatcaacggg	4020
actttccaaa	atgtcgtaac	aactccgccc	cattgacgca	aatgggcggt	aggcgtgtac	4080
ggtgggaggt	ctatataagc	agagctcggt	tagtgaaccg	tcagatcgcc	tggagacgcc	4140
atccacgctg	ttttgacctc	catagaagac	accgggaccg	atccagcctc	ccctcgaagc	4200
tcgactctag	gggctcgaga	tctgcatct	aagtaagctt	gcatgcctgc	aggctcgccg	4260
ccacgaccgg	tgccgccacc	atcccctgac	ccacgccccct	gacccctcac	aaggagacga	4320
cctttccatga	ccgagtacaa	gcccacgggtg	cgcctcgcca	cccgcgacga	cgtcccccg	4380
gccgtacgca	ccctcgccgc	cgcgttcgcc	gactacccccg	ccacgcgcca	caccgtcgac	4440
ccggaccgcc	acatcgagcg	ggtcaccgag	ctgcaagaac	tcttcctcac	gcgcgtcggg	4500
ctcgacatcg	gcaaggtgtg	ggtcgcggac	gacggcgccg	cgggtggcgg	ctggaccacg	4560
ccggagagcg	tcgaagcggg	ggcgggtgtt	gccgagatcg	gcccgcgcat	ggccgagttg	4620
agcggttccc	ggctggccgc	gcagcaacag	atggaaggcc	tcctggcgcc	gcaccggccc	4680
aaggagcccc	cgtggttcct	ggccaccgtc	ggcgtctcgc	ccgaccacca	gggcaagggt	4740
ctgggcagcg	ccgtcgtgct	ccccggagtg	gaggcgggccg	agcgcgccc	ggtgccccgc	4800
ttcctggaga	cctccgcgcc	ccgcaacctc	cccttctacg	agcggctcgg	cttcaccgtc	4860
accgccgacg	tcgaggtgcc	cgaaggaccg	cgcacctggt	gcatgacccg	caagcccgg	4920
gcctgacgcc	cgccccacga	ccgcagcg	ccgaccgaaa	ggagcgcacg	accccatggc	4980
tccgaccgaa	gccgaccgg	gcggccccgc	cgacccccga	cccggccccg	aggcccaccg	5040
act						5043

<210> 6
 <211> 5041
 <212> DNA
 <213> Plasmid pCMV-EGFP-attB

<400> 6

ctagagtcgg	ggcggccggc	cgcttcgagc	agacatgata	agatacattg	atgagtttgg	60
acaaaccaca	actagaatgc	agtgaaaaaa	atgctttatt	tgtgaaattt	gtgatgctat	120
tgctttat	gtaaccatta	taagctgcaa	taaacaagtt	aacaacaaca	attgcattca	180
ttttatgt	caggttcagg	gggaggtgtg	ggaggttttt	taaagcaagt	aaaacctcta	240
caaagtgt	aaaatcgata	aggatcaatt	cggcttcagg	taccgtcgac	gatgtaggtc	300
acggtctc	agccgcgggt	cgggtgccag	ggcgtgccct	tgggctcccc	gggcgcgtac	360
tccacctcac	ccatctggtc	catcatgatg	aacgggtcga	ggtggcggtg	gttgatccc	420
gcgaacgc	ggcgcaccgg	gaagccctcg	ccctcgaaac	cgctgggcgc	ggtggtcacg	480
gtgagcac	gacgtgcgac	ggcgtcggcg	ggtgcggata	cgcggggcag	cgtcagcggg	540
ttctcgac	tcacggcggg	catgtcgaca	gccgaattga	tccgtcgacc	gatgcccttg	600

Integrase.ST25

```

agagccttca acccagtcag ctccttccgg tgggcgcggg gcatgactat cgtcgccgca 660
cttatgactg tcttctttat catgcaactc gtaggacagg tgccggcagc gctcttccgc 720
ttcctcgctc actgactcgc tgcgctcggg cggttcggctg cggcgagcgg tatcagctca 780
ctcaaaggcg gtaatacggg tatccacaga atcaggggat aacgcaggaa agaacatgtg 840
agcaaaaggc cagcaaaagg ccaggaaccg taaaaaggcc gcgttgctgg cgtttttcca 900
taggctccgc cccctgacg agcatcacia aaatcgacgc tcaagtcaga ggtggcgaaa 960
cccgacagga ctataaagat accaggcggt tccccctgga agctccctcg tgcgctctcc 1020
tgttccgacc ctgccgctta ccggatacct gtccgccttt ctcccttcgg gaagcgtggc 1080
gctttctcaa tgctcacgct gtaggtatct cagttcgggt taggtcgttc gctccaagct 1140
gggctgtgtg cacgaacccc ccgttcagcc cgaccgctgc gccttatccg gtaactatcg 1200
tcttgagtcc aacccggtaa gacacgactt atcgccactg gcagcagcca ctggtaacag 1260
gattagcaga gcgaggtatg taggcgggtg tacagagttc ttgaagtggg ggcctaacta 1320
cggctacact agaaggacag tatttggtat ctgcgctctg ctgaagccag ttaccttcgg 1380
aaaaagagtt ggtagctctt gatccggcaa acaaaccacc gctggtagcg gtgggtttttt 1440
tgtttgcaag cagcagatta cgcgagaaaa aaaaggatct caagaagatc ctttgatctt 1500
ttctacgggg tctgacgctc agtggaacga aaactcacgt taagggattt tgggtcatgag 1560
attatcaaaa aggatcttca cctagatcct tttaaattaa aaatgaagtt ttaaataaat 1620
ctaaagtata tatgagtaaa cttggtctga cagttaccaa tgcttaatca gtgaggcacc 1680
tatctcagcg atctgtctat ttcgttcac catagttgcc tgactccccg tcgtgtagat 1740
aactacgata cgggaggggt taccatctgg cccagtgct gcaatgatac cgcgagaccc 1800
acgctcaccg gctccagatt tatcagcaat aaaccagcca gccggaaggg ccgagcgcag 1860
aagtggctct gcaactttat ccgcctccat ccagtctatt aattggtgcc gggaagctag 1920
agtaagtagt tcgccagtta atagtttgcg caacgttggt gccattgcta caggcatcgt 1980
ggtgtcacgc tcgtcgtttg gtatggcttc attcagctcc ggttcccaac gatcaaggcg 2040
agttacatga tccccatgt tgtgcaaaaa agcgggttagc tccttcgggtc ctccgatcgt 2100
tgtcagaagt aagttggccg cagtgttatc actcatgggt atggcagcac tgcataattc 2160
tcttactgtc atgccatccg taagatgctt ttctgtgact ggtgagtact caaccaagtc 2220
attctgagaa tagtgatatg ggcgaccgag ttgctcttgc ccggcgtcaa tacgggataa 2280
taccgcgcca catagcagaa ctttaaaagt gctcatcatt ggaaaacgtt cttcggggcg 2340
aaaactctca aggatcttac cgctgttgag atccagttcg atgtaacca ctcgtgcacc 2400
caactgatct tcagcatctt ttactttcac cagcgtttct gggtgagcaa aaacaggaag 2460
gcaaaatgcc gcaaaaaagg gaataagggc gacacggaaa tgttgaatac tcatactctt 2520
cctttttcaa tattattgaa gcatttatca gggttattgt ctcatgagcg gatacatatt 2580
tgaatgtatt tagaaaaata aacaaatagg ggttccgcgc acatttcccc gaaaagtgcc 2640

```

Integrase.ST25

acctgacgcg	ccctgtagcg	gcgcattaag	cgcggcgggt	gtgggtggta	cgcgacgcgt	2700
gaccgctaca	cttgccagcg	ccctagcgcc	cgctcctttc	gctttcttcc	cttcctttct	2760
cgccacgttc	gccggctttc	cccgtcaagc	tctaaatcgg	gggctccctt	tagggttccg	2820
atttagtgct	ttacggcacc	tcgaccccaa	aaaacttgat	tagggtgatg	gttcacgtag	2880
tgggcatcg	ccctgataga	cggtttttcg	ccctttgacg	ttggagtcca	cgttctttta	2940
tagtggactc	ttgttccaaa	ctggaacaac	actcaaccct	atctcgggtc	attctttttg	3000
tttataaggg	attttgccga	tttcggccta	ttggttaaaa	aatgagctga	tttaacaaaa	3060
atttaacgcg	aattttaaca	aaatattaac	gtttacaatt	tcccattcgc	cattcaggct	3120
gcgcaactgt	tgggaagggc	gatcgggtgc	ggcctcttcg	ctattacgcc	agcccaagct	3180
accatgataa	gtaagtaata	ttaaggtagc	ggaggtagct	ggagcggccg	caataaaata	3240
tctttatttt	cattacatct	gtgtgttggt	tttttggtg	aatcgatagt	actaacatac	3300
gctctccatc	aaaacaaaac	gaaacaaaac	aaactagcaa	aataggctgt	ccccagtgca	3360
agtgcagggt	ccagaacatt	tctctatcga	taggtaccga	gctcttacgc	gtgctagccc	3420
tcgagcagga	tctatacatt	gaatcaatat	tggcaattag	ccatattagt	cattgggttat	3480
atagcataaa	tcaatattgg	ctattggcca	ttgcatacgt	tgtatctata	tcataatatg	3540
tacattttata	ttggctcatg	tccaatatga	ccgccatggt	gacattgatt	attgactagt	3600
tattaatagt	aatcaattac	ggggtcatta	gttcatagcc	catatatgga	gttccgcgtt	3660
acataactta	cggtaaatgg	ccgcctggc	tgaccgcca	acgacccccg	cccattgacg	3720
tcaataatga	cgtatgttcc	catagtaacg	ccaataggga	ctttccattg	acgtcaatgg	3780
gtggagtatt	tacggtaaac	tgcccacttg	gcagtacatc	aagtgtatca	tatgccaaagt	3840
ccgcccccta	ttgacgtcaa	tgacggtaaa	tggccgcct	ggcattatgc	ccagtacatg	3900
accttacggg	actttcctac	ttggcagtag	atctacgtat	tagtcatcgc	tattaccatg	3960
gtgatgcggg	tttggcagta	catcaatggg	cgtggatagc	ggtttgactc	acggggattt	4020
ccaagtctcc	accccatgga	cgtcaatggg	agtttggttt	ggcaccaaaa	tcaacggggac	4080
tttccaaaat	gtcgtaacaa	ctccgcccc	ttgacgcaaa	tgggcggtag	gcgtgtacgg	4140
tgggaggtct	atataagcag	agctcgttta	gtgaaccgtc	agatcgcttg	gagacgccat	4200
ccacgctggt	ttgacctcca	tagaagacac	cgggaccgat	ccagcctccc	ctcgaagctc	4260
gactctaggg	gctcgagatc	cccgggtacc	ggtcgccacc	atgggtgagca	agggcgagga	4320
gctgttcacc	ggggtggtgc	ccatcctggt	cgagctggac	ggcgacgtaa	acggccacaa	4380
gttcagcgtg	tccggcgagg	gcgagggcga	tgccacctac	ggcaagctga	ccctgaagtt	4440
catctgcacc	accggcaagc	tgcccgtgcc	ctggcccacc	ctcgtgacca	ccctgacct	4500
cggcgtgcag	tgcttcagcc	gctaccccga	ccacatgaag	cagcacgact	tcttcaagtc	4560
cgccatgccc	gaaggctacg	tccaggagcg	caccatcttc	ttcaaggacg	acggcaacta	4620
caagacccgc	gccgaggtga	agttcgaggg	cgacaccctg	gtgaaccgca	tcgagctgaa	4680

Integrase.ST25

```

gggcatcgac ttcaaggagg acggcaacat cctggggcac aagctggagt acaactacaa 4740
cagccacaac gtctatatca tggccgacaa gcagaagaac ggcatcaagg tgaacttcaa 4800
gatccgccac aacatcgagg acggcagcgt gcagctcgcc gaccactacc agcagaacac 4860
ccccatcggc gacggccccg tgctgctgcc cgacaaccac tacctgagca cccagtccgc 4920
cctgagcaaa gaccccaacg agaagcgcga tcacatgggtc ctgctggagt tcgtgaccgc 4980
cgccgggatc actctcggca tggacgagct gtacaagtaa agcggccgct cgagcatgca 5040
t 5041

```

```

<210> 7
<211> 18116
<212> DNA
<213> Plasmid p12.0lys-LSPIPMM-CMV-pur-attB

```

```

<400> 7
gggctgcagg aattcgattg ccgccttctt tgatattcac tctgttgtat ttcattctctt 60
cttgccgatg aaaggatata acagtctgta taacagtctg tgaggaaata cttggtattt 120
cttctgatca gtgtttttat aagtaatgtt gaatattgga taaggctgtg tgtcctttgt 180
cttgggagac aaagcccaca gcagggtggtg gttgggggtgg tggcagctca gtgacaggag 240
aggttttttt gcctgtttttt tttttttttt ttttttttaa gtaagggtgtt cttttttctt 300
agtaaatttt ctactggact gtatgttttg acaggtcaga aacatttctt caaaagaaga 360
accttttgga aactgtacag cccttttctt tcattccctt tttgctttct gtgccaatgc 420
ctttggttct gattgcatta tggaaaacgt tgatcggaac ttgaggtttt tatttatagt 480
gtggcttgaa agcttgata gctgttggtt cacgagatac cttattaagt ttaggccagc 540
ttgatgcttt attttttccc tttgaagtag tgagcgttct ctggtttttt tcctttgaaa 600
ctggtgaggc ttagattttt ctaatgggat tttttacctg atgatctagt tgcataccca 660
aatgcttgta aatgttttcc tagttaacat gttgataact tcggatttac atgttggtata 720
tacttgatcat ctgtgtttct agtaaaaata tatggcattt atagaaatac gtaattcctg 780
atttcctttt tttttatctc tatgctctgt gtgtacaggc caaacagact tcactcctat 840
ttttatttat agaattttat atgcagtctg tcgttggttc ttgtgttgta aggatacagc 900
cttaaatttc ctagagcgat gctcagtaag gcgggttggt acatgggttc aaatgtaaaa 960
cgggcacggt tggctgctgc cttcccagaga tccaggacac taaactgctt ctgcactgag 1020
gtataaatcg cttcagatcc cagggaagtg cagatccacg tgcataattct taaagaagaa 1080
tgaatacttt ctaaaatatt ttggcatagg aagcaagctg catggatttg tttgggactt 1140
aaattatttt ggtaacggag tgcataagggt ttaaacacag ttgcagcatg ctaacgagtc 1200
acagcgttta tgcagaagtg atgcctggat gcctgttgca gctgttttac gcactgcctt 1260
gcagtgagca ttgcagatag ggggtggggtg ctttgtgtcg tgttcccaca cgctgccaca 1320
cagccacctc ccggaacaca tctcacctgc tgggtacttt tcaaaccatc ttagcagtag 1380

```


Integrase.ST25

tagatgagtt	actatgaaac	agagaagttc	ctcagttgga	tattctcatg	ggatgtcttt	1440
tttcccatgt	tgggcaaagt	atgataaagc	atctctattt	gtaaattatg	cacttgtttag	1500
ttcctgaatc	ctttctatag	caccacttat	tgcagcaggt	gtaggctctg	gtgtggcctg	1560
tgtctgtgct	tcaatctttt	aaagcttctt	tggaaataca	ctgacttgat	tgaagtctct	1620
tgaagatagt	aaacagtact	tacctttgat	cccaatgaaa	tcgagcattt	cagttgtaaa	1680
agaattccgc	ctattcatac	catgtaatgt	aatttttacac	ccccagtgct	gacacttttg	1740
aatatattca	agtaatagac	tttggcctca	ccctcttggt	tactgtattt	tgtaatagaa	1800
aatatittta	actgtgcata	tgattattac	attatgaaag	agacattctg	ctgatcttca	1860
aatgtaagaa	aatgaggagt	gcgtgtgctt	ttataaatac	aagtgattgc	aaattagtag	1920
aggtgtcctt	aaaaaaaaaa	aaaaaaagta	atataaaaag	gaccaggtgt	tttacaagtg	1980
aaatacattc	ctatttggtg	aacagttaca	tttttatgaa	gattaccagc	gctgctgact	2040
ttctaaacat	aaggctgtat	tgtcttcctg	taccattgca	tttcctcatt	cccaatttgc	2100
acaaggatgt	ctgggtaaac	tattcaagaa	atggctttga	aatacagcat	gggagcttgt	2160
ctgagttgga	atgcagagtt	gcactgcaaa	atgtcaggaa	atggatgtct	ctcagaatgc	2220
ccaactccaa	aggattttat	atgtgtatat	agtaagcagt	ttcctgattc	cagcaggcca	2280
aagagtctgc	tgaatgttgt	gttgccggag	acctgtattt	ctcaacaagg	taagatggta	2340
tcctagcaac	tgcggatttt	aatacatttt	cagcagaagt	acttagttaa	tctctacctt	2400
tagggatcgt	ttcatcattt	ttagatgtta	tacttgaaat	actgcataac	ttttagcttt	2460
catgggttcc	tttttttcag	cctttaggag	actgttaagc	aatttgctgt	ccaacttttg	2520
tgttggtctt	aaactgcaat	agtagtttac	cttgtattga	agaaataaag	accattttta	2580
tattaaaaaa	tacttttgtc	tgtcttcatt	ttgacttgtc	tgatatcctt	gcagtgccca	2640
ttatgtcagt	tctgtcagat	attcagacat	caaaacttaa	cgtgagctca	gtggagttac	2700
agctgcgggt	ttgatgctgt	tattatttct	gaaactagaa	atgatgttgt	cttcatctgc	2760
tcatcaaaca	cttcatgcag	agtgttaagg	tagtgagaaa	tgcatacatt	tattgatact	2820
tttttaaaag	caacttttta	tcagattttt	ttttcatttg	gaaatatatt	gttttctaga	2880
ctgcatagct	tctgaatctg	aaatgcagtc	tgattggcat	gaagaagcac	agcactcttc	2940
atcttactta	aacttcattt	tggaatgaag	gaagttaagc	aagggcacag	gtccatgaaa	3000
tagagacagt	gcgctcagga	gaaagtgaac	ctggatttct	ttggctagt	ttctaaatct	3060
gtagtgagga	aagtaacacc	cgattccttg	aaagggctcc	agctttaatg	cttccaaatt	3120
gaagggtgca	ggcaacttgg	ccactgggtta	tttactgcat	tatgtctcag	tttcgcagct	3180
aacctggctt	ctccactatt	gagcatggac	tatagcctgg	cttcagaggc	caggtgaagg	3240
ttgggatggg	tggaaggagt	gctgggctgt	ggctgggggg	actgtgggga	ctccaagctg	3300
agcttggggg	gggcagcaca	gggaaaagt	tgggtaacta	tttttaagta	ctgtgttgca	3360
aacgtctcat	ctgcaaatac	gtaggggtgt	tactctcgaa	gattaacagt	gtgggttcag	3420

Integrase.ST25

taatatatgg	atgaattcac	agtggaagca	ttcaagggtta	gatcatctaa	cgacaccaga	3480
tcatcaagct	atgattggaa	gcggtatcag	aagagcgagg	aaggtaagca	gtcttcatat	3540
gttttccctc	cacgtaaagc	agtctgggaa	agtagcacc	cttgagcaga	gacaaggaaa	3600
taattcagga	gcatgtgcta	ggagaacttt	cttgctgaat	tctacttgca	agagctttga	3660
tgcctggcctt	ctggtgcctt	ctgcagcacc	tgcaaggccc	agagcctgtg	gtgagctgga	3720
gggaaagatt	ctgctcaagt	ccaagcttca	gcaggtcatt	gtctttgctt	cttccccag	3780
cactgtgcag	cagagtggaa	ctgatgtcga	agcctcctgt	ccactacctg	ttgctgcagg	3840
cagactgctc	tcagaaaaag	agagctaact	ctatgccata	gtctgaaggt	aaaatgggtt	3900
ttaaaaaaga	aaacacaaag	gcaaaaccgg	ctgccccatg	agaagaaagc	agtggtaaac	3960
atggtagaaa	aggtgcagaa	gccccaggc	agtgtgacag	gccccctctg	ccacctagag	4020
gcgggaacaa	gcttccctgc	ctagggctct	gcccgcgaag	tgctgttttc	tttgggtgggt	4080
tttgtttggc	gtttggtttt	gagatttaga	cacaaggga	gcctgaaagg	aggtgttggg	4140
cactattttg	gtttgtaaag	cctgtacttc	aaatatatat	tttgtgaggg	agtgtagcga	4200
attggccaat	ttaaaataaa	gttgcaagag	attgaaggct	gagtagttga	gagggttaaca	4260
cgtttaatga	gatcttctga	aactactgct	tctaaacact	tgtttgagtg	gtgagacctt	4320
ggataggtga	gtgctcttgt	tacatgtctg	atgcacttgc	ttgtcctttt	ccatccacat	4380
ccatgcattc	cacatccacg	catttgtcac	ttatcccata	tctgtcatat	ctgacatacc	4440
tgtctcttcg	tcacttggtc	agaagaaaca	gatgtgataa	tccccagccg	ccccagttt	4500
gagaagatgg	cagttgcttc	tttccctttt	tcctgctaag	taaggatttt	ctcctggcctt	4560
tgacacctca	cgaaatagtc	ttcctgcctt	acattctggg	cattatttca	aatatctttg	4620
gagtgcgctg	ctctcaagtt	tgtgtcttcc	tactcttaga	gtgaatgctc	ttagagtga	4680
agagaaggaa	gagaagatgt	tggccgcagt	tctctgatga	acacacctct	gaataatggc	4740
caaagggtggg	tgggtttctc	tgaggaacgg	gcagcgtttg	cctctgaaag	caaggagctc	4800
tgcgaggttg	cagttatttt	gcaactgatg	gtggaactgg	tgcttaaagc	agattcccta	4860
ggttccctgc	tacttctttt	ccttcttggc	agtcagttta	tttctgacag	acaaacagcc	4920
acccccactg	caggcttaga	aagtatgtgg	ctctgcctgg	gtgtgttaca	gctctgccct	4980
ggtgaaaggg	gattaaaacg	ggcaccattc	atcccaaaca	ggatcctcat	tcatggatca	5040
agctgtaagg	aacttgggct	ccaacctcaa	aacattaatt	ggagtacgaa	tgtaattaaa	5100
actgcattct	cgcattccta	agtcatttag	tctggactct	gcagcatgta	ggtcggcagc	5160
tcccactttc	tcaaagacca	ctgatggagg	agtagtaaaa	atggagaccg	attcagaaca	5220
accaacggag	tgttgccgaa	gaaactgatg	gaaataatgc	atgaattgtg	tggtggacat	5280
tttttttaaa	tacataaact	acttcaaata	aggtcggaga	aggtcagtgt	tttattagca	5340
gccataaaac	cagggtgagcg	agtaccattt	ttctctacaa	gaaaaacgat	tctgagctct	5400
gcgtaagtat	aagttctcca	tagcggctga	agctcccccc	tggctgcctg	ccatctcagc	5460

Integrase.ST25

tggagtgcag	tgccatttcc	ttgggggtttc	tctcacagca	gtaatgggac	aatacttcac	5520
aaaaattctt	tcttttcctg	tcatgtggga	tccctactgt	gccctcctgg	ttttacgtta	5580
ccccctgact	gttccattca	gcggttttga	aagagaaaaa	gaatttggaa	ataaaaacatg	5640
tctacgttat	cacctcctcc	agcatttttg	tttttaatta	tgtcaataac	tggcttagat	5700
ttggaaatga	gaggggggtg	ggtgtattac	cgaggaacaa	aggaaggctt	atataaactc	5760
aagtctttta	tttagagaac	tggcaagctg	tcaaaaacaa	aaaggcctta	ccaccaaatt	5820
aagtgaatag	ccgctatagc	cagcagggcc	agcacgaggg	atggtgcact	gctggcacta	5880
tgccacggcc	tgcttgtgac	tctgagagca	actgcttttg	aatgacagc	acttggtgca	5940
atttcctttg	tttcagaatg	cgtagagcgt	gtgcttggcg	acagtttttc	tagttaggcc	6000
acttcctttt	tccttctctc	ctcattctcc	taagcatgtc	tccatgctgg	taatcccagt	6060
caagtgaacg	ttcaaacaat	gaatccatca	ctgtaggatt	ctcgtggtga	tcaaattctt	6120
gtgtgaggtc	tataaaatat	ggaagcttat	ttatttttcg	ttcttccata	tcagtcttct	6180
ctatgacaat	tcacatccac	cacagcaa	taaagggtgaa	ggaggctggg	gggatgaaga	6240
gggtcttcta	gctttacgtt	cttccttgca	aggccacagg	aaaatgctga	gagctgtaga	6300
atacagcctg	gggtaagaag	ttcagtctcc	tgctgggaca	gctaaccgca	tcttataacc	6360
ccttctgaga	ctcatcttag	gaccaa	ggctatctg	gggtttttgt	tcctgctggt	6420
cctcctggaa	ggctatctca	ctatttctc	gctcccacgg	ttacaaacca	aagatacagc	6480
ctgaattttt	tctaggccac	attacataaa	tttgacctgg	taccaatatt	gttctctata	6540
tagttatttc	cttccccact	gtgtttaacc	ccttaaggca	ttcagaacaa	ctagaatcat	6600
agaatgggtt	ggattggaag	gggccttaaa	catcatccat	ttccaaccct	ctgccatggg	6660
ctgcttgcca	cccactggct	caggctgccc	agggccccat	ccagcctggc	cttgagcacc	6720
tccagggatg	gggcacccac	agcttctctg	ggcagcctgt	gccaacacct	caccactctc	6780
tgggtaaaga	attctctttt	aacatcta	ctaaatctct	tctcttttag	tttaaagcca	6840
ttcctctttt	tcccgttgct	atctgtccaa	gaaatgtgta	ttggtctccc	tcctgcttat	6900
aagcaggaag	tactggaagg	ctgcagtgag	gtctccccac	agccttctct	tctccaggct	6960
gaacaagccc	agctccttca	gcctgtcttc	gtaggagatc	atcttagtgg	ccctcctctg	7020
gaccatttcc	aacagttcca	cggcttttct	gtggagcccc	aggctctggat	gcagtacttc	7080
agatggggcc	ttacaaaggc	agagcagatg	gggacaatcg	cttacccttc	cctgctggct	7140
gcccctgttt	tgatgcagcc	caggggtactg	ttggcctttc	aggctcccag	acccttgct	7200
gatttgtgtc	aagcttttca	tccaccagaa	cccacgcttc	ctggttaata	cttctgccct	7260
cacttctgta	agcttggttc	aggagacttc	cattcttttag	gacagactgt	gttacaccta	7320
cctgccctat	tcttgcatat	atacatttca	gttcatgttt	cctgtaacag	gacagaatat	7380
gtattcctct	aacaaaaata	catgcagaat	tcctagtgcc	atctcagtag	ggttttcatg	7440
gcagtattag	cacatagtca	atttgctgca	agtaccttcc	aagctgcggc	ctcccataaa	7500

Integrase.ST25

tcctgtat	ttt gggatcag	ttt acctttt	ggg gtaagct	ttt gtatctg	cag agaccct	ggg	7560	
ggttctg	atg tgcttcag	ct ctgctct	gtt ctgactg	cac cattttt	ctag atcacc	cagt	7620	
tgttcct	gta caacttc	cctt gtcctcc	atc ctttccc	cagc ttgtat	cctt gacaa	ataca	7680	
ggcctat	ttt tgtgttt	gct tcagcag	cca tttta	attcctt	cagtgtc	atc ttgtt	ctgtt	7740
gatgcc	actg gaacagg	att ttcagc	agtc ttgcaa	agaa catct	agctg aaa	actttt	ct	7800
gccatt	caat attctt	acca gttctt	cttg tttgag	gtga gccat	aaatt acta	gaactt		7860
cgtcact	gac aagttt	atgc atttt	attac ttctat	tatg tactt	acttt gacat	aacac		7920
agacac	gcac atatttt	gct gggatt	tcca cagtgt	ctct gtgtc	cttca catgg	tttta		7980
ctgtcata	ct tccgtt	ataa ccttgg	caat ctgccc	agct gcccat	caca agaaa	agaga		8040
ttccttt	ttttt attact	tctc ttcagc	caat aaacaaa	atg tgaga	agccc aaaca	agaac		8100
ttgtggg	gca ggctg	ccatc aaggg	agaga cagctg	aagg gttgt	gtagc tcaat	agaat		8160
taagaa	ataa taaag	ctgtg tcagac	agtt ttgcct	gatt tatac	aggca cgcccc	aagc		8220
cagagag	gct gtctg	ccaag gccac	cttgc agtcct	tgggt ttgta	agata agtcat	aggt		8280
aactttt	ctg gtgaatt	gcg tggaga	atca tgatg	gcagtt tcttg	ctgtt tactat	ggta		8340
agatgct	aaa atagg	agaca gcaaag	taac acttg	ctgct gtagg	tgtc tgctat	ccag		8400
acagcga	tgg cactcg	caca ccaag	atgag ggatg	ctccc agctg	acgga tgctg	gggca		8460
gtaacag	tgg gtcccat	gct gcctg	ctcat tagcat	cacc tcagc	ctca ccagc	ccatc		8520
agaagg	atca tccaag	ctg aggaa	agttg ctcat	cttct tcacat	catc aaac	ctttg		8580
cctgact	gat gcctccc	gga tgctt	aaatg tggtc	actga catct	ttatt tttct	atgat		8640
ttcaagt	cag aacctc	cgga tcagg	agggga acacat	agtg ggaat	gtacc ctca	gctcca		8700
aggccag	atc ttcctt	caat gatcat	gcat gctact	tagg aaggt	gtgtg tgtgt	gaatg		8760
tagaatt	gcc tttgtt	atttt tttctt	cctg ctgtc	aggaa cattt	tgaat accag	agaaa		8820
aagaaa	agtg ctctt	cttgg catgg	gagga gttgt	cacac ttgca	aaata aagg	atgcag		8880
tcccaa	atgt tcata	atctc aggg	tctgaa ggagg	atcag aaact	gtgta taca	atttca		8940
ggcttct	ctg aatgc	agctt ttgaa	agctg ttcct	ggccg aggc	agttact agtc	agaacc		9000
ctcgga	aaaca ggaaca	aatg tcttca	aggt gcagc	aggag gaaac	acctt gccat	catg		9060
aaagtga	ata accact	gccg ctga	aggaat ccag	ctcctg tttg	agcagg tgct	gcacac		9120
tcccac	actg aaaca	acagt tcatt	ttttat aggac	ttcca ggaag	gatct tctt	cttaag		9180
cttctt	aat attg	gtacatc tccag	ttggc agatg	actat gact	actgac agga	aatga		9240
ggaact	agct ggga	atattt ctgtt	tggacc accat	ggagt cacc	catttc tttact	ggta		9300
tttgga	aaata ata	atttctga attg	caaagc aggag	ttagc gaaga	tcttc attt	cttcca		9360
tgttgg	tgc agcac	agttc tggct	atgaa agtct	gctta caag	gaagag gata	aaaaatc		9420
ataggg	ataa taaat	ctaag tttga	agaca atgag	gtttt agct	gcattt gacat	gaaga		9480
aattgag	acc tctact	ggat agct	atggta tttac	gtgc ttttt	gctta gttact	tatt		9540

Integrase.ST25

gaccccagct gaggtcaagt atgaactcag gtctctcggg ctactggcat ggattgatta 9600
catacaactg taattttagc agtgatttag ggtttatgag tacttttgca gtaaatacata 9660
gggttagtaa tgттаатсtс agggaaaaaa aaaaaaagcc aaccctgaca gacatcccag 9720
ctcaggtgga aatcaaggat cacagctcag tgcgggtcca gagaacacag ggactcttct 9780
cttaggacct ttatgtacag ggcctcaaga taactgatgt tagtcagaag actttccatt 9840
ctggccacag ttcagctgag gcaatcctgg aattttctct ccgctgcaca gttccagtca 9900
tcccagtttg tacagttctg gcactttttg ggtcaggccg tgatccaagg agcagaagtt 9960
ccagctatgg tcagggagtg cctgaccgtc ccaactcact gcactcaaac aaaggcgaaa 10020
ccacaagagt ggcttttggt gaaattgcag tgtggcccag aggggctgca ccagtactgg 10080
attgaccacg aggcaacatt aatcctcagc aagtgcatt tgcagccatt aaattgaact 10140
aactgatact acaatgcaat cagtatcaac aagtggtttg gcttggaaga tggagtctag 10200
gggctctaca ggagtagcta ctctctaatt gagttgcatt ttgaagcagg aactgtgaa 10260
aagctggcct cctaaagagg ctgctaaaca ttaggggtcaa ttttccagtg cactttctga 10320
agtgtctgca gttcccatg caaagctgcc caaacatagc acttccaatt gaatacaatt 10380
atatgcaggc gtactgcttc ttgccagcac tgtccttctc aatgaactc aacaaacaat 10440
ttcaaagtct agtagaaagt aacaagcttt gaatgtcatt aaaaagtata tctgctttca 10500
gtagttcagc ttatttatgc ccactagaaa catcttgtag aagctgaaca ctggggctcc 10560
agattagtgg taaaacctac ttatacaat catagaatca tagaatggcc tgggttgaa 10620
gggaccccaa ggatcatgaa gatccaacac ccccgccaca ggcagggccca ccaacctcca 10680
gatctggtac tagaccaggc agcccagggc tccatccaac ctggccatga acacctccag 10740
ggatggagca tccacaacct ctctgggcag cctgtgccag cacctacca ccctctctgt 10800
gaagaacttt tcctgacat ccaatctaag cttccctcc ttgaggtag atccactccc 10860
ccttggtgcta tcaactgtcta ctcttgtaaa aagttgattc tcctcctttt tggaaggttg 10920
caatgaggtc tccttgagc cttcttctct tctgcaggat gaacaagccc agctccctca 10980
gcctgtcttt ataggagagg tgctccagcc ctctgatcat ctttgtggcc ctctctgga 11040
ccgctccaa gagctccaca tctttcctgt actgggggcc ccaggcctga atgcagtact 11100
ccagatgggg cctcaaaaga gcagagtaaa gagggacaat caccttcctc accctgctgg 11160
ccagccctct tctgatggag ccctggatac aactggcttt ctgagctgca acttctcctt 11220
atcagttcca ctattaaaac aggaacaata caacaggtgc tgatggccag tgcagagttt 11280
ttcacacttc ttcatttcgg tagatcttag atgaggaacg ttgaagttgt gcttctgcgt 11340
gtgcttcttc ctctcaaat actcctgcct gatactcac cccacctgcc actgaatggc 11400
tccatggccc cctgcagcca gggccctgat gaaccggca ctgcttcaga tgctgtttaa 11460
tagcacagta tgaccaagtt gcacctatga atacacaaac aatgtgttgc atccttcagc 11520
acttgagaag aagagccaaa ttgcatgtg caggaaatgg tttagtaatt ctgccaatta 11580

Integrase.ST25

aaacttgttt	atctaccatg	gctgttttta	tggctgttag	tagtggtaca	ctgatgatga	11640
acaatggcta	tgcagtaaaa	tcaagactgt	agatattgca	acagactata	aaattcctct	11700
gtggcttagc	caatgtggta	cttcccacat	tgtataagaa	atttggcaag	tttagagcaa	11760
tgtttgaagt	gttgggaaat	ttctgtatac	tcaagagggc	gtttttgaca	actgtagaac	11820
agaggaatca	aaaggggggtg	ggaggaagtt	aaaagaagag	gcaggtgcaa	gagagcttgc	11880
agtcccgtg	tgtgtacgac	actggcaaca	tgaggtcttt	gctaattctt	gtgctttgct	11940
tcctgcccct	ggctgcctta	gggtgcatc	tgctcagac	ccacagcctg	ggcagcagga	12000
ggaccctgat	gctgctggct	cagatgagga	gaatcagcct	gttttagctgc	ctgaaggata	12060
ggcacgattt	tggctttcct	caagaggagt	ttggcaacca	gtttcagaag	gctgagacca	12120
tccctgtgct	gcacgagatg	atccagcaga	tctttaacct	gttttagcacc	aaggatagca	12180
gcgctgcttg	ggatgagacc	ctgctggata	agttttacac	cgagctgtac	cagcagctga	12240
acgatctgga	ggcttgctg	atccagggcg	tgggcgtgac	cgagaccct	ctgatgaagg	12300
aggatagcat	cctggctgtg	aggaagtact	ttcagaggat	caccctgtac	ctgaaggaga	12360
agaagtacag	cccctgctg	tgggaagtcg	tgagggctga	gatcatgagg	agcttttagcc	12420
tgagcaccaa	cctgcaagag	agcttgagg	ctaaggagta	aaaagtctag	agtcggggcg	12480
gccggccgct	tcgagcagac	atgataagat	acattgatga	gtttggacaa	accacaacta	12540
gaatgcagt	aaaaaaatgc	tttatttg	aaatttg	tgctattg	ttatttgtaa	12600
ccattataag	ctgcaataaa	caagttaaca	acaacaattg	cattcatttt	atgtttcagg	12660
ttcaggggga	ggtgtgggag	gttttttaaa	gcaagtaaaa	cctctacaaa	tgtggtaaaa	12720
tcgataagga	tccgtcgacc	gatgcccttg	agagccttca	acccagtcag	ctccttccgg	12780
tgggcgcggg	gcatgactat	cgtcgccgca	cttatgactg	tcttctttat	catgcaactc	12840
gtaggacagg	tgccggcagc	gctcttccgc	ttcctcgctc	actgactcgc	tgcgctcggt	12900
cgttcggctg	cggcgagcgg	tatcagctca	ctcaaaggcg	gtaatacgg	tatccacaga	12960
atcaggggat	aacgcaggaa	agaacatgtg	agcaaaaagg	cagcaaaaagg	ccaggaaccg	13020
taaaaaggcc	gcgttgctgg	cgtttttcca	taggctccgc	ccccctgacg	agcatcaca	13080
aatcgacgc	tcaagtcaga	ggtggcgaaa	cccgacagga	ctataaagat	accaggcggt	13140
tccccctgga	agctccctcg	tgcgctctcc	tgttccgacc	ctgccgctta	ccggatacct	13200
gtccgccttt	ctcccttcgg	gaagcgtggc	gctttctcaa	tgctcacgct	gtaggtatct	13260
cagttcggtg	taggtcgttc	gctccaagct	gggctgtgtg	cacgaacccc	ccgttcagcc	13320
cgaccgctgc	gccttatccg	gtaactatcg	tcttgagtcc	aaccgggtaa	gacacgactt	13380
atcgccactg	gcagcagcca	ctggtaacag	gattagcaga	gcgaggatat	taggcgggtgc	13440
tacagagttc	ttgaagtgg	ggcctaacta	cggctacact	agaaggacag	tatttggtat	13500
ctgcgctctg	ctgaagccag	ttaccttcgg	aaaaagagtt	ggtagctctt	gatccggcaa	13560
acaaaccacc	gctggtagcg	gtggtttttt	tgtttgcaag	cagcagatta	cgcgcagaaa	13620

Integrase.ST25

aaaaggatct caagaagatc ctttgatctt ttctacgggg tctgacgctc agtggaacga 13680
 aaactcacgt taagggatct tgggtcatgag attatcaaaa aggatcttca cctagatcct 13740
 tttaaattaa aaatgaagtt ttaaataaat ctaaagtata tatgagtaaa cttgggtctga 13800
 cagttaccaaa tgcttaatac gtgaggcacc tatctcagcg atctgtctat ttcgttcatc 13860
 catagttgcc tgactccccg tcgtgtagat aactacgata cgggagggct taccatctgg 13920
 cccagtgct gcaatgatac cgcgagaccc acgctcaccg gctccagatt tatcagcaat 13980
 aaaccagcca gccggaaggg ccgagcgcag aagtggctct gcaactttat ccgcctccat 14040
 ccagtctatt aattgttgcc gggaagctag agtaagtagt tcgccagtta atagtttgcg 14100
 caacgttggt gccattgcta caggcatcgt ggtgtcacgc tcgtcgtttg gtatggcttc 14160
 attcagctcc gggtcccaac gatcaaggcg agttacatga tccccatgt tgtgcaaaaa 14220
 agcggtagc tccttcgggtc ctccgatcgt tgtcagaagt aagttggccg cagtgttatc 14280
 actcatgggt atggcagcac tgcataattc tcttactgtc atgccatccg taagatgctt 14340
 ttctgtgact ggtgagtact caaccaagtc attctgagaa tagtgatatgc ggcgaccgag 14400
 ttgctcttgc ccggcgtcaa tacgggataa taccgcgcca catagcagaa ctttaaaagt 14460
 gctcatcatt ggaaaacgtt cttcggggcg aaaactctca aggatcttac cgctgttgag 14520
 atccagttcg atgtaacca ctctgtgcacc caactgatct tcagcatctt ttactttcac 14580
 cagcgtttct gggtgagcaa aaacaggaag gcaaaatgcc gcaaaaaagg gaataagggc 14640
 gacacggaaa tggtgaatac tcatactctt cttttttcaa tattattgaa gcatttatca 14700
 gggttattgt ctcatgagcg gatacatatt tgaatgtatt tagaaaaata aacaaatagg 14760
 gggtccgcgc acatttcccc gaaaagtgcc acctgacgcg ccctgtagcg gcgcattaag 14820
 cgcggcgggt gtggtggtta cgcgcagcgt gaccgctaca cttgccagcg ccctagcgcc 14880
 cgctcctttc gctttcttcc cttcctttct cgccacgttc gccggctttc cccgtcaagc 14940
 tctaaatcgg gggctccctt tagggttccg atttagtgct ttacggcacc tcgaccccaa 15000
 aaaacttgat taggggtgat gttcacgtag tgggccatcg ccctgataga cggtttttcg 15060
 ccctttgacg ttggagtcca cgttctttta tagtggaact ttgttccaaa ctggaacaac 15120
 actcaaccct atctcgggtct attcttttga tttataaggg attttgccga tttcggccta 15180
 ttggttaaaa aatgagctga ttttaacaaa atttaacgcg aattttaaca aaatattaac 15240
 gtttacaatt tcccatcgc cattcaggct gcgcaactgt tgggaagggc gatcgggtgcg 15300
 ggcctcttcg ctattacgcc agcccaagct accatgataa gtaagtaata ttaaggtagc 15360
 ggaggtactt ggagcggccg ctctagaact agtggatccc ccggccgcaa taaaatatct 15420
 ttattttcat tacatctgtg tggttggttt ttgtgtgaat cgatagtact aacatacgct 15480
 ctccatcaaa acaaaacgaa acaaaacaaa ctagcaaat aggctgtccc cagtgcaggt 15540
 gcaggtgcca gaacatttct ctatcgatag gtaccgagct cttacgcgtg ctagccctcg 15600
 agcaggatct atacattgaa tcaatattgg caattagcca tattagtcatt tggttatata 15660

Integrase.ST25

gcataaatca	atattggcta	ttggccattg	catacgttgt	atctatatca	taatattgtac	15720
atttatattg	gctcatgtcc	aatatgaccg	ccatgttgac	attgattatt	gactagttat	15780
taatagtaat	caattacggg	gtcattagtt	catagcccat	atatggagtt	ccgcgttaca	15840
taacttacgg	taaatggccc	gcctggctga	ccgcccacg	acccccgccc	attgacgtca	15900
ataatgacgt	atgttcccat	agtaacgcca	atagggactt	tccattgacg	tcaatgggtg	15960
gagtattttac	ggtaaaactgc	ccacttggca	gtacatcaag	tgtatcatat	gccaagtccg	16020
ccccctattg	acgtcaatga	cggtaaatgg	cccgcctggc	attatgccc	gtacatgacc	16080
ttacgggact	ttcctacttg	gcagtacatc	tacgtattag	tcatcgctat	taccatgggtg	16140
atgcgggtttt	ggcagtacat	caatgggcgt	ggatagcgg	ttgactcacg	gggatttcca	16200
agtctccacc	ccattgacgt	caatgggag	ttgttttggc	acaaaaatca	acgggacttt	16260
ccaaaatgtc	gtaacaactc	cgccccattg	acgcaaattg	gcggtaggcg	tgtacgggtg	16320
gaggtctata	taagcagagc	tcgttttagt	aaccgtcaga	tcgcctggag	acgccatcca	16380
cgctgttttg	acctccatag	aagacaccgg	gaccgatcca	gcctcccctc	gaagctcgac	16440
tctaggggct	cgagatctgc	gatctaagta	agcttgcatg	cctgcaggtc	ggccgccacg	16500
accggtgccg	ccaccatccc	ctgaccacg	cccctgaccc	ctcacaagga	gacgaccttc	16560
catgaccgag	tacaagccc	cggtgcgcct	cgccacccgc	gacgacgtcc	cccgggcccgt	16620
acgcaccctc	gccgccgcgt	tcgccgacta	ccccgccacg	cgccacaccg	tcgacccgga	16680
ccgccacatc	gagcgggtca	ccgagctgca	agaactcttc	ctcacgcgcg	tcgggctcga	16740
catcggcaag	gtgtgggtcg	cggacgacgg	cgccgcgggtg	gcggtctgga	ccacgccgga	16800
gagcgtcgaa	gcggggggcg	tgttcgccga	gatcggcccc	cgcatggccg	agttgagcgg	16860
ttcccggctg	gccgcgcagc	aacagatgga	aggcctcctg	gcgccgcacc	ggcccaagga	16920
gcccgcgtgg	ttcctggcca	ccgtcggcgt	ctcgccccgac	caccagggca	agggctctggg	16980
cagcgcctgc	gtgctccccg	gagtggaggc	ggccgagcgc	gccgggggtgc	ccgccttcct	17040
ggagacctcc	gcgccccgca	acctcccctt	ctacgagcgg	ctcggcttca	ccgtcaccgc	17100
cgacgtcgag	gtgcccgaag	gaccgcgcac	ctggtgcatg	acccgcaagc	ccggtgcctg	17160
acgcccgccc	cacgaccgcg	agcgcgccgac	cgaaaggagc	gcacgacccc	atggctccga	17220
ccgaagccga	cccgggcggc	cccgccgacc	ccgcacccgc	ccccgaggcc	caccgactct	17280
agagtcgggg	cggccggccg	cttcgagcag	acatgataag	atacattgat	gagtttggac	17340
aaaccacaac	tagaatgcag	tgaaaaaat	gctttatttg	tgaaatttgt	gatgctattg	17400
ctttattttgt	aaccattata	agctgcaata	aacaagttaa	caacaacaat	tgcattcatt	17460
ttatgtttca	ggttcagggg	gaggtgtggg	aggtttttta	aagcaagtaa	aacctctaca	17520
aatgtggtaa	aatcgataag	gatcaattcg	gcttcaggta	ccgtcgacga	tgtagggtcac	17580
ggtctcgaag	ccgcgggtgc	ggtgccaggg	cgtgcccttg	ggctccccgg	gcgcgtactc	17640
cacctcacc	atctgggtcca	tcatgatgaa	cgggtcgagg	tggcggtagt	tgatcccggc	17700

Integrase.ST25

gaacgcgcgg cgacccggga agccctcgcc ctcgaaaccg ctgggcgcgg tggtcacggt 17760
 gagcacggga cgtgcgacgg cgtcggcggg tgcggatacg cggggcagcg tcagcggggtt 17820
 ctcgacgggtc acggcgggca tgtcgacagc cgaattgatc cgtcgaccga tgcccttgag 17880
 agccttcaac ccagtcagct ccttccgggtg ggcgcggggc atgactatcg tcgccgcact 17940
 tatgactgtc ttctttatca tgcaactcgt aggacagggtg ccggcagcgc tcttccgctt 18000
 cctcgctcac tgactcgctg cgctcgggtcg ttcgggtgcg gcgagcggta tcagctcact 18060
 caaaggcgggt aatacgggtta tccacagaat caggggataa cgcaggaaag aacatg 18116

<210> 8

<211> 17402

<212> DNA

<213> Plasmid pOMIFN-Ins-CMV-pur-attB

<400> 8

ggccgccacc gcggtggagc tccaattcgc cctatagtga gtcgtattac aattcactgg 60
 ccgtcgtttt acaacgctcg gactgggaaa accctggcgt tacccaactt aatcgcccttg 120
 cagcacatcc ccctttcgcc agctggcgta atagcgaaga ggcccgcacc gatcgccctt 180
 cccaacagtt gcgcagcctg aatggcgaat gggacgcgcc ctgtagcggc gcattaagcg 240
 cggcgggtgt ggtggttacg cgcagcgtga ccgctacact tgccagcgcc ctagcgcccg 300
 ctcttttcgc tttcttcctt tcctttctcg ccacgttcgc cggctttccc cgtcaagctc 360
 taaatcgggg gctcccttta gggttccgat ttagtgcttt acggcacctc gaccccaaaa 420
 aacttgatta gggatgatgt tcacgtagtg ggccatcgcc ctgatagacg gtttttcgcc 480
 ctttgacggt ggagtccacg ttctttaata gtggactctt gttccaaact ggaacaacac 540
 tcaaccctat ctcggtctat tcttttgatt tataagggat tttgccgatt tcggcctatt 600
 ggttaaaaaa tgagctgatt taacaaaaat ttaacgcgaa ttttaacaaa atattaacgc 660
 ttacaattta ggtggcactt ttcggggaaa tgtgcgcgga acccctattt gtttattttt 720
 ctaaatacat tcaaatatgt atccgctcat gagacaataa ccctgataaa tgcttcaata 780
 atattgaaaa aggaagagta tgagtattca acatttccgt gtcgccctta ttcccttttt 840
 tgcggcattt tgccttcctg tttttgctca cccagaaacg ctggtgaaag taaaagatgc 900
 tgaagatcag ttgggtgcac gagtgggtta catcgaactg gatctcaaca gcggtaagat 960
 ccttgagagt tttcgccccg aagaacgttt tccaatgatg agcactttta aagttctgct 1020
 atgtggcgcg gtattatccc gtattgacgc cgggcaagag caactcggtc gccgcataca 1080
 ctattctcag aatgacttgg ttgagtactc accagtcaca gaaaagcatc ttacggatgg 1140
 catgacagta agagaattat gcagtgctgc cataaccatg agtgataaca ctgcggccaa 1200
 cttacttctg acaacgatcg gaggaccgaa ggagctaacc gctttttttgc acaacatggg 1260
 ggatcatgta actcgccttg atcgttggga accggagctg aatgaagcca taccaaacga 1320
 cgagcgtgac accacgatgc ctgtagcaat ggcaacaacg ttgcgcaaac tattaactgg 1380
 cgaactactt actctagctt cccggcaaca attaatagac tggatggagg cggataaagt 1440

Integrase.ST25

tgcaggacca	cttctgcgct	cggcccttcc	ggctggctgg	tttattgctg	ataaatctgg	1500
agccggtgag	cgtgggtctc	gcggtatcat	tgcagcactg	gggccagatg	gtaagccctc	1560
ccgtatcgta	gttatctaca	cgacggggag	tcaggcaact	atggatgaac	gaaatagaca	1620
gatcgctgag	ataggtgcct	cactgattaa	gcattggtaa	ctgtcagacc	aagtttactc	1680
atatatactt	tagattgatt	taaaacttca	tttttaattt	aaaaggatct	aggtgaagat	1740
cctttttgat	aatctcatga	ccaaaatccc	ttaacgtgag	ttttcgttcc	actgagcgtc	1800
agaccccgta	gaaaagatca	aaggatcttc	ttgagatcct	ttttttctgc	gcgtaatctg	1860
ctgcttgcaa	acaaaaaac	caccgctacc	agcgggtggt	tgtttgccgg	atcaagagct	1920
accaactctt	tttccgaagg	taactggctt	cagcagagcg	cagataccaa	atactgtcct	1980
tctagtgtag	ccgtagttag	gccaccactt	caagaactct	gtagcaccgc	ctacatacct	2040
cgctctgcta	atcctgttac	cagtggctgc	tgccagtggc	gataagtcgt	gtcttaccgg	2100
gttggaactca	agacgatagt	taccggataa	ggcgcagcgg	tcgggctgaa	cgggggggttc	2160
gtgcacacag	cccagcttgg	agcgaacgac	ctacaccgaa	ctgagatacc	tacagcgtga	2220
gctatgagaa	agcggccacgc	ttcccgaagg	gagaaaggcg	gacaggtatc	cggtaagcgg	2280
cagggtcgga	acaggagagc	gcacgagggg	gcttccaggg	ggaaacgcct	ggtatcttta	2340
tagtcctgtc	gggtttcgcc	acctctgact	tgagcgtcga	tttttgtgat	gctcgtcagg	2400
ggggcgagc	ctatggaaaa	acgccagcaa	cgcggccttt	ttacggttcc	tggccttttg	2460
ctggcctttt	gctcacatgt	tctttcctgc	gttatcccct	gattctgtgg	ataaccgtat	2520
taccgccttt	gagtgagctg	ataccgctcg	ccgcagccga	acgaccgagc	gcagcgagtc	2580
agtgagcgag	gaagcggaag	agcgcccaat	acgcaaaccg	cctctccccg	cgcgttggcc	2640
gattcattaa	tgcagctggc	acgacagggt	tcccgactgg	aaagcgggca	gtgagcgcaa	2700
cgcaattaat	gtgagttagc	tcactcatta	ggcaccaccag	gctttacact	ttatgcttcc	2760
ggctcgtatg	ttgtgtggaa	ttgtgagcgg	ataacaattt	cacacaggaa	acagctatga	2820
ccatgattac	gccaagctcg	aaattaaccc	tcactaaagg	gaacaaaagc	tgggtaccgg	2880
gccccccctc	gactagaggg	acagcccccc	cccaaagccc	ccagggatgt	aattacgtcc	2940
ctcccccgct	agggggcagc	agcgagccgc	ccggggctcc	gctccgggtcc	ggcgctcccc	3000
ccgcatcccc	gagccggcag	cgtgcgggga	cagcccgggc	acggggaagg	tggcacggga	3060
tcgcttttcct	ctgaacgctt	ctcgtgctc	tttgagcctg	cagacacctg	gggggatacg	3120
gggaaaaagc	tttaggctga	aagagagatt	tagaatgaca	gaatcataga	acggcctggg	3180
ttgcaaagga	gcacagtgct	catccagatc	caaccccctg	ctatgtgcag	ggatcatcaac	3240
cagcagccca	ggctgcccag	agccacatcc	agcctggcct	tgaatgcctg	cagggatggg	3300
gcatccacag	cctccttggg	caacctgttc	agtgcgtcac	caccctctgg	gggaaaaact	3360
gcctcctcat	atccaaccca	aacctcccct	gtctcagtgt	aaagccattc	ccccttgtcc	3420
tatcaagggg	gagtttgctg	tgacattggt	ggtctggggg	gacacatggt	tgccaattca	3480

Integrase.ST25

gtgcatcacg	gagaggcaga	tcttggggat	aaggaagtgc	aggacagcat	ggacgtggga	3540
catgcaggtg	ttgagggctc	tgggacactc	tccaagtcac	agcgttcaga	acagccttaa	3600
ggataagaag	ataggataga	aggacaaaga	gcaagttaaa	acccagcatg	gagaggagca	3660
caaaaaggcc	acagacactg	ctggtccttg	tgtctgagcc	tgcattgttg	atggtgtctg	3720
gatgcaagca	gaaggggttg	aagagcttgc	ctggagagat	acagctgggt	cagtaggact	3780
gggacaggca	gctggagaat	tgccatgtag	atgttcatac	aatcgtcaaa	tcatgaaggc	3840
tggaaaagcc	ctccaagatc	ccaagacca	acccaaccc	acccaccgtg	cccactggcc	3900
atgtccctca	gtgccacatc	cccacagttc	ttcatcacct	ccagggacgg	tgaccccccc	3960
acctccgtgg	gcagctgtgc	cactgcagca	ccgctctttg	gagaaggtaa	atcttgctaa	4020
atccagcccc	accctcccct	ggcacaacgt	aaggccatta	tctctcatcc	aactccagga	4080
cggagtcagt	gaggatgggg	ctctagtcga	ggtcgacggg	atcgataagc	ttgattaggc	4140
agagcaatag	gactctcaac	ctcgtgagta	tggcagcatg	ttaactctgc	actggagtcc	4200
agcgtgggaa	acaatctgcc	ttgcacatga	gtcttcgtgg	gccaatatcc	ccaacgggtt	4260
ttccttcagc	ttgtcttgtc	tcctaagctc	tcaaaacacc	tttttggtga	ataaactcac	4320
ttggcaacgt	ttatctgtct	taccttagtg	tcacgtttca	tccctattcc	cctttctcct	4380
cctccgtgtg	gtacacagtg	gtgcacactg	gttcttctgt	tgatgttctg	ctctgacagc	4440
caatgtgggt	aaagtcttcc	ctgccacgtg	tctgtgttgt	tttacttca	aaaaggggccc	4500
tgggctcccc	ttggagctct	caggcatttc	cttaatcatc	acagtcacgc	tggcaggatt	4560
agtccctcct	aaaccttaga	atgacctgaa	cgtgtgctcc	ctctttgtag	tcagtgcagg	4620
gagacgtttg	cctcaagatc	aggggccatc	tcacccacag	ggccattccc	aagatgaggt	4680
ggatggttta	ctctcacaaa	aagttttctt	atgtttggct	agaaaggaga	actcactgcc	4740
tacctgtgaa	ttcccctagt	cctggttctg	ctgccactgc	tgcctgtgca	gcctgtccca	4800
tggagggggc	agcaactgct	gtcacaaagg	tgatcccacc	ctgtctccac	tgaaatgacc	4860
tcagtgccac	gtgttggtata	gggtataaag	tacgggaggg	ggatgcccgg	ctcccttcag	4920
ggttgcagag	cagaagtgtc	tgtgtataga	gtgtgtctta	atctattaat	gtaacagaac	4980
aacttcagtc	ctagtgtttt	gtgggctgga	attgcccattg	tggtagggac	aggcctgcta	5040
aatcactgca	atgccttatg	ttctgaagggt	atttgggaaa	gaaagggtt	tgggggattg	5100
cctgtgattg	gctttaattg	aatggcaaat	cacaggaaag	cagttctgct	caacagttgg	5160
ttgtttcagc	caattcttgc	agccaaagag	ccgggtgccc	agcgatataa	tagttgtcac	5220
ttgtgtctgt	atggatgaca	gggaggtagg	gtgacctgag	gaccaccctc	cagcttctgc	5280
tagcgtaggt	acagtcacca	cctccagctc	cacacgagtc	ccatcgtggg	ttaccaaaaga	5340
aacacaatta	tttgaccag	tttggaagt	cacccgctga	attgtgaggc	tagattaata	5400
gagctgaaga	gcaaatgttc	ccaacttgga	gatactagtt	ggatttagta	tcagagggaac	5460
agggccatag	cacctccatg	ctattagatt	ccggctggca	tgtacttttc	aagatgattt	5520

Integrase.ST25

gtaactaaca atggccttatt gtgcttgtct taagtctgtg tcctaattgta aatgttcctt 5580
 tggtttatat aaccttcttg ccatttgctc ttcagggtgtt cttgcagaac actggctgct 5640
 ttaatctagt ttaactgttg cttgattatt cttagggata agatctgaat aaactttttg 5700
 tggcctttggc agacttttagc ttgggcttag ctcccacatt agctttttgct gcctttttctg 5760
 tgaagctatc aagatcctac tcaatgacat tagctgggtg cagggtgtacc aaatcctgct 5820
 ctgtggaaca cattgtctga tgataccgaa ggcaaacgtg aactcaaaga ggcacagagt 5880
 taagaagaag tctgtgcaat tcagaggaaa agccaaagtg gccattagac aacttttcca 5940
 tgcagcattt gccagtaggt ttcataataa actacaaaat ggaataaacc actacaaatg 6000
 ggaaaagcct gatactagaa tttaaatatt caccagggt caaggggtgt ttcattggagt 6060
 aatatcactc tataaaagta gggcagccaa ttattcacag acaaagcttt tttttttctg 6120
 tgctgcagtg ctgtttttctg gctgatccag ggttacttat tgtgggtctg agagctgaat 6180
 gattttctcct tgtgtcatgt tgggtgaagga gatatggcca gggggagatg agcatgttca 6240
 agaggaaacg ttgcattttg gtggccttggg agaaaggtag aacgatatca ggtccatagt 6300
 gtcactaaga gatctgaagg atggttttac agaacagttg acttggctgg gtgcaggctt 6360
 ggctgtaaat ggatggaagg atggacagat ggggtggacag agattttctgt gcaggagatc 6420
 atctcctgag ctcggtgctt gacagactgc agatccatcc cataaccttc tccagcatga 6480
 gagcgcgggg agctttggta ctgttcagtc tgctgcttgt tgcttcctgg gtgcacagtg 6540
 gtgattttct tactcacaca gggcaaaaac ctgagcagct tcaaagtga caggttgctc 6600
 tcataggcca ttcagttgtc aagatgaggt ttttggtttc ttgttttgta aggtgggaag 6660
 aagcactgaa ggatcagttg cgagggcagg ggttttagcac tgttcagaga agtcttattt 6720
 taactcctct catgaacaaa aagagatgca ggtgcagatt ctggcaagca tgcagtgaag 6780
 gagaaagccc tgaattttctg atatatgtgc aatgttgggc acctaacatt ccccgctgaa 6840
 gcacagcagc tccagctcca tgcagtactc acagctgggtg cagccctcgg ctccagggtc 6900
 tgagcagtgc tgggactcac gaggttccat gtctttcaca ctgataatgg tccaatttct 6960
 ggaatgggtg cccatccttg gaggtcccca aggccaggct ggctgcgtct ccgagcagcc 7020
 cgatctggtg gtgagtagcc agcccatggc aggagttaga gcctgatggc ctttaaggctc 7080
 ccttccaacc taagccatcc tacgattcta ggaatcatga cttgtgagtg tgtattgcag 7140
 aggcaatatt ttaaagttat aaatgttttc tccccttcct tgttttgtcaa agttatcttg 7200
 atcgccttat caatgctttt ggagtctcca gtcatttttc ttacamcaaa aagaggagga 7260
 agaatgaaga gaatcattta atttcttgat tgaatagtag gattcagaaa gctgtacgta 7320
 atgccgtctc tttgtatcga gctgtaaggc ttctcatcat ttatcagcgt ggtacatatc 7380
 agcacttttc catctgatgt ggaaaaaaa atccttatca tctacagtct ctgtacctaa 7440
 acatcgctca gactctttac caaaaaagct ataggtttta aaactacatc tgctgataat 7500
 ttgccttggt ttagctcttc ttccatatgc tgcgtttgtg agagggtgcgt ggatgggcct 7560

Integrase.ST25

aaactctcag	ctgctgagct	tgatgggtgc	ttaagaatga	agcactcact	gctgaaactg	7620
ttttcatttc	acaggaatgt	tttagtggca	ttgtttttat	aactacatat	tcctcagata	7680
aatgaaatcc	agaaataatt	atgcaaactc	actgcatccg	ttgcacaggt	ctttatctgc	7740
tagcaaagga	aataatttgg	ggatggcaaa	aacatttcct	cagacatcta	tatttaaagg	7800
aatataatcc	tggtacccac	ccacttcatc	cctcattatg	ttcacactca	gagataactca	7860
ttctcttggt	gttatcattt	gatagcgttt	tctttggttc	tttgccacgc	tctgggctat	7920
ggctgcacgc	tctgcactga	tcagcaagta	gatgcgaggg	aagcagcagt	gagaggggct	7980
gccctcagct	ggcaccacgc	cgctcagcct	aggaggggac	cttgcccttc	caccagctga	8040
ggtgcagccc	tacaagctta	cacgtgctgc	gagcaggtga	gcaaagggag	tcttcatggt	8100
gtgtttcttg	ctgcccggaa	gcaaaacttt	actttcattc	attccccttg	aagaatgagg	8160
aatgtttgga	aacggactgc	tttacgttca	atttctctct	tccctttaag	gctcagccag	8220
gggccattgc	tgaggacggc	atcggggccc	cctggaccaa	atctgtggca	cagatggttt	8280
cacttacatc	agtggatgtg	ggatctgcgc	ctgtaatgtg	tccttctgaa	ggaaggaacg	8340
tgccctccaa	gtgccagccc	cacagccccc	agccccctcc	tgtgctgctc	caattcatct	8400
cctcttcctc	cttctccctt	tgctgtttgt	gctcgggtag	aatcatgaa	gatttagaag	8460
agaaaacaaa	ataactggag	tggaaaccca	ggtgatgcag	ttcattcagc	tgtcataggt	8520
ttgtcgttgc	tataggtctg	tatcagagat	gctarcacca	ctttgctgtc	ggtgcttaac	8580
tcgggtgaac	tctccttcac	tcgcatcatt	tgcgggcctt	atttacatcc	ccagcatcca	8640
tcaccctctg	ggaaaatggg	cgcactggat	ctctaattga	agactttccc	tctttcagag	8700
cctgtgggat	gtgcagtgac	aagaaacgtg	gaggggctga	gcagcagcac	tgcccccagg	8760
gagcaggagc	ggatgccatc	ggtggcagca	tcccaaataga	tgtcagcgga	tgctgagcag	8820
gcagcggacg	aacggacaga	agcgatgcgt	acaccttctg	ttgacatggg	atttggcagc	8880
gatttaacac	tcgcttccta	gtcctgctat	tctccacagg	ctgcattcaa	atgaacgaag	8940
ggaagggagg	caaaaagatg	caaaatccga	gacaagcagc	agaaatattt	cttcgctacg	9000
gaagcgtgcg	caaacaacct	tctccaacag	caccagaaga	gcacagcgta	acctttttca	9060
agaccagaaa	aggaaattca	caaagcctct	gtggatacca	gcgcgttcag	ctctcctgat	9120
agcagatttc	ttgtcaggtt	gcgaatgggg	tatggtgcca	ggaggtgcag	ggaccatatg	9180
atcatataca	gcacagcagt	cattgtgcat	gtattaatat	atattgagta	gcagtgttac	9240
tttgccaaag	caatagttca	gagatgagtc	ctgctgcata	cctctatctt	aaaactaact	9300
tataaatagt	aaaaccttct	cagttcagcc	acgtgctcct	ctctgtcagc	accaatgggtg	9360
cttcgcctgc	accagctgc	aaggaatcag	cccgtgatct	cattaacact	cagctctgca	9420
ggataaatta	gattgttcca	ctctcttttg	ttgttaatta	cgacggaaca	attgttcagt	9480
gctgatggtc	ctaattgtca	gctacagaaa	acgtctccat	gcagttcctt	ctgcgccagc	9540
aaactgtcca	ggctatagca	ccgtgatgca	tgctacctct	cactccatcc	ttcttctctt	9600

Integrase.ST25

tcccaccagg	gagagctgtg	tgtttttact	ctcagccact	ctgaacaata	ccaaactgct	9660
acgcactgcc	tccctcggaa	agagaatccc	cttgttgctt	ttttatttac	aggatccttc	9720
ttaaaaagca	gaccatcatt	cactgcaaac	ccagagcttc	atgcctctcc	ttccacaacc	9780
gaaaacagcc	ggcttcattt	gtctttttta	aatgctgttt	tccaggtgaa	ttttggccag	9840
cgtgttggct	gagatccagg	agcacgtgtc	agcttttctgc	tctcattgct	cctgttctgc	9900
attgcctctt	tctgggggttt	ccaagagggg	gggagacttt	gcgcggggat	gagataatgc	9960
cccttttctt	agggtggctg	ctgggcagca	gagtggctct	gggtcactgt	ggcaccaatg	10020
ggaggcacca	gtgggggtgt	gttttgtgca	ggggggaagc	attcacagaa	tggggctgat	10080
cctgaagctt	gcagtccaag	gctttgtctg	tgtacccagt	gaaatccttc	ctctgttaca	10140
taaagcccag	ataggactca	gaaatgtagt	cattccagcc	cccctcttcc	tcagatctgg	10200
agcagcactt	gtttgcagcc	agtcctcccc	aaaatgcaca	gacctcgccg	agtggaggga	10260
gatgtaaaca	gcgaaggtta	attacctcct	tgtcaaaaac	actttgtggt	ccatagatgt	10320
ttctgtcaat	cttacaaaac	agaaccgaga	ggcagcgagc	actgaagagc	gtgttcccat	10380
gctgagttaa	tgagacttgg	cagctcgctg	tgcagagatg	atccctgtgc	ttcatgggag	10440
gctgtaacct	gtctccccat	cgctttcaca	ccgcagtgct	gtcctggaca	cctcaccctc	10500
cataagctgt	aggatgcagc	tgcccaggga	tcaagagact	tttcctaagg	ctcttaggac	10560
tcactcttgc	cgctcagtag	cgtgcagcaa	ttactcatcc	caactatact	gaatgggttt	10620
ctgccagctc	tgcttgtttg	tcaataagca	tttcttcatt	ttgcctctaa	gtttctctca	10680
gcagcaccgc	tctgggtgac	ctgagtggcc	acctggaacc	cgagggggcac	agccaccacc	10740
tccctgttgc	tgctgctcca	gggactcatg	tgctgctgga	tgggggggaag	catgaagtgc	10800
ctcaccagca	cacctgggtt	gcaatggctg	cagcgtgctc	ttcttggtat	gcagattggt	10860
tccagccatt	acttgtagaa	atgtgctgtg	gaagcccttt	gtatctcttt	ctgtggccct	10920
tcagcaaaag	ctgtgggaaa	gctctgaggc	tgctttcttg	ggtcgtggag	gaattgtatg	10980
ttccttcttt	aacaaaaatt	atccttagga	gagagcactg	tgcaagcatt	gtgcacataa	11040
aacaattcag	gttgaaaggg	ctctctggag	gtttccagcc	tgactactgc	tcgaagcaag	11100
gccaggttca	aagatggctc	aggatgctgt	gtgccttcct	gattatctgt	gccaccaatg	11160
gaggagattc	acagccactc	tgcttcccgt	gccactcatg	gagaggaata	ttcccttata	11220
ttcagataga	atgttatcct	ttagctcagc	cttccctata	accccatgag	ggagctgcag	11280
atccccatac	tctccccttc	tctgggggtga	aggccgtgtc	ccccagcccc	ccttcccacc	11340
ctgtgcccta	agcagcccgc	tggcctctgc	tggatgtgtg	cctatatgtc	aatgcctgtc	11400
cttgcagtcc	agcctgggac	atttaattca	tcaccagggt	aatgtggaac	tgtgtcatct	11460
tcccctgcag	ggtacaaagt	tctgcacggg	gtcctttcgg	ttcaggaaaa	ccttcactgg	11520
tgctacctga	atcaagctct	atttaataag	ttcataagca	catggatgtg	ttttcctaga	11580
gatacgtttt	aatgggtatca	gtgattttta	tttgctttgt	tgcttacttc	aaacagtgcc	11640

Integrase.ST25

```

tttgggcagg aggtgagggga cgggtctgcc gttggctctg cagtgatttc tccaggcgtg 11700
tggctcaggt cagatagtggt tcactctgtg gccagaagaa ggacaaagat ggaaattgca 11760
gattgagtca cgttaagcag gcatcttgga gtgatttgag gcagtttcat gaaagagcta 11820
cgaccactta ttgttggtttt cccctttttac aacagaagtt ttcattcaaaa taacgtggca 11880
aagcccagga atgttttggga aaagtgtagt taaatgtttt gtaattcatt tgtcggagtg 11940
ctaccagcta agaaaaaagt cctacctttg gtatggtagt cctgcagaga atacaacatc 12000
aatattagtt tggaaaaaaa caccaccacc accagaaact gtaatggaaa atgtaaacca 12060
agaaattcct tgggtaagag agaaaggatg tcgtatactg gccaaagtcct gccagctgt 12120
cagcctgctg accctctgca gttcaggacc atgaaacgtg gcaactgtaag acgtgtcccc 12180
tgcctttgct tgcccacaga tctctgccct tgtgctgact cctgcacaca agagcatttc 12240
cctgtagcca aacagcgatt agccataagc tgcacctgac tttgaggatt aagagtttgc 12300
aattaagtgg attgcagcag gagatcagtg gcagggttgc agatgaaatc cttttctagg 12360
ggtagctaag ggctgagcaa cctgtcctac agcacaagcc aaaccagcca agggttttcc 12420
tgtgctgttc acagaggcag ggccagctgg agctggagga ggttgctgctg ggacccttct 12480
ccctgtgctg agaatggagt gatttctggg tgctgttcct gtggcttgca ctgagcagct 12540
caaggagat cggtgctcct catgcagtg caaaactcgt gtttgatgca gaaagatgga 12600
tgtgcacctc cctcctgcta atgcagccgt gagcttatga aggcaatgag ccctcagtg 12660
agcaggagct gtagtgcact cctgtaggtg ctagggaaaa tctctgggtc ccagggatgc 12720
attcataagg gcaatatatc ttgaggctgc gccaaatcct tctgaaatat tcatgcgtgt 12780
tcccttaatt tatagaaaca aacacagcag aataattatt ccaatgcctc ccctcgaagg 12840
aaacccatat ttccatgtag aaatgtaacc tatatacaca cagccatgct gcattccttca 12900
gaacgtgcca gtgctcatct cccatggcaa aatactacag gtattctcac tatgttggac 12960
ctgtgaaagg aaccatggta agaaacttcg gttaaaggta tggctgcaaa actactcata 13020
ccaaaacagc agagctccag acctcctctt aggaaagagc cacttgagga gggatgggtgt 13080
gaaggctgga ggtgagagac agagcctgtc ccagttttcc tgtctctatt ttctgaaacg 13140
tttgcaggag gaaaggacaa ctgtactttc aggcatagct ggtgccctca cgtaaataag 13200
ttccccgaac ttctgtgtca tttgttctta agatgctttg gcagaacact ttgagtcaat 13260
tcgcttaact gtgactaggt ctgtaaataa gtgctccctg ctgataaggt tcaagtgaca 13320
tttttagtgg tatttgacag catttacctt gctttcaagt cttctaccaa gctcttctat 13380
acttaagcag tgaaaccgcc aagaaaccct tccttttatc aagctagtg c taaataccat 13440
taacttcata ggtagatac ggtgctgcca gcttcacctg gcagtgggtg gtcagtctctg 13500
ctggtgacaa agcctccctg gcctgtgctt ttacctagag gtgaatatcc aagaatgcag 13560
aactgcatgg aaagcagagc tgcaggcacg atggtgctga gccttagctg cttcctgctg 13620
ggagatgtgg atgcagagac gaatgaagga cctgtccctt actcccctca gcattctgtg 13680

```

Integrase.ST25

ctattttaggg ttctaccaga gtccttaaga ggttttttttt ttttttggtc caaaagtctg 13740
 tttgttttgggt tttgaccact gagagcatgt gacacttggtc tcaagctatt aaccaagtgt 13800
 ccagccaaaa tcaattgcct gggagacgca gaccattacc tggagggtcag gacctcaata 13860
 aatattacca gcctcattgt gccgctgaca gattcagctg gctgctccgt gttccagtcc 13920
 aacagttcgg acgccacggt tgtatatatt tgcaggcagc ctcgggggga ccatctcagg 13980
 agcagagcac cggcagccgc ctgcagagcc gggcagtacc tcaccatggc tttgaccttt 14040
 gccttactgg tggctctcct ggtgctgagc tgcaagagca gctgctctgt gggctgcat 14100
 ctgcctcaga cccacagcct gggcagcagg aggaccctga tgctgctggc tcagatgagg 14160
 agaatcagcc tgtttagctg cctgaaggat aggcacgatt ttggctttcc tcaagaggag 14220
 tttggcaacc agtttcagaa ggctgagacc atccctgtgc tgcacgagat gatccagcag 14280
 atctttaacc tgtttagcac caaggatagc agcgctgctt gggatgagac cctgctggat 14340
 aagttttaca ccgagctgta ccagcagctg aacgatctgg aggcttgctg gatccagggc 14400
 gtgggctgta ccgagacccc tctgatgaag gaggatagca tcctggctgt gaggaagtac 14460
 tttcagagga tcaccctgta cctgaaggag aagaagtaca gcccctgcgc ttgggaagtc 14520
 gtgagggctg agatcatgag gagcttttagc ctgagcacca acctgcaaga gagcttgagg 14580
 tctaaggagt aaaaagtcta gagtcggggc ggccggccgc ttcgagcaga catgataaga 14640
 tacattgatg agtttgaca aaccacaact agaatgcagt gaaaaaaatg ctttatttgt 14700
 gaaatttgtg atgctattgc tttatttgta accattataa gctgcaataa acaagttaac 14760
 aacaacaatt gcattcatth tatgtttcag gttcaggggg aggtgtggga ggttttttaa 14820
 agcaagtaaa acctctacaa atgtggtaaa atcgataccg tcgacctcga ctagagcggc 14880
 cactaacata cgctctccat caaaacaaaa cgaaacaaaa caaactagca aaataggctg 14940
 tccccagtgc aagtgcaggt gccagaacat ttctctatcg ataggtaccg agctcttacg 15000
 cgtgctagcc ctgcagcagg atctatacat tgaatcaata ttggcaatta gccatattag 15060
 tcattgggta tatagcataa atcaatattg gctattggcc attgcatacg ttgtatctat 15120
 atcataatat gtacatttat attggctcat gtccaatatg accgccatgt tgacattgat 15180
 tattgactag ttattaatag taatcaatta cgggggtcatt agttcatagc ccatatatgg 15240
 agttccgcgt tacataactt acggtaaatg gcccgccctg ctgaccgccc aacgaccccc 15300
 gccattgac gtcaataatg acgtatgttc ccatagtaac gccaataggg actttccatt 15360
 gacgtcaatg ggtggagtat ttacggtaaa ctgcccactt ggcagtacat caagtgtatc 15420
 atatgccaaag tccgccccct attgacgtca atgacggtaa atggccccgc tggcattatg 15480
 ccagttacat gaccttacgg gactttccta cttggcagta catctacgta ttagtcatcg 15540
 ctattaccat ggtgatgcgg ttttggcagt acatcaatgg gcgtggatag cggtttgact 15600
 cacggggatt tccaagtctc caccctattg acgtcaatgg gagtttggtt tggcaccaaa 15660
 atcaacggga ctttccaaaa tgctgtaaca actccgcccc attgacgcaa atgggcggta 15720

Integrase.ST25

```

ggcgtgtacg gtgggaggtc tatataagca gagctcgttt agtgaaccgt cagatcgcct 15780
ggagacgcca tccacgctgt tttagacctcc atagaagaca ccgggaccga tccagcctcc 15840
cctcgaagct cgactctagg ggctcgagat ctgcatctta agtaagcttg catgcctgca 15900
ggtcggccgc caccgaccgt gccgccacca tcccctgacc caccgcccctg acccctcaca 15960
aggagacgac cttccatgac cgagtacaag cccacggtgc gcctcgccac ccgcgacgac 16020
gtcccccggt ccgtacgcac cctcgccgcc gcgttcgccg actaccccg caccgcccac 16080
accgtcgacc cggaccgcca catcgagcgg gtcaccgagc tgcaagaact cttcctcacg 16140
cgcgtcgggc tcgacatcgg caaggtgtgg gtcgaggacg acggcgccgc ggtggcggtc 16200
tggaccacgc cggagagcgt cgaagcgggg gcggtgttcg ccgagatcgg cccgcgcatg 16260
gccgagttga gcggttcccc gctggccgcg cagcaacaga tggaaggcct cctggcgccg 16320
caccggccca aggagcccg cgtggttctg gccaccgtcg gcgtctcgcc cgaccaccag 16380
ggcaagggtc tgggcagcgc cgtcgtgctc cccggagtg aggcggccga gcgcgcccgg 16440
gtgcccgcct tcctggagac ctccgcgccc cgcaacctcc ctttctacga gcggctcggc 16500
ttcaccgtca ccgccgacgt cgaggtgccc gaaggaccgc gcacctggtg catgaccgc 16560
aagcccgggt cctgacgccc gcccacgac ccgcagcgcc cgaccgaaag gagcgcacga 16620
ccccatggct ccgaccgaag ccgacccggg cggccccgcc gaccccgcac ccgccccga 16680
ggcccaccga ctctagagtc ggggcggccg gccgcttcga gcagacatga taagatacat 16740
tgatgagttt ggacaaacca caactagaat gcagtgaata aaatgcttta tttgtgaaat 16800
ttgtgatgct attgctttat ttgtaaccat tataagctgc aataaacaag ttaacaaca 16860
caattgcatt catTTTTatgt ttcagggttca gggggaggtg tgggaggttt tttaaagcaa 16920
gtaaaacctc tacaatatgt gtaaaatcga taaggatcaa ttcggcttca ggtaccgtcg 16980
acgatgtagg tcacggtctc gaagccgcgg tgcgggtgcc agggcggtgcc cttgggctcc 17040
ccgggcgcgt actccacctc acccatctgg tccatcatga tgaacgggtc gaggtggcgg 17100
tagttgatcc cggcgaacgc gcggcgacc ggggaagccct cgccctcgaa accgctgggc 17160
gcggtggtca cggtgagcac gggacgtgcg acggcgctcg cgggtgcgga tacgcggggc 17220
agcgtcagcg ggttctcgac ggtcacggcg ggcattgtcg cagccgaatt gatccgtcg 17280
ccgatgccct tgagagcctt caaccagtc agctccttcc ggtgggcgcg gggcatgact 17340
atcgtcgccg cacttatgac tgtcttcttt atcatgcaac tcgtaggaca ggtgccggca 17400
gc 17402

```

<210> 9
<211> 5172
<212> DNA
<213> Plasmid pRSV-Int

```

<400> 9
ctgcattaat gaatcggcca acgcgcgggg agaggcggtt tgcgtattgg gcgctcttcc 60

```

Integrase.ST25

gcttcctcgc	tcactgactc	gctgcgctcg	gtcgttcggc	tgcggcgagc	ggtatcagct	120
cactcaaagg	cggtaatacg	gttatccaca	gaatcagggg	ataacgcagg	aaagaacatg	180
tgagcaaaag	gccagcaaaa	ggccaggaac	cgtaaaaagg	ccgcgttgct	ggcgtttttc	240
cataggctcc	gccccctga	cgagcatcac	aaaaatcgac	gctcaagtca	gaggtggcga	300
aacccgacag	gactataaag	ataccaggcg	tttccccctg	gaagctccct	cgtgcgctct	360
cctgttccga	ccctgccgct	taccggatac	ctgtccgcct	ttctcccttc	gggaagcgtg	420
gcgctttctc	aatgctcacg	ctgtaggtat	ctcagttcgg	tgtaggctcg	tcgctccaag	480
ctgggctgtg	tgcacgaacc	ccccgttcag	cccgaccgct	gcgccttata	cggtaactat	540
cgtcttgagt	ccaacccggt	aagacacgac	ttatcgccac	tggcagcagc	cactggtaac	600
aggattagca	gagcgaggta	tgtaggcggt	gctacagagt	tcttgaagtg	gtggcctaac	660
tacggctaca	ctagaaggac	agtattttgt	atctgcgctc	tgctgaagcc	agttaccttc	720
ggaaaaagag	ttggtagctc	ttgatccggc	aaacaaacca	ccgctggtag	cggtggtttt	780
tttgtttgca	agcagcagat	tacgcgcaga	aaaaaaggat	ctcaagaaga	tcctttgatc	840
ttttctacgg	ggtctgacgc	tcagtggaac	gaaaactcac	gttaagggat	tttggtcatg	900
agattatcaa	aaaggatctt	cacctagatc	cttttaaat	aaaaatgaag	ttttaaatca	960
atctaaagta	tatatgagta	aacttgggtc	gacagttacc	aatgcttaat	cagtgaggca	1020
cctatctcag	cgatctgtct	atttcgttca	tccatagttg	cctgactccc	cgctcgtgtag	1080
ataactacga	tacgggaggg	cttaccatct	ggccccagtg	ctgcaatgat	accgcgagac	1140
ccacgctcac	cggctccaga	tttatcagca	ataaaccagc	cagccggaag	ggccgagcgc	1200
agaagtggtc	ctgcaacttt	atccgcctcc	atccagtcta	ttaattgttg	ccgggaagct	1260
agagtaagta	gttcgccagt	taatagtttg	cgcaacgttg	ttgccattgc	tacaggcatc	1320
gtggtgtcac	gctcgtcggt	tggtatggct	tcattcagct	ccggttccca	acgatcaagg	1380
cgagttacat	gatcccccat	gttgtgcaaa	aaagcggtta	gctccttcgg	tcctccgatc	1440
gttgtcagaa	gtaagttggc	cgcagtgtta	tcactcatgg	ttatggcagc	actgcataat	1500
tctcttactg	tcatgccatc	cgtaagatgc	ttttctgtga	ctggtgagta	ctcaaccaag	1560
tcattctgag	aatagtgtat	gcggcgaccg	agttgctctt	gcccggcgtc	aatacgggat	1620
aataccgcgc	cacatagcag	aactttaaaa	gtgctcatca	ttggaaaacg	ttcttcgggg	1680
cgaaaactct	caaggatctt	accgctgttg	agatccagtt	cgatgtaacc	cactcgtgca	1740
cccaactgat	cttcagcatc	ttttactttc	accagcgttt	ctgggtgagc	aaaaacagga	1800
aggcaaaatg	ccgcaaaaaa	gggaataagg	gcgacacgga	aatgttgaat	actcatactc	1860
ttcctttttc	aatattattg	aagcattttat	caggggttatt	gtctcatgag	cggatacata	1920
tttgaatgta	tttagaaaaa	taaacaaata	ggggttccgc	gcacattttc	ccgaaaagtg	1980
ccacctgacg	tcgacggatc	gggagatctc	ccgatcccct	atggctcgact	ctcagtacaa	2040
tctgctctga	tgccgcatag	ttaagccagt	atctgctccc	tgcttgtgtg	ttggaggctcg	2100

Integrase.ST25

ctgagtagtg	cgcgagcaaa	atttaagcta	caacaaggca	aggcttgacc	gacaattgca	2160
tgaagaatct	gcttaggggt	aggcgttttg	cgctgcttcg	cgatgtacgg	gccagatata	2220
cgcgtagtag	gggtctagga	tcgattctag	gaattctcta	gccgcggtct	agggatccccg	2280
gcgcgtatgg	tgcactctca	gtacaatctg	ctctgatgcc	gcatagttaa	gccagtatct	2340
gctccctgct	tgtgtgttgg	aggtcgctga	gtagtgcgcg	agcaaaattt	aagctacaac	2400
aaggcaaggc	ttgaccgaca	attgcatgaa	gaatctgctt	agggttaggc	gttttgcgct	2460
gcttcgcgat	gtacggggcca	gatatacgcg	tatctgaggg	gactaggggtg	tgttttaggcg	2520
aaaagcgggg	cttcggttgt	acgcgggttag	gagtcacctc	aggatatagt	agtttcgctt	2580
ttgcataggg	agggggaaat	gtagtcttat	gcaatacact	tgtagtcttg	caacatggta	2640
acgatgagtt	agcaacatgc	cttacaagga	gagaaaaagc	accgtgcatg	ccgattggtg	2700
gaagtaaggt	ggtacgatcg	tgccttatta	ggaaggcaac	agacagggtct	gacatggatt	2760
ggacgaacca	ctgaattccg	cattgcagag	ataattgtat	ttaagtgcct	agctcgatac	2820
aataaacgcc	atttgaccat	tcaccacatt	ggtgtgcacc	tccaagcttg	catgcctgca	2880
ggtaccggtc	cggaattccc	gggtcgacga	gctcactagt	cgtaggggtcg	ccgacatgac	2940
acaagggggt	gtgaccgggg	tggacacgta	cgcggttgct	tacgaccgtc	agtcgcgcga	3000
gcgcgagaat	tcgagcgag	caagcccagc	gacacagcgt	agcgccaacg	aagacaaggc	3060
ggccgacctt	cagcggaag	tcgagcgga	cgggggccgg	ttcagggttcg	tcgggcattt	3120
cagcgaagcg	ccgggcacgt	cggcgttcgg	gacggcgag	cgcccggagt	tcgaacgcat	3180
cctgaacgaa	tgccgcgccg	ggcggctcaa	catgatcatt	gtctatgacg	tgtcgcgctt	3240
ctcgcgcctg	aaggatcatg	acgcgattcc	gattgtctcg	gaattgctcg	ccctgggcgt	3300
gacgattggt	tccactcagg	aaggcgtctt	ccggcaggga	aacgtcatgg	acctgattca	3360
cctgattatg	cggtcgcagc	cgtcgcacaa	agaatcttcg	ctgaagtcgg	cgaagattct	3420
cgacacgaag	aaccttcagc	gcgaattggg	cgggtacgtc	ggcgggaagg	cgccttacgg	3480
cttcgagctt	gtttcggaga	cgaaggagat	cacgcgcaac	ggccgaatgg	tcaatgtcgt	3540
catcaacaag	cttgcgact	cgaccactcc	ccttaccgga	cccttcgagt	tcgagcccga	3600
cgtaatccgg	tgggtggtggc	gtgagatcaa	gacgcacaaa	caccttcctt	tcaagccggg	3660
cagtcaagcc	gccattcacc	cgggcagcat	cacggggctt	tgtaaagcga	tggacgctga	3720
cgccgtgccg	acccggggcg	agacgattgg	gaagaagacc	gcttcaagcg	cctgggaccc	3780
ggcaaccgtt	atgcgaatcc	ttcgggaccc	gcgtattgcg	ggcttcgccg	ctgagggtgat	3840
ctacaagaag	aagccggacg	gcacgcccac	cacgaagatt	gagggttacc	gcattcagcg	3900
cgacccgatc	acgctccggc	cggtcgagct	tgattgcgga	ccgatcatcg	agcccgtga	3960
gtggtatgag	cttcaggcgt	ggttggacgg	cagggggcgc	ggcaaggggc	tttcccgggg	4020
gcaagccatt	ctgtccgcca	tggacaagct	gtactgagcg	tgtggcgccg	tcattgacttc	4080
gaagcgcggg	gaagaatcga	tcaaggactc	ttaccgctgc	cgtcgccgga	agggtggtcga	4140

Integrase.ST25

```

cccggtccgca cctggggcagc acgaaggcac gtgcaacgtc agcatggcgg cactcgacaa 4200
gttcgtttgcg gaacgcatct tcaacaagat caggcacgcc gaaggcgacg aagagacggt 4260
ggcgctttctg tgggaagccg cccgacgctt cggcaagctc actgaggcgc ctgagaagag 4320
cggcgaacgg gcgaaccttg ttgcggagcg cgccgacgcc ctgaacgccc ttgaagagct 4380
gtacgaagac cgcgcggcag gcgcgtacga cggacccggt ggcaggaagc acttccggaa 4440
gcaacaggca gcgctgacgc tccggcagca agggggcgga gagcggcttg ccgaacttga 4500
agccgccgaa gccccgaagc ttccccttga ccaatgggtt cccgaagacg ccgacgctga 4560
cccgaccggc cctaagtcgt ggtggggggcg cgcgtcagta gacgacaagc gcgtgttcgt 4620
cgggctcttc gtagacaaga tcgttgtcac gaagtcgact acgggcaggg ggcagggaac 4680
gcccattcgag aagcgcgctt cgatcacgtg ggcgaagccg ccgaccgacg acgacgaaga 4740
cgacgcccag gacggcacgg aagacgtagc ggcgtagcga gacacccgga tccctcgagg 4800
ggccctattc tatagtgtca cctaaatgct agagctcgct gatcagcctc gactgtgcct 4860
tctagttgcc agccatctgt tgtttgcccc tccccgtgc cttccttgac cctggaaggt 4920
gccactccca ctgtcctttc ctaataaaat gaggaaattg catcgattg tctgagtagg 4980
tgtcattcta ttctgggggg tgggggtgggg caggacagca agggggagga ttgggaagac 5040
aatagcaggc atgctgggga tgcggtgggc tctatggctt ctgaggcgga aagaaccagg 5100
tgcccagtca tagccgaata gcctctccac ccaagcggcc ggagaacctg cgtgcaatcc 5160
actggggggcg cg 5172

```

```

<210> 10
<211> 6233
<212> DNA
<213> Plasmid pCR-XL-TOPO-CMV-pur-attB

```

```

<400> 10
agcgcccaat acgcaaaccg cctctccccg cgcgttggcc gattcattaa tgcagctggc 60
acgacagggt tcccgactgg aaagcgggca gtgagcgcaa cgcaattaat gtgagttagc 120
tactcatta ggcaccccag gctttacact ttatgcttcc ggctcgtatg ttgtgtggaa 180
ttgtgagcgg ataacaattt cacacaggaa acagctatga ccatgattac gccaagctat 240
ttaggtgacg cgttagaata ctcaagctat gcatcaagct tggtagcgag ctcggatcca 300
ctagtaacgg ccgccagtgt gctggaattc gcccttggcc gcaataaaat atctttattt 360
tcattacatc tgtgtgttgg ttttttgtgt gaatcgatag tactaacata cgctctccat 420
caaaacaaaa cgaaacaaaa caaactagca aaataggctg tccccagtgc aagtgcaggc 480
gccagaacat ttctctatcg ataggtaccg agctcttacg cgtgctagcc ctcgagcagg 540
atctatacat tgaatcaata ttggcaatta gccatattag tcattgggta tatagcataa 600
atcaatattg gctattggcc attgcatacg ttgtatctat atcataatat gtacatttat 660
attggctcat gtccaatatg accgccatgt tgacattgat tattgactag ttattaatag 720
taatcaatta cgggggtcatt agttcatagc ccataatatg agttccgcgt tacataactt 780

```


Integrase.ST25

acggtaa	atg	gccccgc	ctgaccgccc	aacgaccccc	gcccattgac	gtcaataatg	840
acgtatgttc	ccatagtaac	gccaataggg	actttccatt	gacgtcaatg	ggtggagtat		900
ttacggtaaa	ctgcccactt	ggcagtacat	caagtgtatc	atatgccaag	tccgccccct		960
attgacgtca	atgacggtaa	atggcccggc	tggcattatg	cccagtacat	gaccttacgg		1020
gactttccta	cttggcagta	catctacgta	ttagtcatcg	ctattaccat	ggtgatgcgg		1080
ttttggcagt	acatcaatgg	gcgtggatag	cggtttgact	cacggggatt	tccaagtctc		1140
caccccattg	acgtcaatgg	gagtttgttt	tggcaccaaa	atcaacggga	ctttccaaaa		1200
tgtcgtaaca	actccgcccc	attgacgcaa	atgggcggta	ggcgtgtacg	gtgggaggtc		1260
tatataagca	gagctcgttt	agtgaaccgt	cagatcgctt	ggagacgcca	tccacgctgt		1320
tttgacctcc	atagaagaca	ccgggaccga	tccagcctcc	cctcgaagct	cgactctagg		1380
ggctcgagat	ctgcatccta	agtaagcttg	catgcctgca	ggtcggccgc	cacgaccggt		1440
gccgccacca	tcccctgacc	cacgcccctg	accctcaca	aggagacgac	cttccatgac		1500
cgagtacaag	cccacgggtg	gcctcgccac	ccgcgacgac	gtcccccg	ccgtacgcac		1560
cctcgccg	gcgttcg	actacccgc	cacgcgccc	accgtcgacc	cggaccgcca		1620
catcgagcgg	gtcaccgagc	tgcaagaact	cttcctcacg	cgcgtcgggc	tcgacatcgg		1680
caaggtgtgg	gtcgcgagc	acggcgccgc	ggtggcggtc	tggaccacgc	cggagagcgt		1740
cgaagcgggg	gcggtgttcg	ccgagatcgg	cccgcgcatg	gccgagttga	gcggttccc		1800
gctggccg	cagcaacaga	tggaaggcct	cctggcgccg	caccggccca	aggagcccgc		1860
gtggttcctg	gccaccgtcg	gcgtctcgcc	cgaccaccag	ggcaagggtc	tgggcagcgc		1920
cgtcgtgctc	cccggagtgg	aggcggccga	gcgcgcccgg	gtgcccgcct	tcctggagac		1980
ctccgcgccc	cgcaacctcc	ccttctacga	gcggctcggc	ttcaccgtca	ccgcccacgt		2040
cgaggtgccc	gaaggaccgc	gcacctgggtg	catgacccgc	aagcccgggtg	cctgacgccc		2100
gccccacgac	ccgcagcgcc	cgaccgaaag	gagcgcacga	cccatgggt	ccgaccgaag		2160
ccgaccg	cggccccg	gaccccgcac	ccgccccga	ggcccaccga	ctctagagtc		2220
ggggcgccg	gccgcttcga	gcagacatga	taagatacat	tgatgagttt	ggacaaacca		2280
caactagaat	gcagtgaaaa	aatgcttta	tttgtgaaat	ttgtgatgct	attgctttat		2340
ttgtaaccat	tataagctgc	aataaacaag	ttaacaacaa	caattgcatt	cattttatgt		2400
ttcaggttca	gggggaggtg	tgggaggttt	tttaaagcaa	gtaaaacctc	tacaaatgtg		2460
gtaaaatcga	taaggatcaa	ttcggcttca	ggtaccgtcg	acgatgtagg	tcacggtctc		2520
gaagccgcgg	tgccgggtgcc	agggcgtgcc	cttgggctcc	ccgggcgcgt	actccacctc		2580
acccatctgg	tccatcatga	tgaacgggtc	gaggtggcgg	tagttgatcc	cggcgaacgc		2640
gcggcgacc	gggaagccct	cgcctcgaa	accgctgggc	gcggtgggtca	cggtgagcac		2700
gggacgtgcg	acggcgtcgg	cgggtgcgga	tacgcggggc	agcgtcagcg	ggttctcgac		2760
ggtcacggcg	ggcatgtcga	cagccgaatt	gatccgtcga	ccgatgccct	tgagagcctt		2820

Integrase.ST25

caacccagtc agctccttcc ggtgggcgcg gggcatgact atcgtcgccg cacttatgac	2880
tgtcttcttt atcatgcaac tcgtaggaca ggtgccggca gcgctcttcc gcttcctcgc	2940
tcactgactc gctgcgctcg gtcgttcggc tgcggcgagc ggtatcagct cactcaaagg	3000
cggtaatacg gttatccaca gaatcagggg ataacgcagg aaagaacatg aagggcgaat	3060
tctgcagata tccatcacac tggcgggccg tcgagcatgc atctagaggg cccaattcgc	3120
cctatagtga gtcgtattac aattcactgg ccgtcgtttt acaacgctcg gactgggaaa	3180
accctggcgt tacccaactt aatcgccctt cagcacatcc ccctttcgcc agctggcgta	3240
atagcgaaga ggcccgcacc gatcgccctt cccaacagtt gcgcagccta tacgtacggc	3300
agtttaaggt ttacacctat aaaagagaga gccgttatcg tctgtttgtg gatgtacaga	3360
gtgatattat tgacacgccg gggcgacgga tggatgatccc cctggccagt gcacgtctgc	3420
tgtcagataa agtctcccgt gaactttacc cgggtggtgca tatcggggat gaaagctggc	3480
gcatgatgac caccgatatg gccagtgtgc cggctctccgt tatcggggaa gaagtggctg	3540
atctcagcca ccgcgaaaat gacatcaaaa acgccattaa cctgatgttc tggggaatat	3600
aatgtcagg catgagatta tcaaaaagga tcttcaccta gatccttttc acgtagaaag	3660
ccagtccgca gaaacggtgc tgaccccgga tgaatgtcag ctactgggct atctggacaa	3720
gggaaaacgc aagcgcaaag agaaagcagg tagcttgcag tgggcttaca tggcgatagc	3780
tagactgggc ggttttatgg acagcaagcg aaccggaatt gccagctggg gcgccctctg	3840
gtaaggttgg gaagccctgc aaagtaaact ggatggcttt ctgcgccca aggatctgat	3900
ggcgcagggg atcaagctct gatcaagaga caggatgagg atcgtttcgc atgattgaac	3960
aagatggatt gcacgcaggt tctccggccg cttgggtgga gaggctattc ggctatgact	4020
gggcacaaca gacaatcggc tgctctgatg ccgccgtgtt ccggctgtca gcgcaggggc	4080
gcccggttct ttttgtcaag accgacctgt ccggtgccct gaatgaactg caagacgagg	4140
cagcgcggct atcgtggctg gccacgacgg gcgttccttg cgcagctgtg ctcgacgttg	4200
tcactgaagc gggaagggac tggctgctat tgggcgaagt gccggggcag gatctcctgt	4260
catctcacct tgctcctgcc gagaaagtat ccatcatggc tgatgcaatg cggcggctgc	4320
atacgcttga tccggctacc tgcccattcg accaccaagc gaaacatcg atcgagcgag	4380
cacgtactcg gatggaagcc ggtcttgtcg atcaggatga tctggacgaa gagcatcagg	4440
ggctcgcgcc agccgaactg ttcgccaggc tcaaggcgag catgcccgaac ggcgaggatc	4500
tcgtcgtgac ccatggcgat gcctgcttgc cgaatatcat ggtggaaaat ggccgctttt	4560
ctggattcat cgactgtggc cggctgggtg tggcggaccg ctatcaggac atagcgttgg	4620
ctacccgtga tattgctgaa gagcttggcg gcgaatgggc tgaccgcttc ctcgctgcttt	4680
acggtatcgc cgctcccgat tcgcagcgca tcgccttcta tcgccttctt gacgagttct	4740
tctgaattat taacgcttac aatttcctga tgcggtattt tctccttacg catctgtgcg	4800
gtatttcaca ccgcatacag gtggcacttt tcgggggaaat gtgcgcggaa cccctatttg	4860

Integrase.ST25

```

tttatttttc taaatacatt caaatatgta tccgctcatg agacaataac cctgataaat 4920
gcttcaataa tagcacgtga ggagggccac catggccaag ttgaccagtg ccgttccggt 4980
gctcaccgcg cgcgacgtcg ccggagcggt cgagttcttg accgaccggc tcgggttctc 5040
ccgggacttc gtggaggacg acttcgccgg tgtggtccgg gacgacgtga ccctgttcat 5100
cagcgcggtc caggaccagg tgggtgccgga caacaccctg gcctgggtgt gggtgcgcg 5160
cctggacgag ctgtacgccg agtggtcgga ggtcgtgtcc acgaacttcc gggacgcctc 5220
cgggccggcc atgaccgaga tcggcgagca gccgtggggg cgggagttcg ccctgcgcga 5280
cccggccggc aactgcgtgc acttcgtggc cgaggagcag gactgacacg tgctaaaact 5340
tcatttttaa tttaaaagga tctaggtgaa gatccttttt gataatctca tgaccaaact 5400
cccttaacgt gagttttcgt tccactgagc gtcagacccc gtagaaaaga tcaaaggatc 5460
ttcttgagat cttttttttc tgcgcgtaat ctgctgcttg caaacaaaaa aaccaccgct 5520
accagcggtg gtttgtttgc cggatcaaga gctaccaact ctttttccga aggtaactgg 5580
cttcagcaga gcgcagatac caaatactgt ctttctagt tagccgtagt taggccacca 5640
cttcaagaac tctgtagcac cgctacata cctcgtcttg ctaatcctgt taccagtggc 5700
tgctgccagt ggcgataagt cgtgtcttac cgggttggac tcaagacgat agttaccgga 5760
taaggcgag cggtcgggct gaacggggggg ttcgtgcaca cagcccagct tggagcgaa 5820
gacctacacc gaactgagat acctacagcg tgagctatga gaaagcgcca cgcttcccga 5880
agggagaaag gcggacaggt atccggtaag cggcagggtc ggaacaggag agcgcacgag 5940
ggagcttcca gggggaaacg cctgggtatct ttatagtcct gtcgggtttc gccacctctg 6000
acttgagcgt cgatttttgt gatgctcgtc agggggggcg agcctatgga aaaacgccag 6060
caacgcggcc tttttacggt tcctgggctt ttgctggcct tttgctcaca tgttctttcc 6120
tgcgttatcc cctgattctg tggataaccg tattaccgcc tttgagttag ctgataccgc 6180
tcgccgcagc cgaacgaccg agcgcagcga gtcagtgagc gaggaagcgg aag 6233

```

<210> 11
<211> 234
<212> DNA
<213> artificial

<220>
<223> attP containing polynucleotide

```

<400> 11
gactagtact gacggacaca ccgaagcccc ggccgcaacc ctcagcggat gccccggggc 60
ttcacgtttt cccagggtcag aagcggtttt cgggagtagt gcccgaactg gggtaacctt 120
tgagttctct cagttggggg cgtaggggtcg ccgacatgac acaaggggtt gtgaccgggg 180
tggacacgta cgcgggtgct tacgaccgtc agtcgcgcga gcgcgactag taca 234

```

<210> 12
<211> 26

Integrase.ST25

<212> DNA

<213> artificial

<220>

<223> Primer attB-for

<400> 12

taccgtcgac gatgtaggtc acggtc

26